

Uken[®]



**Guaranteed
Through
Innovation**

PRODUCT CATALOGUE
2022 - 2023



ABOUT US

Uken Professional Tools. The firm has been engaged in supply of extremely good quality Tools & Industrial Products since the past few years. Yet, it has remained a clear winner satisfying all customer needs. At Uken, our professionally qualified & experienced workmen are employed who are extremely dedicated and talented in their respective domains.

All Tools & Industrial Products offered by the firm are the best in its class owing to its quality, workmanship, efficient performance, attractive looks, accuracy and fine finish. To maintain the quality of the products the firm is very particular in procuring the best quality of components only from the most trusted vendors. Our team of technical professionals are entrusted to take care of various stages of quality control, packing, delivery, etc. from start to finish.

Our Team

Our organization is backed by a dedicated team of skilled workforce and diligent personnel who are extremely competent to offer high quality products, and as well are able to meet specific requirements of clients. Our team remains aware with respect to all the advancements & modern techniques that come into play from time to time.

The team possesses immense expertise owing to them being highly trained and experienced in their respective domains, which enables products & delivery of quality Tools within scheduled time periods. Regular trainings for our craftsmen and professionals are encouraged to update their skills with latest technology and developments in the industry. This ensures the organization remains in a position to deliver the attributes of a product offered by the firm.

Our Infrastructure:

The sophisticated infrastructure and our team of professionally qualified & experienced workmen account for systematic execution of all processing activities to meet all bulk demands.

Contact Us: info@ukentools.com

Website: www.ukentools.com

EXPLANATION OF ABBREVIATIONS

AWG	AMERICAN WIRE GAUGE NUMBER
ABS	ANTI-LOCK BRAKING SYSTEM
CTN	CARTON BOX
CM	CENTIMETER
CR-V	CHROMIUM-VANADIUM STEEL
CR-MO	CHROMIUM-MOLYBDENUM STEEL
CR-NI	CHROMIUM-NICKEL STEEL
DIA / D	DIAMETER
DIN	GERMAN STANDARD

G	GRAM
H/D	HEAVY DUTY
L / L1 / L2	LENGTH
LB	POUND
MM	MILLIMETER
MTR	METER
HRC 54-54	ROCKWELL HARDNESS
NIOSH	NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH

OZ	OUNCE
PKT	PACKET
PCS	PIECES
SS	STAINLESS STEEL
S	SHANK
TPR	THERMO PLASTIC RUBBER
W	WATTS
6"	6 INCH
500A	AMPS



CATALOGUE CONTENTS

MEASURING TOOLS	04
INTERIOR AND FINISHING TOOLS	14
HAND TOOLS	30
ABRASIVES /CIRCULAR SAW BLADES /DIAMOND BLADES	121
DRILL BITS AND ROUTER BITS	136
SAFETY PRODUCTS	157
WELDING PRODUCTS	173
HOSE CLIPS	177
LIFTING EQUIPMENTS	178
CASTER WHEELS	184
ELECTRICAL PRODUCTS	190
FASTENERS	191
HARDWARE SOLUTIONS	193

Uken[®]

MEASURING TOOLS



MEASURING TAPE - CLASSIC

- Chrome
- Rubberized
- Nylon Coated
- Magnetic hook
- Thicker Blade

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U2000	3 MTR X 16 MM	12	60
U2001	5 MTR X 19 MM	6	60
U2002	7.5 MTR X 25 MM	6	60
U2003	10 MTR X 25 MM	6	60



MEASURING TAPE CHROME PROFESSIONAL

- Chrome
- Shock Proof
- Clear Graduation
- Thicker Blade
- Excellent Lock System

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3G48WC	3 MTR X 16 MM	12	120
U5X19G48XC	5 MTR X 19 MM	12	60
U5G48XC	5 MTR X 25 MM	12	60
U7HG48XC	7.5 MTR X 25 MM	6	60

MEASURING TAPE - YELLOW

- ABS Case
- Thicker Blade
- Shock Proof
- Excellent Locking System
- Clear Graduation

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3G48WY	3 MTR X 16 MM	12	120
U5X19G48XY	5 MTR X 19 MM	12	60
U5G48XY	5 MTR X 25 MM	12	60



MEASURING TAPE - RUBBER

- ABS Case with rubber
- Thicker Blade
- Shock Proof
- Excellent Locking System
- Clear Graduation

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3G53WR	3 MTR X 16 MM	12	120
U5X19G3XR	5 MTR X 19 MM	12	60
U5G53XR	5 MTR X 25 MM	12	60
U7HG53XR	7.5 MTR X 25 MM	6	60
U8G53XR	8 MTR X 25 MM	6	60

MEASURING TAPE YELLOW- WITH RUBBER

- ABS Case with rubber
- Thicker Blade
- Shock Proof
- Excellent Locking System
- Clear Graduation

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8G4503	8 MTR X 25 MM	6	60



MEASURING TAPE - GREEN

- ABS Case
- Shock Proof
- Popular Design
- Excellent Locking System
- Clear Graduation
- Rubber Coat

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U10752	10 MTR X 25 MM	6	48

MEASURING TAPE CHROME- WITH RUBBER PROFESSIONAL

- Chrome
- Thicker Blade
- Shock Proof
- Rubberised
- Clear Graduation
- Attractive Appearance
- Excellent Locking System

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8G4504	8 MTR X 25 MM	6	60



MEASURING TAPE – OPEN TYPE (STEEL)

- Open body frame with rubberised handle
- Rewind handle for fast retraction
- Thicker blade steel

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UJ306	30 MTR X 13 MM	1	30
UJ506	50 MTR X 13 MM	1	30



MEASURING TAPE – CLOSE TYPE (STEEL)

- High quality & comfortable
- Clear graduation
- Thicker blade steel
- Rewind handle for fast retraction
- Rubberised

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U30G50	30 MTR X 13 MM	1	30
U50G50	50 MTR X 13 MM	1	30



MEASURING TAPE – CLOSE TYPE (FIBER)

- Heavy duty case with soft rubber grip
- Rewind handle for fast retraction
- Reinforced pull ring

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U2011	15 MTR X 13 MM	1	60
U2012	20 MTR X 13 MM	1	40
U2013	30 MTR X 13 MM	1	40
U2014	50 MTR X 13 MM	1	20



MEASURING TAPE – OPEN TYPE (FIBER)

- Open body with rubberised handle
- Rewind handle for full retraction
- Clear Graduation

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U2015	100 MTR X 13 MM	1	10



RIGHT ANGLE

- Rust proof steel blade
- Used for laying out and marking angles in framing, roofing
Interior work for checking squareness and flatness

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U30-030	12"	6	36
U30-060	24"	6	36



TRY SQUARE - HEAVY DUTY

- Rust proof stainless steel scale
- Zinc handle heavy duty
- Easy reading graduation etched in to scale
- Available in different sizes

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U29-015	6"	6	36
U29-020	8"	6	36
U29-025	10"	6	36
U29-030	12"	6	36

TRY SQUARE- PLASTIC HANDLE

- Rust proof stainless steel scale.
- Plastic handle
- Easy reading graduation etched in to scale
- Available in different sizes

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U32-020	8"	6	36
U32-025	10"	6	36
U32-030	12"	6	36



TRY SQUARE- ALUMINIUM HANDLE

- Rust proof stainless steel scale.
- Aluminium handle
- Easy reading graduation etched into scale
- Available in different sizes

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U33-015	6"	10	90
U33-020	8"	10	90
U33-025	10"	10	60
U33-030	12"	10	60

COMBINATION SQUARE

The 12" combination square has a durable blade that features etched markings and brass thumbscrews along with a built-in bubble vial. The tool provides accurate measurements.

- Aluminium alloy body construction
- Mechanical surface for greater accuracy
- Metric and imperial graduations etched in to scale

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U31-030	12"	10	60

Embossed graduations for easy reading



Vial accuracy 0.55mm/m for easy readability



STAINLESS STEEL SCALE

- Rust proof stainless steel scale
- Easy reading graduation
- Available in different sizes
- Endorsed conversion table

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U28-030	30CM(300 MM)	12	300
U28-060	60CM(600 MM)	20	100
U28-100	100CM(1000 MM)	20	60
U28-120	120CM(1200 MM)	20	60
U28-150	150CM(1500 MM)	10	30
U28-200	200CM(2000 MM)	10	30



STRONG AND LIGHTWEIGHT
ALUMINIUM FRAME
SUITABLE FOR ALL PURPOSE
AND DURABILITY

SHOCK PROOF END
CAPS



MAGNIFIED CENTER VIAL
FOR IMPROVED VISIBILITY

HEAVY DUTY ALUMINIUM
BEAM FRAME AND VIRTUALLY
UNBREAKABLE UNDER NORMAL
CONDITIONS. THE MAGNIFIED
VIAL WITH LARGE BUBBLE MAKES
IT EASIER TO READ ACCURATELY.



SPIRIT LEVEL

- Heavy duty box aluminium frame
- 3 Solid block acrylic vials
- Protect frame milled working surface
- Shock absorbing end caps
- Vial accuracy 0.5 mm/m

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6412	12"	10	40
U6416	16"	10	40
U6424	24"	10	40
U6432	32"	10	40
U6436	36"	10	20
U6440	40"	10	20
U6448	48"	10	20
U6460	60"	10	20
U6472	72"	10	20
U6480	80"	10	20



SPIRIT LEVEL - PROFESSIONAL

- Heavy duty box aluminium frame.
- Comfortable rubberized hand grip.
- Shock proof end caps.
- Vial accuracy 0.5 mm/m


PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6612	12"	15	30
U6618	18"	15	30
U6624	24"	15	30
U6632	32"	10	20
U6640	40"	10	20
U6648	48"	10	20
U6672	72"	10	20
U6680	80"	6	12



SPIRIT LEVEL WITH MAGNET

- Heavy duty box aluminium frame
- 3 Solid block acrylic vials
- Shock absorbing end caps
- Vial accuracy 0.5 mm/m

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6512M	12"	10	40
U6516M	16"	10	40
U6524M	24"	10	40
U6532M	32"	10	40
U6536M	36"	10	40
U6540M	40"	10	20



SPIRIT LEVEL - PLASTIC - TORPEDO

- Aluminium reinforced frame 9" torpedo level
- Top read window for easy viewing
- Strong magnetic edge
- Vial accuracy 0.5 mm / m



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6509M	9"	12	120

SPIRIT LEVEL - PROFESSIONAL WITH MAGNET

- Cast aluminium level with heavy duty frame
- Strong hold magnetic
- Milled working surface
- Vial accuracy 0.5 mm / m



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6510M	10"	10	60



CHALK LINE REEL

- High Visibility
- Streamlined ergonomic shape
- Durable impact resistant case

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U46001	30 M CHALK LINE REEL	6	60



CHALK LINE REEL SET

- High Visibility
- Streamlined ergonomic shape
- Durable impact resistant case

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U46002	30 M CHALK LINE REEL WITH 113 GM BLUE CHALK	6	36



CHALK LINE REEL SET WITH LEVEL

- High Visibility
- Streamlined ergonomic shape
- Durable impact resistant case
- Chalk line set with level

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U46003	30m CHALK LINE REEL SET WITH LEVEL AND 113gm BLUE ChALK	6	36



CHALK LINE REFILL

- High Visibility
- Durable impact resistant case
- 113Gram/40OZ

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U46004	RED	10	100
U46005	BLUE	10	100



Uken[®]

INTERIOR & FINISHING TOOLS



PAINT BRUSH BLACK

- Pure bristles
- Suitable for all purpose
- Excellent for high productivity
- Provides good, smooth results in all paints

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
62805	1/2"	12	864
62810	1"	12	864
62815	1.5"	12	600
62820	2"	12	360
62825	2.5"	12	360
62830	3"	12	240
62840	4"	12	144
62850	5"	6	144
62860	6"	6	120

These brushes are light weight and can be used for all kind of paintings . We manufacture these brushes using the best quality raw material



Black bristles, good softness and elastic, high pickup and release

PAINT BRUSH WHITE

- Pure bristles
- Suitable for all purpose
- Wooden handle
- Excellent for high productivity
- Provides good, smooth results in all paints

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
27905	1/2"	20	720
27910	1"	20	500
27915	1.5"	20	300
27920	2"	20	200
27925	2.5"	10	160
27930	3"	10	120
27940	4"	5	100
27950	5"	5	60
27960	6"	5	40



ARTIST BRUSH - WHITE

- Provide good smooth results in all paints
- Uniform painting /easy to clean and maintenance
- No elbow / No hand pain



PART NO	DESCRIPTION	SET / PKT	SET / CTN
U39579	FLAT 12PC SET - (1MM, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12MM)	12	40
U39582	ROUND HEAD 12PC SET - (1MM, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12MM)	10	40

ARTIST BRUSH - GREEN

- Provide good smooth results in all paints
- Uniform painting /easy to clean and maintenance
- No elbow / No hand pain



PART NO	DESCRIPTION	SET / PKT	SET / CTN
U39286	FLAT 10PC SET - 2MM-2NOS/ 4MM-2NOS / 6MM-2NOS/13MM - 4NOS	10	200
U39287	FLAT 5PC SET - 2MM/ 4MM/6MM/13MM - 2NOS	10	200

PAINT ROLLER – LONG PILE

- Frame & Roller
- Perfect for rolling a large amount of new dry wall quickly
- Provide a smooth finish with less lint
- Plastic handle
- Long Pile

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UPR4	4"	1	40
UPR7	7"	1	36
UPR9	9"	1	36



Superb blend polyster and knitted wool designed for maximum paint pickup and release.

PAINT ROLLER – SHORT PILE

- Frame & Roller
- Perfect for rolling a large amount of new dry wall quickly
- Provide a smooth finish with less lint
- Plastic handle
- Short Pile

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U2803	9"	1	36



PAINT ROLLER

- Ideal for rolling a large amount of dry wall quickly and easily
- Disperses the paint equally on the surface.
- 9-inch width to cover most extreme surface area.

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U2805	9"	1	36



PAINT ROLLER REFILL – LONG PILE



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UPRR4	4"	1	100
UPRR7	7"	1	100
UPRR9	9"	1	100

PAINT ROLLER REFILL – SHORT PILE



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U2804	9"	1	100

PAINT ROLLER REFILL



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U2806	9"	1	100

PAINT ROLLER – MOHAIR

- Frame & Roller
- Suitable for oil based paints
- Providing smoothest finish
- Roller work best with high gloss finishes and will distribute Paint evenly creating a smooth finish on the wall

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U2800-9	9"	1	40



PAINT ROLLER – ACRYLIC

- Frame & Roller
- Provide the smoothest finish from any other roller
- Made of lint free premium fabric
- Fine finish covers help distribute evenly and make clean - up easy

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U2900-9	9"	1	36



RADIATOR ROLLER



- Frame & Roller
- Roller recommended for small, hard to reach areas and give the smoothest rolling action to make the job go faster
- Made of high density polyester fabric

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
111004	4"	1	120

RADIATOR ROLLER REFILL



PART NO	DESCRIPTION	PCS / PKT	PKT / CTN
112004	4"	10	50

PAINT ROLLER REFILL- MOHAIR



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U2801-9	9"	1	100

PAINT ROLLER REFILL – ACRYLIC



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U2901-9	9"	1	100

RADIATOR ROLLER REFILL – MOHAIR



PART NO	DESCRIPTION	PCS / PKT	PKT / CTN
U2807	4"	10	40

RADIATOR ROLLER REFILL – FOAM TYPE



PART NO	DESCRIPTION	PCS / PKT	PKT / CTN
U2802	4"	10	40
U2802S	4"	10	40

SCRAPER - BLACK HANDLE

- Rigid high steel blades
- Comfort thump with plastic handle

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U04021	1"	12	240
U040215	1.5"	12	240
U04022	2"	12	240
U040225	2.5"	12	240
U04023	3"	12	240
U04024	4"	12	240



SCRAPER STAINLESS STEEL - GREEN HANDLE

- Rigid high stainless steel blade with Plastic handle
- Easy to handle

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U05021	1"	12	240
U050215	1.5"	12	240
U05022	2"	12	240
U050225	2.5"	12	240
U05023	3"	12	240
U05024	4"	12	240



Scraper knife is made of steel with plastic handle for soft handy use and ensures slip resistance

SCRAPER - WOOD HANDLE

- Rigid steel blade with wooden handle
- Comfort thump grip handle

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UI201	1"	12	240
UI202	1.5"	12	240
UI203	2"	12	240
UI204	2.5"	12	240
UI205	3"	12	240
UI206	4"	12	240
UI207	5"	12	240
UI208	6"	12	240



SCRAPER

- Square scraper with wooden handle
- Rugged high steel blade
- Comfort thump grip handle

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UI200	10"	12	120
UI209	8"	12	120



SCRAPER SET - PLASTIC

- Plastic square scraper
- Comfort thump grip

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U0705P	5, 8, 10, 12 (CM)	10	200



SCRAPER SET

- Square scraper with plastic handle
- Comfort thump grip

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U0704M	5, 8, 10, 12 (CM)	10	200



WINDOW SCRAPER

- For scraping on all surfaces
- Comfortable plastic handle with detachable blade guard
- Easy to change blade



PART NO	PCS / INNER BOX	PCS / CTN
U6240	24	144



MASONRY TROWEL - HEAVY DUTY

- Wooden handle
- Steel blade is temper ground and polished
- Balanced weight & flexible blade
- Suitable for small areas for patching

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UI221	6"	12	120
UI222	7"	12	120
UI223	8"	12	120
UI224	9"	12	120



MASONRY TROWEL - HEAVY DUTY

- Wooden handle
- Steel blade easy to use
- Tempered ground and polished for perfect balance
- Wide pattern brickly trowel carries more materials and is good for high productivity

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UI231	6"	12	120
UI232	7"	12	120
UI233	8"	12	120



MASONRY TROWEL

- Wooden handle
- Steel blade, easy to use
- Tempered ground and polished for perfect balance

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U03046	6"	12	120
U03047	7"	12	120
U03048	8"	12	120



MASONRY TROWEL FORGED

- Steel blade, easy to use
- Tempered and polished for perfect balance
- Wooden handle
- Wide heel blade is popular for stone work

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U0304-F6	6"	12	48
U0304-F7	7"	12	48
U0304-F8	8"	12	48



MASONRY TROWEL - HEAVY DUTY

- Steel blade, easy to use
- Heavy Duty Application
- Tempered ground and polished for perfect balance

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U03566	6"	12	120
U03567	7"	12	120
U03568	8"	12	120



MASONRY TROWEL - SQUARE WOODEN HANDLE

- Heavy duty stainless steel square and trowel
- Wide pattern trowel carries more material and good for high productivity
- Natural wood handle

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1237	6"	12	60
U1238	7"	12	60



MASONRY TROWEL - TPR HANDLE

- Heavy duty stainless steel
- Tempered ground and polished for perfect balance
- TPR handle for better control and comfort

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1234	6"	12	60
U1235	7"	12	60
U1236	8"	12	60



PLASTERING TROWEL- WOOD HANDLE

GREEN WOODEN
HANDLE WITH
SMOOTH FINISH
FOR INTERIOR WALL
& CELINGS

WOODEN HANDLE
DESIGNED FOR
SMOOTH FINISH
AND POLISHING FOR
INTERIOR WALL & CELING

BIG TROWEL POINTED
TO FILL SMALL CAVITIES
AND REPAIR MORTAR



PLASTERING TROWEL – STEEL

- Steel blade for textured and sculptured stone Finishes used to create a dimensional smooth finish to interior wall and ceilings
- Plastic handle

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U17001	12"	12	60



PLASTERING TROWEL STEEL – TEETH

- Plastic handle with square teeth
- Smooth finish for interior wall & Ceilings

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U17002	12" (1/4 X 1/4) TEETH	12	60
U17003	12" (1/2 X 1/2) TEETH	12	60



PLASTERING TROWEL STEEL – ZIGZAG

- Plastic handle with zig zag teeth
- Smooth finish for interior wall & Ceilings

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U17004	12"	12	60



PLASTERING TROWEL GREEN HANDLE – WOOD

- Wooden handle (green) with steel blade
- High - Strength aluminium mounting
- Smooth finish for interior wall & ceilings


PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U04315	11" (L 280 X W130 MM)	12	48



PLASTERING TROWEL GREEN HANDLE – WOOD

- Wooden handle (green) with stainless steel blade
- Smooth finish for interior wall & ceilings

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U04316	19" (L480 X W 130 MM)	12	48



PLASTERING TROWEL – STEEL

- Wooden handle
- High – Strength aluminium mounting
- Smooth and finish for interior wall & ceilings

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U04311	12"	12	60



PLASTERING TROWEL STEEL – TEETH

- Big trowel point
- Wooden handle with square teeth
- Steel blade
- Designed for finishing and polishing for interior wall & ceilings

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U04312	12" (1/2 X 1/2) TEETH	12	60
U04313	12" (1/4 X 1/4) TEETH	12	60



PLASTERING TROWEL STEEL – ZIGZAG

- Wooden handle with zig zag teeth
- Smooth finish for interior wall & ceilings

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U04314	12"	12	60



PLASTERING TROWEL – STEEL



- Big trowel point
- Steel blade with wooden handle
- Designed for finishing and polishing for interior wall & ceilings

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U0428	16"	12	48

PVC FLOAT



- PVC trowel
- Less weight & Smooth finish
- Suitable for Interior wall & ceilings

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U120	14 CM X 28 CM	1	36 / 60

PAINT MIXER – HEAVY DUTY

- Mixing blades
- Mixing effect top to bottom
- Suitable for thin light fluid material such as colours base sludges

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UF09	W 80 X L 400	1	40
UF09	W 100 X L 600(H/D)	1	20



PAINT MIXER – SUPER DUTY


- Mixing blades
- Mixing effect bottom to top
- Sticky and Viscous materials

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4615	W 80 X L 400	1	40
U4616	W 100 X L 600	1	20



SILICON GUN HEAVY DUTY

HIGH TENSION SPRING
FOR LONG LIFE



SILICON/CAULKING GUN- HEAVY DUTY

- Heavy duty application
- Skelton frame
- Handle with plunger & release clip

PART NO	PCS / PKT	PCS / CTN
UB08	1	24



SILICON / CAULKING GUN - SUPER DUTY

- Super duty application
- Rotating caulking silicon gun
- Skelton frame capacity 400 ml
- Handle with plunger & release clip

PART NO	PCS / PKT	PCS / CTN
U4610	1	20



SILICON / CAULKING GUN - LIGHT DUTY

- Light duty application
- Skelton frame
- Handle with plunger & release clip

PART NO	PCS / PKT	PCS / CTN
UB04	1	24



SILICON / CAULKING GUN - PRO



- Heavy duty application
- Skelton frame
- Handle with plunger & release clip
- Suitable for all purpose

PART NO	PCS / PKT	PCS / CTN
U4609	1	24

SAUSAGE GUN



- Smooth rod and easy trigger action for easy dispensing
- Thump release helps prevents dripping
- Spring release plunger allows for quick loading

PART NO	PCS / PKT	PCS / CTN
UC13	1	20

WOOL PAD



- For high gloss polish
- Perfect for Auto industries

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4800	7"(180MM)	1	50

WOOL BONNET



- For high gloss polish

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4801	7"(180MM)	1	50

SANDING PAD WITH EVA



- Ideal for flat surface and fast Removal
- Great for general-purpose Sanding & Polishing
- Material ABS and suitable for Angle Grinder & Polishing Machine

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4816	4"(M10)	1	100
U4817	4.5"(M14)	1	100
U4818	5"(M14)	1	100
U4819	6"(M14)	1	100
U4820	7"(M14)	1	100

RUBBER PAD



- Used with pressure sensitive abrasive paper
- High quality Raw materials for Consistant suitable for Angle grinder and Polishing machine

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4810	4"(M10)	1	100
U4811	4.5"(M14)	1	100
U4812	5"(M14)	1	100
U4813	7"(M14)	1	100

SANDING PAD WITHOUT EVA



- Material ABS
- Suitable for angle grinder & Polishing Machine

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4821	4" (M10)	1	200
U4822	4.5" (M10)	1	200
U4823	5" (M14)	1	100
U4824	6" (M14)	1	200
U4825	7" (M14)	1	200

HAND BLOCK



- The sanding block is made of high quality raw materials
- This can help the bottom surface endure pressure & keep flat, smooth & durable

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4802	70X198MM	1	56

RUSH MACHINE / FLICKER – STAINLESS STEEL

- Easy to handle & hand operated
- Very light weight
- No need of skilled mason
- No wastage of materials
- Stainless steel

PART NO	PCS / PKT	PCS / CTN
U4617	1	12



RUSH MACHINE / FLICKER

- Easy to handle & hand operated
- Very light weight
- No need of skilled mason
- No wastage of materials

PART NO	PCS / PKT	PCS / CTN
116001	1	12



RUSH MACHINE / FLICKER BLADE

PART NO	PCS / PKT	PCS / CTN
116002	1	24



HAND WIRE BRUSH – WOOD HANDLE

- Wooden handle
- Seamless finish
- Resistance against corrosion
- Long lasting

PART NO	PCS / PKT	PCS / CTN
U42121	12	120



HAND WIRE BRUSH – PLASTIC HANDLE

- Ergonomic handle
- Curved face for hard to reach places
- Narrow brush allows access in to tight area slots
- Long lasting

PART NO	PCS / PKT	PCS / CTN
U42122	12	120





HAND TOOLS



CLAW HAMMER FIBERGLASS HANDLE - WISDOM

- Drop Forged High Quality Steel
- Fiberglass / TPR handle with high grip
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7054	8 OZ	6	48
U7055	16 OZ	6	36
U7056	24 OZ	6	24



CLAW HAMMER - FIBERGLASS HANDLE

- Drop Forged high quality steels provides american type claw hammer
- Fiber glass /TPR handle with high grip
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7057	8 OZ	6	48
U7050	16 OZ	6	36



CLAW / CARPENTER HAMMER - FIBER GLASS HANDLE

- Induction hardened head, drop forged
- TPR handle with high grip
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH16008	8 OZ	6	48
UH16016	16 OZ	6	36
UH16024	24 OZ	6	24



CLAW HAMMER HICKORY HANDLE - WISDOM

- Induction hardened head, drop forged
- Hickory Wooden handle
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7051	8 OZ	6	36
U7052	16 OZ	6	36
U7053	24 OZ	6	24



CLAW / CARPENTER HAMMER

- Induction hardened head, drop forged
- Wooden handle
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH15016	16 OZ	6	36



MECHANICAL HAMMER FIBERGLASS HANDLE - WISDOM

- Drop Forged high quality steel
- Fiber glass /TPR Handle with high grip
- Black lacquer, Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7063	500G	6	24
U7064	1000G	6	12



MECHANIC HAMMER FIBER HANDLE

- Induction hardend head drop forged
- TPR handle with high grip
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH11001	300 G	6	60
UH11003	1000 G	6	24



MECHANICAL HAMMER HICKORY HANDLE - WISDOM

- Drop Forged high quality steels
- Wooden handle
- Black lacquer, Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7058	500G	6	36
U7059	1000G	4	12



MECHANIC HAMMER - WOOD HANDLE

- Induction hardened head, drop forged
- Wooden handle
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH23500	500 G	6	48
UH231000	1000 G	6	24



BALL PEIN HAMMER FIBREGLASS HANDLE – WISDOM

- Induction hardened head, drop forged
- Fiber glass /TPR Handle with high grip
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7074	1.5LB/24 OZ	6	24
U7075	2LB/32 OZ	6	12



BALL PEIN HAMMER – FIBER HANDLE

- Induction hardened head, drop forged
- TPR handle with high grip
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH14003	2 LB	6	24
UH14004	3 LB	6	12



BALL PEIN HAMMER HICKORY HANDLE – WISDOM

- Induction hardened head, drop forged
- Hickory wooden handle
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7068	1.5LB/24 OZ	6	24
U7069	2LB/32 OZ	6	12



BALL PEIN HAMMER WOOD HANDLE

- Induction hardened head drop forged
- Wooden Handle
- Polished handle

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH2202	2 LB/32OZ	6	24
UH2203	3 LB/48OZ	6	12



CHIPPING HAMMER – FIBER HANDLE

- Induction hardened head , drop forged
- TPR handle with high grip
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH10002	500G	6	36



CHIPPING HAMMER – WOOD HANDLE

- Induction hardened head, drop forged
- Wooden handle
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH21500	500 G	6	36



SLEDGE HAMMER – FIBER HANDLE

- Induction hardened head, drop forged
- TPR handle with high grip
- Polished Head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH18002	2LB	6	24
UH18003	3LB	6	12
UH18004	4LB	6	12
UH18006	6LB	1	6
UH18008	8LB	1	4
UH18010	10LB	1	4
UH18012	12LB	1	4
UH18014	14LB	1	4



SLEDGE HAMMER – WOOD HANDLE

- Induction hardened head, drop forged
- Wooden handle
- Forged carbon steel
- Polished head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH17002	2LB	6	24
UH17003	3LB	6	12
UH17004	4LB	6	12
UH17006	6LB	1	6
UH17008	8LB	1	4
UH17010	10LB	1	4
UH17012	12LB	1	4
UH17014	14LB	1	4



RUBBER HAMMER – BLACK (WOOD HANDLE)

- Rubber malet black with wooden handle
- Heavy duty rubber head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH19008	8OZ	6	60
UH19012	12OZ	6	48
UH19016	16OZ	6	36
UH19024	24OZ	6	24
UH19032	32 OZ	6	24



RUBBER HAMMER – BLACK (FIBER HANDLE)

- Rubber malet black with fiber handle
- Heavy duty rubber head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH19308	8OZ	6	60
UH19312	12OZ	6	48
UH19316	16OZ	6	36
UH19324	24OZ	6	24
UH19332	32 OZ	6	24



RUBBER HAMMER – WHITE (WOOD HANDLE)

- Rubber malet white with wood handle
- Heavy duty rubber head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH19108	8OZ	6	60
UH19112	12OZ	6	48
UH19116	16OZ	6	36
UH19124	24OZ	6	24
UH19132	32OZ	6	24



RUBBER HAMMER – WHITE (FIBER HANDLE)

- Rubber malet white with fiber handle
- Heavy duty rubber head

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH19208	8OZ	6	60
UH19212	12OZ	6	48
UH19216	16OZ	6	36
UH19224	24OZ	6	24
UH19232	32OZ	6	24



WRECKING BAR WISDOM – SUPER DUTY

- Forged from hexagonal alloy steel
- Heat treated for extra strength and durability
- 60 degree gooseneck end and 30 degree prying end

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7040	18 "	6	12
U7041	24"	6	12
U7042	36"	4	8



WRECKING BAR WISDOM EUROPEAN STYLE- SUPER DUTY

- Forged from hexagonal alloy steel
- Heat treated for extra strength and durability
- 100 degree opening end and 30 degree prying end

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7045	18 "	6	12
U7046	24"	6	12
U7047	36"	3	6



BARBENDING KEY WISDOM – SUPER DUTY

- One piece forged from round steel.
- Heat treated for extra strength and durability
- Precision forged size for proper bending

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7001	6 MM	1	16
U7002	8 MM	1	16
U7003	10 MM	1	12
U7004	12 MM	1	12
U7005	14 MM	1	9
U7006	16 MM	1	9
U7007	18 MM	1	9
U7008	20 MM	1	9
U7009	22 MM	1	9
U7010	24 MM	1	9
U7011	26 MM	1	6
U7012	28 MM	1	6
U7013	30 MM	1	6
U7014	32 MM	1	6



FLAT CHISEL WISDOM – SUPER DUTY

- Forged from octagonal alloy steel.
- Heat treated for extra strength and durability
- Flat tip with ground cutting edge

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7031	8"	6	48
U7032	10"	6	48
U7033	12"	6	36



POINT CHISEL WISDOM – SUPER DUTY

- Forged from octagonal alloy steel.
- Heat treated for extra strength and durability
- Pointed tip with ground cutting edge

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7035	8"	6	48
U7036	10"	6	48
U7037	12"	6	36



FLAT CHISEL WISDOM WITH GRIP – SUPER DUTY

- Forged from octagonal alloy steel
- Heat treated for extra strength and durability
- Flat tip with double colour grip with TPR handle

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7021	8"	6	24
U7022	10"	6	24
U7023	12"	6	24



POINT CHISEL WISDOM WITH GRIP – SUPER DUTY

- Forged from octagonal alloy steel.
- Heat treated for extra strength and durability
- Pointed tip with double color grip

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U7027	8"	6	24
U7028	10"	6	24
U7029	12"	6	24




CARPENTER CHISEL

- Induction hardened
- Cr-V Steel
- Satin finish
- TPR handle with double colour sleeve for high grip

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U4506	1/4"	6	36
U4510	3/8"	6	36
U4512	1/2"	6	36
U4516	5/8"	6	36
U4519	3/4"	6	36
U4522	7/8"	6	36
U4525	1"	6	36
U4532	1-1/4"	6	36
U4540	1-1/2"	6	36
U4550	2"	6	36

A good chisel or nail set is as much about how it balances in the hand as the quality of the steel from which it's made. Uken's chisel pass this professional litmus test. They are shaped and balanced to provide great control.



CARPENTER CHISEL SET - 5PCS



Din **CrV**

- Drop forged Cr-V steel blade
- Heat treated for edge retention
- Blade edge honed
- Ergonomic grip handle - TPR handle

PART NO	DESCRIPTION	SET / BOX	SET / CTN
U4551	5PCS (1/4", 3/8", 1/2", 3/4", 1")	4	16





WOOD PLANE - NO.2

- Adjustable alloy steel blade, hardened & tempered with a fully polished finish
- Cast Iron body with a precision milled base
- Plane dimensions: 42mm blade(w) x 175mm base (L)



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1485	42MM (W) X 175MM(L)	1	20

WOOD PLANE - NO.4

- Adjustable alloy steel blade, hardened & tempered with a fully polished finish
- Cast Iron body with a precision milled base
- Plane dimensions: 50mm blade(w) x 254mm base(L)



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1486	50MM(W) X 254MM (L)	1	10

WOOD PLANE - NO.5

- Adjustable alloy steel blade, hardened & tempered with a fully polished finish
- Cast Iron body with a precision milled base
- Plane dimensions: 50mm blade(w) x 355mm base(L)



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1487	50MM(W) X 355MM(L)	1	10

WOOD PLANE

- Adjustable alloy steel blade, hardened & tempered with a fully polished finish
- Cast Iron body with a precision milled base
- Plane dimensions: 40mm blade(w) x 160mm base (L)

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U1490	40MM (W) X 160MM(L)	8	40



WOOD PLANE

- Adjustable alloy steel blade, hardened & tempered with a fully polished finish
- Cast Iron body with a precision milled base
- Plane dimensions: 35mm blade(w) x 135mm base (L)

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U1488	35MM(W) X 135MM(L)	10	40



WOOD PLANE

- Adjustable alloy steel blade, hardened & tempered with a fully polished finish
- Cast Iron body with a precision milled base
- Plane dimensions: 44mm blade(w) x 230mm base (L)

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U1489	44MM(W) X 230MM(L)	4	16



WOOD PLANE BLADE

- Adjustable alloy steel blade

PART NO	SUITABLE	PCS / PKT	PCS / CTN
U1487B	U1486/U1487	1	150



WOOD PLANER BLADE

- Alloy steel blade

PART NO	SUITABLE	PCS / PKT	PCS / CTN
U1485B	U1485	1	150



WOOD PLANER BLADE

- Alloy steel blade

PART NO	SUITABLE	PCS / PKT	PCS / CTN
U1488B	U1488	1	150



WOOD PLANER BLADE

- Adjustable alloy steel blade

PART NO	SUITABLE	PCS / PKT	PCS / CTN
U1489B	U1489	1	150



WOOD PLANER BLADE

- Alloy steel blade

PART NO	SUITABLE	PCS / PKT	PCS / CTN
U14890B	U1490	1	150



PIN PUNCH SET 6 PCS

- Material : Cr-V Steel
- Pin Sizes : 2x115mm, 3x125mm, 4x150mm, 5x165mm, 6x180mm, 8x180mm
- Comes with plastic Roll-up storage
- Pin Punch for easy alignment and end of pin punch won't stick in pin hole.

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U1400	2-8 MM	6	36



PIN & CENTER PUNCH SET 6 PCS

- Material :Cr-V Steel
- Pin Sizes : 5x165mm, 6x180mm, 8x180mm, 3x125mm, 4x125mm, 4x125mm
- Comes with plastic Roll-up storage
- Pin Punch for easy alignment and end of pin punch won't stick in pin hole.

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U1401	6PCS/SET	6	36



PIN PUNCH

- Material : Cr-V Steel

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1402	2X10X150MM	1	100
U1403	3X10X150MM	1	100
U1404	4X10X150MM	1	100
U1405	5X10X150MM	1	100
U1406	6X10X150MM	1	100
U1407	8X10X150MM	1	100



CENTER PUNCH

- Material : Cr-V Steel

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1494	4X10X120MM	1	100
U1495	5X12X120MM	1	100
U1496	5X12X150MM	1	100



C-CLAMP - HEAVY DUTY

- Heavy duty steel clamp
- Ideal for wood working , welding, fabrication e.t.c
- Designed to provide non-slip clamping
- Swivel pads adjust freely to bear evenly on clamped part

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6760	1"	6	36
U6761	2"	6	36
U6762	3"	4	24
U6763	4"	4	24
U6764	5"	2	12
U6765	6"	2	12
U6766	8"	2	12
U6767	10"	2	6
U6768	12"	1	6
U6769	14"	1	6



F-CLAMP - HEAVY DUTY

- High quality Jaws
- Powder Coated
- Heavy duty nickle plated concave bar
- High quality wood handle
- DIN 5117 Approved



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6770	120X200MM	1	10
U6771	120X250MM	1	10
U6772	120X300MM	1	10
U6773	120X350MM	1	10
U6774	120X400MM	1	10
U6775	120X450MM	1	10
U6776	120X500MM	1	10
U6777	120X600MM	1	10
U6778	120X800MM	1	10
U6779	120X1000MM	1	8
U6780	120X1200MM	1	6
U6781	120X1500MM	1	6
U6782	120X2000MM	1	6





HAND SAW ABS-TPR HANDLE

The Uken handsaw is a multi-purpose hard point-saw for a high quality finish on all types of wood, laminates & plastic pipes. The handle is a proven design, light and strong with TPR handle for increased hold and enhanced comfort. 90° & 45° angles integrated in the handle aid the user when marking out.

TEXTURED, DIE-CAST
FINISH PROVIDES A
SLIP-RESISTANT GRIP



INDUCTION-HARDENED
TEETH STAY SHARP UP TO
FIVE TIMES LONGER THAN
STANDARD TEETH

HAND SAW - WOOD HANDLE

- Precision ground teeth
- Impulse hardened teeth
- 65mm alloy Steel Blade

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4561	16"	10	40
U4562	18"	10	40
U4563	20"	10	40
U4564	22"	10	40
U4565	24"	10	40



HAND SAW - ABS-TPR HANDLE

- Precision ground teeth
- Impulse hardened teeth
- 65 mm alloy steel blade
- TPR handle with high grip

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4571	16"	10	40
U4572	18"	10	40
U4573	20"	10	40
U4574	22"	10	40
U4575	24"	10	40



CARPENTER SAW

- Natural wood handle
- Precision ground teeth
- Impulse hardened teeth
- 65mm alloy Steel Blade

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4581	16"	10	60
U4582	18"	10	60



PRUNING SAW - WITH SHEATH

- Precision ground teeth and impulse hardened teeth
- TPR handle for high grip, helps reduce hand fatigue so you can cut longer
- Alloy Steel
- Cut 50% faster conventional saws

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4583	12"	10	60



PRUNING SAW – FOLDING TYPE



- Precision ground teeth and impulse hardened teeth.
- TPR handle for high grip, helps reduce hand fatigue so you can cut longer
- Alloy Steel
- Cut 50% faster conventional saws
- Locking blade with TPR handle and release button makes it lightweight and easy to carry

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4584	7"	12	60

JOB SAW



- Cut 50% faster
- Precision ground teeth and Impulse hardened teeth
- TPR handle for high grip
- 65 mm alloy steel blade

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4585	6"	12	60

CONCRETE HAND SAW 26" PLASTIC HANDLE

- 65MM alloy steel, ergonomic design
- TCT blade, precision ground teeth
- Strong ABS with TPR handle for comfortable grasp



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4586	26"	5	20

CONCRETE HAND SAW 26" WOOD HANDLE

- 65MM alloy steel, ergonomic design
- TCT blade, precision ground teeth
- Beech wood handle



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4587	26"	5	20

CONCRETE HAND SAW 18" WOOD HANDLE

- 65MM alloy steel, ergonomic design
- TCT blade, precision ground teeth
- Beech wood handle



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4588	18"	5	20

HACKSAW BLADE

- Super efficient, Bi-metal 8% cobalt blade for superior cutting performance
- Unbreakable, Sharp teeth & Flexible
- Corrosion Resistance
- Ideal for use on tough materials



PART NO	DESCRIPTION	TEETH	PCS / PKT	PKT / CTN
U4554	300MM X 13MM	18	50	20
U4555	300MM X 13MM	24	50	20
U4556	300MM X 13MM	32	50	20

HACKSAW FRAME

- TPR handle for high grip
- Strong die casted frame
- Easy to operate



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4552	12"	10	20

HACKSAW FRAME - MINI

- Strong die casted frame
- Plastic handle



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4553	6"	10	80

HACKSAW - HEAVY DUTY



- Heavy Duty Industrial quality Hack saw
- Strong Aluminium die cast handle with TPR for control & comfort
- Efficient and easy to use adjustable lever

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4557	300 MM	1	12

HACKSAW - MINI




- Light weight and TPR handle for comfort & control
- Ideal for cutting in small, hard to reach areas, durable and comfortable to use accepts both 10"/250mm and 12"/300mm
- Blade Supplied with 12"/300mm

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4558	300 MM	5	20



COMBINATION PLIER

The great appeal — in fact the entire point of pliers and adjustable wrenches is handiness. They should be versatile, durable and designed to accomplish tasks efficiently. The cutting pliers feature a special pivot design which delivers greater leverage and, therefore, reduces cutting effort.



COMBINATION PLIERS

- Induction hardened
- Cr-Ni Steel
- Natural polish
- Double colour sleeve

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U34-150	6"	6	48
U34-175	7"	6	48
U34-200	8"	6	48



Din Cr-Ni

SIDE CUTTING PLIERS

- Induction hardened
- Cr-Ni Steel
- Natural polish
- Double colour sleeve

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U35-150	6"	6	48
U35-175	7"	6	48



Din Cr-Ni

LONG NOSE / NEEDLE NOSE PLIERS

- Induction hardened
- Cr-Ni Steel
- Natural polish
- Double colour sleeve

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U36-150	6"	6	48
U36-200	8"	6	48



Din Cr-Ni

GROOVE JOINT / MONKEY PLIERS

- Induction hardened.
- Cr-V Steel
- Hardened & Tempered
- Natural polish
- With double colour sleeve

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U38-200	8"	6	-
U38-250	10"	6	48
U38-300	12"	6	-



Din CrV

COMBINATION PLIERS

- Induction hardened
- Cr-Ni Steel
- Natural polish
- Double colour sleeve
- TPR Handle

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U34-151	6"	10	40
U34-176	7"	10	40
U34-201	8"	10	40



Din Cr-Ni

SIDE CUTTING PLIERS

- Induction hardened
- Cr-Ni Steel
- Natural polish
- Double colour sleeve
- TPR Handle

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U35-151	6"	10	40
U35-176	7"	10	40



Din Cr-Ni

LONG NOSE / NEEDLE NOSE PLIERS

- Induction hardened
- Cr-Ni Steel
- Natural polish
- Double colour sleeve
- TPR Handle

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U36-151	6"	10	40
U36-201	8"	10	40



Din Cr-Ni

COMPOUND COMBINATION PLIERS

- Heat treated jaws-with Ground finish Ergonomic Bi-material soft grip handle carbon steel
- High quality Uken compound action combination plier which delivers a combination of increased power & comfort



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U43-020	8"	-	-

COMPOUND DIAGONAL CUTTING PLIER

- Forged vanadium steel for strength and durability
- Induction hardened edges for long cutting life
- Heat-treated jaws provide exceptionally strong gripping strength



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U43-030	8"	-	-

COMPOUND END CUTTING PLIER

- Forged vanadium steel for strength and durability
- Induction hardened edges
- Molded - Bi - Material grips for comfort and control
- Heat-treated jaws with ground finish, provide exceptionally strong gripping strength



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U43-010	8"	-	-



VDE COMBINATION PLIER

- Drop forged chrome vanadium steel
- Dual Compound handle
- Cutting face to stay sharper ,Longer

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U39-150	6"	1	-
U39-175	7"	1	-
U39-200	8"	1	-



VDE DIAGONAL CUTTING PLIER

- Dynamic joint ensure 40% less force Required for cutting
- It cuts hard wire up to 2mm

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U41-150	6"	1	-



VDE LONG NOSE PLIER

- Compact plier with Extended Nose
- Easy crimping , manipulating and Placing of small parts of wire
- Cutting edge is suitable for flat and round cable

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U41-200	8"	1	-



VDE STRIP PLIER

- Manufactured to exacting European standards individually tested to 10,000 volts and approved for working around live circuits that do not exceed 1000 volts
- The bi-material handle offer the user improved control

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U42-150	6"	1	-



GRIP PLIER WITH GRIP

- Drop forged steel
- Heat Treated: Jaw/Body
- Finish:Nickle-Plated
- Material: CR-MO
- TPR Handle for high grip

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6750	6"	1	36
U6751	7"	1	36
U6752	9"	1	36
U6753	10"	1	36



Din **CR-MO**

GRIP PLIER

- Drop forged steel
- Heat Treated: Jaw/Body
- Finish:Nickle-Plated
- Material: CR-MO

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6746	6"	1	36
U6747	7"	1	36
U6748	9"	1	36
U6749	10"	1	36



Din **CR-MO**



WIRE STRIPPER AUTO

- Die cast body and frame provide durability and strength
- Awg size mentioned at each cutting position
- Adjustable stripping length guide provides consistent uniform strip length

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6122	AWG - 0.5 / 1.2 / 1.6 / 2.0 / 2.6 / 3.2	10	50




WIRE STRIPPER F STYLE

- 2 in 1, wire stripper & Cutter
- Applicable wire stripper size < 0.5MM2 - 6MM2
- Self-adjusting mechanism according to wire size provide excellent wire stripping w/o
- Adjustable stop for consistency in wire strip lengths.
- Replaceable blade system.
- Simple adjustment dial for blade ressure according to the thickness of insulation
- Light weight, handy and excellent durability
- Caution: Do not use for cutting high carbon steel wire

		STRIP	CUT
WIRE	(DIA. MM)	0.5 - 2	0.32 - 1.6
	(SECTION MM2)	0.2 - 3.3	0.08 - 2.0
	(AWG NO.)	24 - 10	24 - 14
TWIST WIRE	(SECTION MM2)	0.2 - 5.5	0.09 - 3.5
	(AWG NO.)	24 - 10	24 - 12
RIBBON CABLE	(SECTION MM2)	02 - 05	8 MM
	(AWG NO.)	24 - 20	24 - 20

PART NO	PCS / PKT	PCS / CTN
U6121	10	50



ADJUSTABLE WRENCH

- Drop forged, hardened jaws
- Bright chrome
- Cr-V Steel

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U41150	6"	6	72
U41200	8"	6	48
U41250	10"	6	36
U41300	12"	6	24/36



CrV

ADJUSTABLE WRENCH WITH TPR HANDLE

- Drop forged, hardened jaws
- Cr-V steel
- Ergonomic TPR handle grip
- Anti-slip design delivers more gripping power to help reduce fastener & provide more torque

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U42150	6"	6	72
U42200	8"	6	48
U42250	10"	6	36
U42300	12"	6	24



CrV

PIPE WRENCH -HEAVY DUTY

- Duly hardened & Tempered Jaws
- Cr-V Steel



CrV

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6700	6"	6	72
U6701	8"	6	36
U6702	10"	6	24
U6703	12"	6	12
U6704	14"	6	12
U6705	18"	2	8
U6706	24"	1	4
U6707	36"	1	2
U6708	48"	1	2

PIPE WRENCH CHAIN TYPE HEAVY DUTY

- Jaw drop-forged
- Jaw teeth induction quenched for durable using
- Dual side jaw for easy change
- Used for pipe construction oil field production and drilling operations



PART NO	SIZE				CHAIN LENGTH MM	MEASUREMENT (MM)	PCS/ PKT	PCS/ CTN
		IN	MM	(MM)				
U6734	4"	4"	100	900	747	94X18.5X19.5	1	4
U6736	6"	6"	150	1000	897	103X20.5X10.5	1	2
U6737	8"	8"	200	1200	1048	122X20X5X10.5	1	2

CHAIN PIPE WRENCH

- Handle drop forged with high quality carbon steel
- Body heat treated, chrome plated

PART NO	SIZE	→⊙← IN MM	←L→ (MM)	MEASUREMENT (MM)	PCS/ PKT	PCS/ CTN
U6730	9"	4"	110	9	33.5X28.5X30.5	1 50



CrV

BELT WRENCH

- Handle drop forged with high quality carbon steel
- Body heat treated, chrome plated

PART NO	SIZE	→⊙← IN MM	←L→ (MM)	MEASUREMENT (MM)	PCS/ PKT	PCS/ CTN
U6739	9"	4"	110	9	35X32X51	1 48



CrV

STRAP WRENCH ALUMINIUM HANDLE

- Aluminium handle
- Strong wollen nylon strap

PART NO	←L→ (MM)	→⊙←	MEASUREMENT (MM)	PCS/ PKT	PCS/ CTN
U6743	12"	3"	43X33.5X31	1	50



BASIN WRENCH

- Solid steel handle for greater torque leverage
- Spring-loaded jaw
- Ideal for working in tight spaces

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6785	11"	10	40



TUBE CUTTER – MINI

- For cutting thin copper, brass and aluminium tubes
- High precision cutting
- High quality blade for long life

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6100	3-22 MM	10	50



TUBE CUTTER – 3-30MM

- For cutting rigid plastic pipes, copper and aluminium tubes
- High precision cutting
- High quality blade for long life

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6101	3-30 MM	12	50



TUBE CUTTER – 6-42MM

- For cutting rigid plastic pipes, copper and aluminium tubes
- High precision cutting
- High quality blade for long life

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6102	6-42 MM	10	50



TUBE CUTTER – 6-67MM

- For cutting rigid plastic pipes, copper and aluminium, plastic tubes
- High quality blade for long life
- High precision cutting

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6103	6-67 MM	5	20



TUBE CUTTER – 50-127MM

- For cutting rigid plastic pipes, copper and aluminium, plastic tubes
- High quality blade for long life
- High precision cutting

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6104	50-127 MM	2	10



TUBE CUTTER – 100-168 MM

- For cutting rigid plastic pipes, copper and aluminium,
- plastic tubes
- High quality blade for long life
- High precision cutting

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6105	100-168 MM	2	10



PIPE CUTTER – 42MM PVC

- For cutting PVC, copper & aluminium pipes
- Stainless steel blade for long life
- Precision cutting

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6111	42 MM	10	50



PIPE CUTTER – 75MM PVC

- For cutting PVC, copper & aluminium pipes
- Stainless steel blade for long life
- Precision cutting

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6112	75 MM	2	10



TUBE CUTTER WHEEL

- For cutting rigid plastic pipes, copper and aluminium, plastic tubes
- High quality blade for long life
- High precision cutting

PART NO	SUITABLE	PCS / PKT	PKT / CTN
U610018	U6100	2	250
U610110	U6101	2	250
U610212	U6101 & U6102	2	250
U610313	U6103	2	250
U610414	U6104	2	250
U610515	U6105	2	250



MINI PIPE BENDER

- 3 in one manual pipe bender
- Suitable for 6,8 and 10mm
- Comfortable ergonomic grips

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6786	6MM,8MM & 10MM	1	30



PIPE BENDER HEAVY DUTY

- Prof. Pipe working
- Suitable for 15 and 22mm
- Handle grip for better hold

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6787	15MM & 22MM	1	4



PIPE VISE / BENCH YOKE VICE

- Hardened & Tempered jaws
- Malleable iron
- Chrome plated spindle
- Painted body

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6720	2"	1	4
U6721	2.5"	1	2
U6722	3"	1	2
U6723	4"	1	2



TRI - STAND 2.5" YOKE VICE

- Easily clamp pipe for cutting or threading
- Complete with slots for hanging tools, pipe rest, three pipe benders and ceiling brace screw
- Integral legs and tray for fold in for easy carrying and setup.

PART NO	IN	MM	MEASUREMENT (MM)	PCS / CTN
U6725	2 1/2"	76	109X29X18	1



PIPE STAND - V HEAD

- Support for Tough pipe joining Demands
- Ergonomic V-Handle
- Angled for a comfortable hand position during transportation and height adjustment
- Allows for quick vertical height adjustment



PART NO	HEIGHT ADJUSTMENT LOW - HIGH		MAX PIPE CAPACITY		MAX WEIGHT CAPACITY		MEASUREMENT	PCS / CTN
	IN	CM	IN	CM	LB	KG		
U6731	28-53	71-132	12	300	2500	1134	92X20.5X22.5	1

PIPE STAND - ROLLER HEAD

- Roller Center pipe will allow to rotate
- Compact and foldable for easy transportation
- Adjustable height
- Ideal use for threading , roll grooving and other pipe work applications



PART NO	HEIGHT ADJUSTMENT LOW - HIGH		MAX PIPE CAPACITY		MAX WEIGHT CAPACITY		MEASUREMENT	PCS / CTN
	IN	CM	IN	CM	LB	KG		
U6732	28-53	71-132	12	300	2500	1134	92X22X22	1

BOLT CUTTER - HEAVY DUTY

- Duly hardend and tempered
- Cr-V Steel
- Blade drop forged
- With sleeve lugs for high grip

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6801	12"	1	20
U6802	14"	1	20
U6803	18"	1	12
U6804	24"	1	8
U6805	30"	1	5
U6806	36"	1	4
U6807	42"	1	2



Din CrV

BOLT CUTTER - MINI

- Cr-V steel
- Blade drop forged
- With sleeve lugs for high grip

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6800	8"	6	60



Din CrV

WIRE ROPE CUTTER - POCKET TYPE

- Cr-V Steel
- Blade drop forged & drop forge adaptor
- With sleeve lugs for high grip

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6810	8"	6	60



Din CrV

WIRE ROPE CUTTER - HEAVY DUTY

- Blades drop - forged with high quality alloy Cr-V steel
- Drop forged adapter
- With sleeve lugs for high grip

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6811	18"	1	10
U6812	24"	1	8
U6813	36"	1	4
U6814	42"	1	3



Din CrV

CABLE CUTTER – MINI

- Cr-V Steel
- Blade drop forged
- With sleeve lugs for high grips

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6820	6"	5	50
U6821	8"	5	50
U6822	10"	5	50



Din CrV

CABLE CUTTER – COMPACT

- Cr-V Steel
- High – Leverage jaws with shear cut blades
- With sleeve lugs

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6823	10"	5	50



Din CrV

CABLE CUTTER

- Duly hardened & Tempered
- Cr-V Steel
- High leverage jaws with shear cut blades
- With sleeve lugs for high grip

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6826	24"	1	12
U6827	32"	1	4



Din CrV

CABLE CUTTER – ALUMINIUM HANDLE

- Aluminium handle
- Alloy steel blade
- With sleeve lugs for high grip

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6824	24"	1	10
U6825	32"	1	6



Din CrV

TINMAN'S SNIPPER(SHEET CUTTER)

- Cr-V steel
- Blade drop forged
- With sleeve lugs for high grips

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6831	10"	5	40
U6832	12"	5	20
U6833	14"	5	20



Din CrV

ROD CUTTER - THREADED

- Alloy Steel blades
- Designed to cut Precisely & Cleanly
- Unique die design protects the threaded rod from damage while cutting
- No Cleaning or deburring work neccessary after cutting
- It's Faster, cleaner and safer

PART NO	CAPACITY	MEDIUM MATERIALS	PCS / PKT	PCS / CTN
U6851	6 MM	M6	1	1
U6852	8 MM	M8	1	1
U6853	10 MM	M10	1	1
U6854	12 MM	M12	1	1



Din CrV

REBBAR CUTTER & BENDER

- Alloy Steel blades
- Special designed for cutting and bending concrete reinforcing rod etc..
- Can be bolted to the floor or a board



Din CrV

PART NO	CAPACITY	L (MM)	PCS / PKT	PCS / CTN
U6862	16 MM (5/8")	1320	1	1
U6863	18 MM (3/4")	1325	1	1



BOLT CUTTER – BENCH TYPE

- Head drop-forged with CrV Steel
- Full body special heat treatment
- Cutting edges induction quenched
- Joint arms drop forged
- Base measures 3 x 6" (76 x 152 mm)
- Operating by one hand for easy cutting



PART NO	SIZE	SOFT MATERIAL	MEDIUM MATERIAL	MEASUREMENT (CM)	PCS / PKT	PCS / CTN
U6840	24"	5 (MN)	3/16"	57 X 29 X 21	1	2

BOLT CUTTER – BENCH TYPE 3 IN 1

- Combination tools of bolt cutter / swagger / wire rope cutter
- Interchangeable head for cutting rods <HRC40 wire rope 14mm
- Steel wires <10mm and swagging tool Aluminium oval sleeve



PART NO	HEAD	SOFT MATERIAL	MEDIUM MATERIAL	MEDIUM MATERIAL	MEDIUM MATERIAL	MEDIUM MATERIAL	MEDIUM MATERIAL	SIZE	SOFT ROAD (CM)	PCS / PKT	PCS / CTN
U6841	I	10(MM)	8(MM)	-	-	-	-	24"	57 X 29 X 21	1	2
	II	-	-	14(MM)	15(MM)	-	-	24"	57 X 29 X 21		
	III	-	-	-	-	6(MM)	3/16"	24"	57 X 29 X 21		

WIRE ROPE CUTTER – BENCH TYPE –HEAVY DUTY

- Head drop-forged with CrV steel Blade drop forged
- Joint arms drop-forged base measures 3x6" (76x152cm)
- Operating by one hand for easy cutting
- Used for cutting steel wire ,piano wire AGSR cable and aircraft cable industry class quality



PART NO	SIZE	SOFT MATERIAL	MEDIUM MATERIAL	MEASUREMENT (CM)	PCS / PKT	PCS / CTN
U6815	24"	12(MM)	10(MM)	57 X 29 X 21	1	2

AVIATION SNIP STRAIGHT

- Cut tin, Duct work, Soffit & Other materials
- Compound hinges delivers more force with less effort
- Non-slip cushioned handle grip reduce fatigue

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U37-015	STRAIGHT	1	48
U37-025	LEFT	1	48
U37-035	RIGHT	1	48



AVIATION SNIP STRAIGHT

- Cut tin, Duct work, Soffit & Other materials
- Compound hinges delivers more force with less effort
- Non-slip cushioned handle grip reduce fatigue

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U37-010	STRAIGHT	1	48



AVIATION SNIP LEFT



- Cut tin, Duct work, Soffit & Other materials
- Compound hinges delivers more force with less effort
- Non-slip cushioned handle grip reduce fatigue


PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U37-020	LEFT	1	48

AVIATION SNIP RIGHT



- Cut tin, Duct work, Soffit & Other materials
- Compound hinges delivers more force with less effort
- Non-slip cushioned handle grip reduce fatigue

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U37-030	RIGHT	1	48



END CUTTER

- Cutting edge for soft and hardwire
- Suitable for twisting and cutting binding wire

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U10-001	6"	1	48



END CUTTER

- Cutting edge for soft and hardwire
- Suitable for twisting and cutting binding wire

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U10-002	7"	1	48



END CUTTER

- Cutting edge for soft and hardwire
- Suitable for twisting and cutting binding wire

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U10-003	8"	1	48





RATCHET SCREW DRIVER SET

Comfort, quality and versatility are the three attributes we engineer into our screwdriver line. The materials and construction are of the highest quality to resist corrosion, chipping and breaking.



SCREW DRIVER FLAT

- The blade is Cr-V Steel
- Fully hardened and tempered
- Magnetized Tip
- Satin finish
- TPR Handle for high grip

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6020	3 X 75 MM	12	240
U6021	3 X 100 MM	12	240
U6022	4 X 100 MM	12	240
U6023	4 X 125 MM	12	240
U6024	5 X 150 MM	12	240
U6025	6 X 100 MM	12	120
U6026	6 X 150 MM	12	120
U6027	6 X 200 MM	12	120
U6028	6 X 250 MM	12	120
U6029	6 X 300 MM	12	120
U6030	6 X 38MM	12	240

SHATTER-RESISTANT
BAR WITH STANDS
HEAVY LOADS FOR
STRIKING AND
PRYING



RUBBER GRIP WITH
THUMB
INDENTS MAKES
PRYING EASY



SCREW DRIVER STAR

- The blade is Cr-V Steel
- Fully hardened and tempered
- Magnetized Tip
- Satin finish
- TPR Handle for high grip

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6050	PH0 X 75 MM	12	240
U6051	PH0 X 100 MM	12	240
U6052	PH1 (4MM) X 100 MM	12	240
U6053	PH1 (4MM) X 125 MM	12	240
U6054	PH1 X 150 MM	12	240
U6055	PH2 X 100 MM	12	120
U6056	PH2 X 125 MM	12	120
U6057	PH2 X 150 MM	12	120
U6058	PH2 X 200 MM	12	120
U6059	PH2 X 250 MM	12	120
U6060	PH2 X 300 MM	12	120
U6061	PH2 X 38 MM	12	240



SCREW DRIVER SET - 7 PCS

- The blade is Cr-V Steel
- Fully hardened & tempered
- Magnetized Tip, Satin finish
- TPR handle for high grip

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U6000	4 PCS SLOTTED: $\ominus$ 8X150 MM, 6X125 MM, 5X150 MM, 5X75 MM 3 PCS PHILLIPS: $\oplus$ PH2 X 100 MM, PH1X75 MM, PH0X 75 MM	6	24
U6001	7 PCS PHILLIPS: $\oplus$ 8X150 MM, 3X75 MM, 6X75 MM, 5X100 MM, 5X150 MM, 6X150 MM	6	24
U6002	7 PCS SLOTTED: $\ominus$ 8X150 MM, 3X75 MM, 6X75 MM, 5X100 MM, 5X150 MM, 6X150 MM	6	24



SCREW DRIVER SET - 7 PCS

- Chrome vanadium blade
- Magnetized tip
- Double injected soft handle
- Hardened and tempered blade

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U6009	4 PCS SLOTTED: $\ominus$ 8X150 MM, 6X125 MM, 5X150 MM, 5X75 MM 3 PCS PHILLIPS: $\oplus$ PH2 X 100 MM, PH1X75 MM, PH0X 75 MM	6	24
U6010	7 PCS PHILLIPS: $\oplus$ 3X150 MM, PH2X150 MM, PH1X150 MM, PH1X100 MM, PH2X75 MM, PH0X75 MM, PH2X38 MM	6	24
U6011	7 PCS SLOTTED: $\ominus$ 8X150 MM, 6X150 MM, 5X150 MM, 5X100 MM, 6X75 MM, 3X75 MM, 6X38 MM	6	24



PRECISION SCREW DRIVER SET - 6 PCS

- Cr-V Steel
- TPR handle for high grip
- Chrome plated
- Black tips

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U6007	$\ominus$ 2 PCS SLOTTED: 2.5X50 MM, 3.0 X 50 MM $\oplus$ 2 PCS PHILLIPS: PH00X50 MM, PH0X50 MM $\star$ 2 PS TORX: T5X50 MM, T6 X 50 MM	6	36



SCREW DRIVER SET VDE – 7PCS

- For the use in terminal blocks, control cabinets, switches, relays, socket etc
- Insulated / specialized security tool

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U6015	33 X 29.8 X 60.5 4 PCS SLOTTED: ⊖ 1.2X6.5X150 MM, 1.0X5.5X125MM, 0.8X4.0X100 MM, 0.4X2.5X75 MM 2 PCS POZIDRIV: ⊕ PZ2X100MM, PZ1X80MM 1 PCS SINGLE – POLE VOLTAGE TESTER	4	24



SINGLE – POLE VOLTAGE TESTER – VDE

- Full insulated blade ensure shock proof working.
- Distinet glow of neon lamp identifies line

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6005	38 X 27.5 X 27	20	200



TESTERS


- Ergonomically designed
- High blade and cellulose acetate plastic handle
- Full insulated blade ensure shock proof working
- Distinet glow of neon lamp identifies line

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6016	135 MM	20	500
U6017	210 MM	20	500



POCKET TYPE SCREW DRIVERS

- Easy to carry
- 2 Side screw driver (star & flat)
- Cr-V steel blade
- TPR body cover
- Magnetized tip



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6004	2 PC DOUBLE ENDED CR-V BITS 3 MM, 4 MM PH0, PH1	20	200

RATCHET SCREW DRIVER SET 8 PCS

- Ergonomically designed
- TPR Handles for better control & comfort
- Fully magnetized Cr-V blade
- Made by high grade special alloy steel



PART NO	DESCRIPTION	SET / PKT	SET / CTN
U6006	1 PC RATCHET SCREWDRIVER 1 PC MAGNETIC HOLDER 6 PCS BITS (6.35 X 25 MM) 4MM,5MM,6MM PH1, PH2, PH3	6	48

RATCHET SCREW DRIVER SET - 15 PCS

- Ratchet design more convenient to use
- Changing bits easily
- Made from high-grade, special alloy steels
- Special hardening treated



PART NO	DESCRIPTION	SET / PKT	SET / CTN
U6018	4 PCS BITS: (6.35X25 MM): 3 MM, 5 MM, 6 MM PH0, PH1, PH2, T15,T20,ADP 5PCS 1/4" SOCKET 6MM, 7MM, 8MM, 9MM, 10MM	6	24

RATCHET SCREW DRIVER SET - 22PCS

- Cr-V Steel
- TPR handle for high grip
- Chrome plated

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U6008	1 PC PRECISION RATCHET SCREWDRIVER 1 PC 100 MM PRECISION BITS DRIVER 20 PC PRECISION BITS (4 X 28 MM) 2.0 MM, 2.5 MM, 3.0 MM, 3.5 MM, 4.0 MM PH000, PH000, PH00, PH0, PH1 T4, T5, T6, T7, T8 H0.7, H0.9, H1.3, H1.5, H2.0	8	24



RATCHET SCREW DRIVER SET - HEAVY DUTY 5X SPEED

- Ratchet design more convenient to use
- Changing bits easily
- Made from high-grade, special steels
- Special hardening treatment

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U6019	1 PC RATCHET SCREWDRIVER (6.35X25MM) 12 PCS BITS : ⊖ 3 MM, 4 MM, 5 MM, 6MM ⊕ PH0,PH1,PH2,PH3 ⊛ T10,T15,T20,T25	6	24



NUT DRIVER



- Ergonomically designed
- Made high grade special alloy steel
- TPR handle allows for better torque and comfort
- Chrome plated shaft helps prevent corrosion

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5941	4 MM	6	72
U5942	5 MM	6	72
U5943	6 MM	6	72
U5944	7 MM	6	72
U5945	8 MM	6	72
U5946	9 MM	6	72
U5947	10 MM	6	72
U5948	11 MM	6	72
U5949	12 MM	6	72
U5950	13 MM	6	72

HOSE CLIP DRIVER FLEXIBLE



- Double Inject soft handle
- Ideal for reaching clips in awkward places

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6014	7MM	12	144

SCREW BIT 10 PCS SET

- Material : S2
- Bit Head : PH2
- Surface treatment : Sandblasting

PART NO	DESCRIPTION	SET/ PKT	SET/ CTN
U1571	PH2X25MM	6	72/200
U1572	PH2X50MM	6	72/120



SCREW BIT DOUBLE END 10PCS SET

- Material : S2
- Bit Head : PH2
- Surface treatment : Sandblasting

PART NO	DESCRIPTION	SET/ PKT	SET/ CTN
U1575	PH2X50MM	6	72
U1576	PH2X65MM	6	72/120
U1577	PH2X100MM	6	36/60
U1578	PH2X150MM	6	36/60



SCREW BIT DOUBLE END IMPACT 10PCS SET

- Material : S2
- Bit Head : PH2
- Heavy duty Impact bit



PART NO	DESCRIPTION	SET/ PKT	SET/ CTN
U1581	PH2X50MM	6	72
U1582	PH2X65MM	6	72

BIT HOLDER 5 PCS SET



- Material: S2
- Shank Type: Hex Shank



PART NO	DESCRIPTION	SET/ PKT	SET/ CTN
U1565	60MM	12	72

NUT SETTER

- Material : S2
- Sand blasting with magnet



PART NO	DESCRIPTION	PCS / SET	SET / CTN
U1590	6MMX65MM	3	72/100
U1591	7MMX65MM	3	72/100
U1592	8MMX65MM	5	72/100
U1593	10MMX65MM	3	72/100
U1594	13MMX65MM	3	72/100
U1595	12MMX65MM	3	72/100
U1596	3/8"X65MM	3	72/100
U1597	5/16"X65MM	3	72/50
U1598	1/4"X65MM	3	72/100
U1599	17MMX65MM	3	72/100



KNIFE & FOLDING KNIFE

Uken®

Uken knives and blades are designed to work together to be more efficient, faster, safer and useful. Its textured, die-cast finish provides a slip-resistant grip and its three-position, retractable blade ensures versatility

STAINLESS STEEL BARREL
CORROSION RESISTANCE
AND PROVIDES SMOOTH
ACTION

STAINLESS STEEL BARREL
CORROSION RESISTANCE
AND PROVIDES SMOOTH
ACTION

HIGH PERFORMANCE BLADE
QUALITY AND GREAT CUTTING
BLADE

UTILITY KNIFE

- Smooth, three – level slide exposes variable blade lengths
- Optimized cutting angle for reduced hand fatigue

PART NO	PCS/BOX	PCS/ CTN
U6210	12	144



UTILITY SAFETY KNIFE

- Push and slide opening blade for free access
- Optimized cutting angle for reduced hand fatigue
- Slim nose for greater control

PART NO	PCS / BOX	PCS / CTN
U6211	12	144



FOLDING KNIFE

- Quick – change button for easy blade change
- Best clip for convenient access
- Press button to insert or release button

PART NO	PCS / BOX	PCS / CTN
U6230	12	96



UTILITY BLADE



PART NO	PCS / PKT	PKT / BOX	PKT / CTN
U6241	10	20	400
U6242	100	6	48
U6243	5	20	400

UTILITY HOOK BLADE

- These blades are built to last twice as long as traditional blades



PART NO	PCS / PKT	PKT / BOX	PKT / CTN
U6244	5	20	400

KNIFE (ABS07-TPR)

- Universal knife
- Ratchet lock sysytem
- TPR handle with high grip
- 2 pc extra blade stored inside

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6201	18MM BLADE	12	144



KNIFE (ABS 19-TPR)

- Universal knife
- Ratchet lock sysytem
- TPR handle with high grip
- 2 pc extra blade stored inside

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6202	18MM BLADE	12	144



KNIFE (ABS 21)

- Universal knife
- Sliding lock system
- TPR handle with high grip
- 2 pc extra blade stored inside

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6203	18MM BLADE	12	144



KNIFE PROFESSIONAL (ABS - TPR)



- Professional Cutter.
- With automatic blade tracking 8 pcs blades
- TPR handle with high grip

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6204	18MM BLADE	12	96

KNIFE (ABS15-TPR) SMALL



- Universal knife
- Sliding lock system
- TPR handle with high grip
- 2pc extra blades stored inside

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6205	9MM BLADE	24	432

KNIFE PROFESSIONAL (ABS-TPR) SMALL

- Universal knife
- Professional cutter
- Automatic blade tracking 4pc blades
- TPR handle with high grip

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6206	9MM BLADE	24	192



METAL KNIFE - POCKET TYPE

- Slim design which fits in your pocket easily
- Durable steel construction
- Blade lock knob for enhanced safety

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6212	9MM BLADE	24	288



AUTO - RELOAD KNIFE

- Ergonomically shaped body with soft grip for comfort in use
- Solid and durable stainless steel cartridge
- Automatically reloading blades
- Blade lock knob for enhanced safety

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6213	25MM BLADE	12	96



SNAP - OFF CUTTER

- Ergonomically shaped body with soft grip for comfort in use
- Solid and durable stainless steel cartridge
- Locking button system for enhanced safety

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6214	25MM BLADE	12	96



GLASS CUTTER

- Suitable for cutting glass with less effort, allowing for clean cuts and reducing wrist fatigue
- The automatic oil dispensing system of the pencil style glass cutter keeps the wheels lubricated every time you use it

PART NO	DESCRIPTION	PCS / BOX	PCS / CTN
U6239	3-12MM	6	240



KNIFE BLADES 18MM

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6207	18 MM	10	300



KNIFE BLADES 9MM

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6208	9 MM	10	300



SNAP - OFF BLADE



PART NO	DESCRIPTION	PCS / PKT	PKT / BOX	PKT / CTN
U6245	9 MM	10	24	576

SNAP - OFF BLADE



PART NO	DESCRIPTION	PCS / PKT	PKT / BOX	PKT / CTN
U6246	18 MM	10	24	288

SNAP - OFF BLADE



PART NO	DESCRIPTION	PCS / PKT	PKT / BOX	PKT / CTN
U6247	25 MM	10	10	120

WINDOW SCRAPER



- For scraping on all surfaces
- Comfortable plastic handle with detachable blade guard
- Easy to change blade

PART NO	PCS / BOX	PCS / CTN
U6240	12	144

STAPLE GUN 3 IN 1

- Easy to install and use – Manual Staple gun is made of thick carbon steel
- Quick jam clear
- 3 lay staples D-type , U Type, T-Type
- Fixing upholstery, Plastic, plastic lining insulation materials and etc.

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1700	3 IN 1	1	24



STAPLE GUN - 4-8MM

- The extremely sleek and safe metal build of the sparta adjustable gun makes it manageable and handy
- U-type tapes only be used
- Fixing upholstery plastic, Plastic lining carpulering word insulation material and etc.

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1701	4-8MM	1	36



STAPLE GUN 4-14MM

- The extremely sleek and safe metal build of the sparta adjustable gun makes it manageable and handy
- Ideal for indoor aswell as outdoor usage as it is made a derive heavy metal staples into various long of materialbe it wood or plastic

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1702	4-14MM	1	24



RATCHET HANDLE WITH QUICK RELEASE BUTTON

- Ratchet design more convenient to use
- Changing sockets easily
- Made from high-grade, special alloy steels
- Special hardening treated
- 72 Teeth Ratchet with full Polished

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5910	1/4" DR	6	24/48
U5911	3/8" DR	6	24
U5912	1/2" DR	6	24



Din CrV

RATCHET HANDLE POLISHED WITH QUICK RELEASE BUTTON

- Hexagonal & Biexagonal jaws
- Cr-V Steel
- Mirror finish
- Fully hardened & tempered
- 72 Teeth Ratchet with full Polished

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5913	1/2" DR	6	24



Din CrV

RATCHET HANDLE POLISHED ANGLE TYPE

- 1/4", 3/8" 1/2" Drive reversible ratchet
- 72 Teeth Ratchet with full Polished
- Angle design drive

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5914	1/4"	10	100
U5915	3/8"	5	40
U5916	1/2"	5	30



Din CrV

RATCHET HANDLE 3/4"

- Hexagonal & Biexagonal jaws
- Cr-V Steel
- Mirror finish
- Fully hardened & tempered


PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5965	3/4"	1	8



Din CrV

SOCKET 1/4" DR 6 PT


- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1504	4MM	1	-
U15045	4.5MM	1	-
U1505	5MM	1	-
U15055	5.5MM	1	-
U1506	6MM	1	-
U1507	7MM	25	200
U1508	8MM	25	200
U1509	9MM	-	-
U1510	10MM	25	200
U1511	11MM	15	150
U1512	12MM	15	150

SOCKET 1/4" DR 12 PT SOCKETS

- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1804	4MM	1	-
U18045	4.5MM	1	-
U1805	5MM	1	-
U18055	5.5MM	1	-
U1806	6MM	1	-
U1807	7MM	1	-
U1808	8MM	1	-
U1809	9MM	1	-
U1810	10MM	1	-
U1811	11MM	1	-
U1812	12MM	1	-



DEEP SOCKETS 1/4" DR 6 PT



- Cr-V Steel
- Mirror finish
- Chrome plated



1/4

Din

CrV

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1504D	4MM	1	-
U15045D	4.5MM	1	-
U1505D	5MM	1	-
U15055D	5.5MM	1	-
U1506D	6MM	1	-
U1507D	7MM	1	-
U1508D	8MM	1	-
U1509D	9MM	1	-
U1510D	10MM	1	-
U1511D	11MM	1	-
U1512D	12MM	1	-

DEEP SOCKETS 1/4" DR 12 PT



- Cr-V Steel
- Mirror finish
- Chrome plated



1/4

Din


CrV

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1804D	4MM	1	-
U18045D	4.5MM	1	-
U1805D	5MM	1	-
U18055D	5.5MM	1	-
U1806D	6MM	1	-
U1807D	7MM	1	-
U1808D	8MM	1	-
U1809D	9MM	1	-
U1810D	10MM	1	-
U1811D	11MM	1	-
U1812D	12MM	1	-



SOCKET 3/8" DR 6PT


- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3806	6MM	20	200
U3807	7MM	20	200
U3808	8MM	20	200
U3809	9MM	1	-
U3810	10MM	1	-
U3811	11MM	1	-
U3812	12MM	1	-
U3813	13MM	1	-
U3814	14MM	1	-
U3815	15MM	20	200
U3817	17MM	1	-
U3819	19MM	1	-
U3821	21MM	1	-
U3822	22MM	1	-

SOCKET 3/8" DR 12PT


- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3824	6MM	1	-
U3825	7MM	1	-
U3826	8MM	1	-
U3827	9MM	1	-
U3828	10MM	1	-
U3829	11MM	1	-
U3830	12MM	1	-
U3831	13MM	1	-
U3832	14MM	1	-
U3833	15MM	1	-
U3835	17MM	1	-
U3837	19MM	1	-
U3839	21MM	1	-
U3840	22MM	1	-

DEEP SOCKET 3/8" DR 6PT


- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3806D	6MM	1	-
U3807D	7MM	1	-
U3808D	8MM	1	-
U3809D	9MM	1	-
U3810D	10MM	1	-
U3811D	11MM	1	-
U3812D	12MM	1	-
U3813D	13MM	1	-
U3814D	14MM	1	-
U3815D	15MM	1	-
U3817D	17MM	1	-
U3819D	19MM	1	-
U3821D	21MM	1	-
U3822D	22MM	1	-

DEEP SOCKET 3/8" DR 12PT

- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3824D	6MM	1	-
U3825D	7MM	1	-
U3826D	8MM	1	-
U3827D	9MM	1	-
U3828D	10MM	1	-
U3829D	11MM	1	-
U3830D	12MM	1	-
U3831D	13MM	1	-
U3832D	14MM	1	-
U3833D	15MM	1	-
U3835D	17MM	1	-
U3837D	19MM	1	-
U3839D	21MM	1	-
U3840D	22MM	1	-

SOCKET 1/2" DR 6PT



- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5508	8 MM	20	200
U5509	9 MM	20	200
U5510	10 MM	20	200
U5511	11 MM	20	200
U5512	12 MM	20	200
U5513	13 MM	20	200
U5514	14 MM	20	200
U5515	15 MM	20	200
U5516	16 MM	20	200
U5517	17 MM	20	200
U5518	18 MM	20	200
U5519	19 MM	20	200
U5520	20 MM	20	200
U5521	21 MM	20	200
U5522	22 MM	20	200
U5523	23 MM	20	200
U5524	24 MM	20	200
U5525	25 MM	20	200
U5526	26 MM	20	200
U5527	27 MM	10	100
U5528	28 MM	10	100
U5529	29 MM	10	100
U5530	30 MM	10	100
U5531	31 MM	10	100
U5532	32 MM	10	100

SOCKET 1/2" DR 12 PT



- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5608	8 MM	20	200
U5609	9 MM	20	200
U5610	10 MM	20	200
U5611	11 MM	20	200
U5612	12 MM	20	200
U5613	13 MM	20	200
U5614	14 MM	20	200
U5615	15 MM	20	200
U5616	16 MM	20	200
U5617	17 MM	20	200
U5618	18 MM	20	200
U5619	19 MM	20	200
U5620	20 MM	20	200
U5621	21 MM	20	200
U5622	22 MM	20	200
U5623	23 MM	20	200
U5624	24 MM	20	200
U5625	25 MM	20	200
U5626	26 MM	20	200
U5627	27 MM	10	100
U5628	28 MM	10	100
U5629	29 MM	10	100
U5630	30 MM	10	100
U5631	31 MM	10	100
U5632	32 MM	10	100

DEEP SOCKET 1/2" DR 6PT



- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5558	8 MM	20	200
U5559	9 MM	20	200
U5560	10 MM	20	200
U5561	11 MM	20	200
U5562	12 MM	20	200
U5563	13 MM	20	200
U5564	14 MM	20	200
U5565	15 MM	20	200
U5566	16 MM	20	200
U5567	17 MM	20	200
U5568	18 MM	20	200
U5569	19 MM	20	200
U5570	20 MM	20	100/200
U5571	21 MM	20	100/200
U5572	22 MM	20	100/200
U5573	23 MM	20	100/200
U5574	24 MM	20	100/200
U5577	27 MM	10	100
U5580	30 MM	10	50
U5582	32 MM	10	50

DEEP SOCKET 1/2" DR 12PT



- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5608D	8 MM	20	200
U5609D	9 MM	20	200
U5610D	10 MM	20	200
U5611D	11 MM	20	200
U5612D	12 MM	20	200
U5613D	13 MM	20	200
U5614D	14 MM	20	200
U5615D	15 MM	20	200
U5616D	16 MM	20	200
U5617D	17 MM	20	200
U5618D	18 MM	20	200
U5619D	19 MM	20	200
U5620D	20 MM	20	200
U5621D	21 MM	20	200
U5622D	22 MM	20	200
U5623D	23 MM	20	200
U5624D	24 MM	20	200
U5625D	25 MM	20	200
U5626D	26 MM	20	200
U5627D	27 MM	10	100
U5628D	28 MM	10	100
U5629D	29 MM	10	100
U5630D	30 MM	10	100
U5631D	31 MM	10	100
U5632D	32 MM	10	100

SOCKET 3/4" DR 6PT



- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3419	19 MM	1	-
U3421	21 MM	1	-
U3422	22 MM	1	-
U3423	23 MM	1	-
U3424	24 MM	1	-
U3426	26 MM	1	-
U3427	27 MM	1	-
U3429	29 MM	1	-
U3430	30 MM	1	-
U3432	32 MM	1	-
U3435	35 MM	1	-
U3436	36 MM	1	-
U3438	38 MM	1	-
U3441	41 MM	1	-
U3446	46 MM	1	-
U3450	50 MM	1	-

SOCKET 3/4" DR 12 PT SOCKET



- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3519	19 MM	1	-
U3521	21 MM	1	-
U3522	22 MM	1	-
U3523	23 MM	1	-
U3524	24 MM	1	-
U3526	26 MM	1	-
U3527	27 MM	1	-
U3529	29 MM	1	-
U3530	30 MM	1	-
U3532	32 MM	1	-
U3535	35 MM	1	-
U3536	36 MM	1	-
U3538	38 MM	1	-
U3541	41 MM	1	-
U3546	46 MM	1	-
U3550	50 MM	1	-

DEEP SOCKET 3/4" DR 6PT



- Cr-V Steel
- Mirror finish
- Chrome plated




PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3419D	19 MM	1	-
U3421D	21 MM	1	-
U3422D	22 MM	1	-
U3423D	23 MM	1	-
U3424D	24 MM	1	-
U3426D	26 MM	1	-
U3427D	27 MM	1	-
U3429D	29 MM	1	-
U3430D	30 MM	1	-
U3432D	32 MM	1	-
U3435D	35 MM	1	-
U3436D	36 MM	1	-
U3438D	38 MM	1	-
U3441D	41 MM	1	-
U3446D	46 MM	1	-
U3450D	50 MM	1	-

DEEP SOCKET 3/4" DR 12PT



- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3519D	19 MM	1	-
U3521D	21 MM	1	-
U3522D	22 MM	1	-
U3523D	23 MM	1	-
U3524D	24 MM	1	-
U3526D	26 MM	1	-
U3527D	27 MM	1	-
U3529D	29 MM	1	-
U3530D	30 MM	1	-
U3532D	32 MM	1	-
U3535D	35 MM	1	-
U3536D	36 MM	1	-
U3538D	38 MM	1	-
U3541D	41 MM	1	-
U3546D	46 MM	1	-
U3550D	50 MM	1	-

IMPACT SOCKET 3/8" DR 6 PT



- Fully hardened & Tempered
- Cr-V Steel
- Available in different sizes




PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3856	6 MM	1	200
U3859	9 MM	1	200
U3860	10 MM	1	200
U3861	11 MM	1	200
U3862	12 MM	1	200
U3863	13 MM	1	200
U3864	14 MM	1	200
U3865	15 MM	1	200
U3866	16 MM	1	200
U3867	17 MM	1	200
U3868	18 MM	1	200
U3869	19 MM	1	200
U3870	20 MM	1	200
U3871	21 MM	1	200
U3872	22 MM	1	200
U3873	23 MM	1	200
U3874	24 MM	1	200
U3875	25 MM	1	200
U3876	26 MM	1	200
U3877	27 MM	1	100
U3878	28 MM	1	100
U3879	29 MM	1	100
U3880	30 MM	1	100
U3881	31 MM	1	100
U3882	32 MM	1	100

IMPACT DEEP SOCKETS 3/8" DR 6 PT



- Fully hardened & Tempered
- Cr-V Steel
- Available in different sizes



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3856D	6 MM	20	200
U3859D	9 MM	20	200
U3860D	10 MM	20	200
U3861D	11 MM	20	200
U3862D	12 MM	20	200
U3863D	13 MM	20	200
U3864D	14 MM	20	200
U3865D	15 MM	20	200
U3866D	16 MM	20	200
U3867D	17 MM	20	200
U3868D	18 MM	20	200
U3869D	19 MM	20	200
U3870D	20 MM	20	200
U3871D	21 MM	20	200
U3872D	22 MM	20	200
U3873D	23 MM	20	200
U3874D	24 MM	20	200
U3875D	25 MM	20	200
U3876D	26 MM	20	200
U3877D	27 MM	10	100
U3878D	28 MM	10	100
U3879D	29 MM	10	100
U3880D	30 MM	10	100
U3881D	31 MM	10	100
U3882D	32 MM	10	100

IMPACT SOCKET 1/2" DR 6 PT


- Material : Cr-V
- Fully hardened and tempered
- Available in different size

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5708	8 MM	20	200
U5709	9 MM	20	200
U5710	10 MM	20	200
U5711	11 MM	20	200
U5712	12 MM	20	200
U5713	13 MM	20	200
U5714	14 MM	20	200
U5715	15 MM	20	200
U5716	16 MM	20	200
U5717	17 MM	20	200
U5718	18 MM	20	200
U5719	19 MM	20	200
U5720	20 MM	20	200
U5721	21 MM	20	200
U5722	22 MM	20	200
U5723	23 MM	20	200
U5724	24 MM	20	200
U5725	25 MM	10	100
U5726	26 MM	10	100
U5727	27 MM	10	100
U5728	28 MM	10	100
U5729	29 MM	10	100
U5730	30 MM	10	100
U5731	31 MM	10	100
U5732	32 MM	10	100

IMPACT DEEP SOCKETS 1/2" DR 6 PT


- Material : Cr-V
- Fully hardened and tempered
- Available in different size

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5758	8 MM	10	100
U5759	9 MM	10	100
U5760	10 MM	10	100
U5761	11 MM	10	100
U5762	12 MM	10	100
U5763	13 MM	10	100
U5764	14 MM	10	100
U5765	15 MM	10	100
U5766	16 MM	10	100
U5767	17 MM	10	100
U5768	18 MM	10	100
U5769	19 MM	10	50
U5770	20 MM	10	50
U5771	21 MM	10	50
U5772	22 MM	10	50
U5773	23 MM	10	50
U5774	24 MM	10	50
U5775	25 MM	10	50
U5776	26 MM	10	58
U5777	27 MM	8	40
U5778	28 MM	8	48
U5779	29 MM	8	48
U5780	30 MM	8	40
U5781	31 MM	8	48
U5782	32 MM	8	48

IMPACT SOCKETS 3/4" DR 6 PT



3/4"

Din

CrV



- Material : Cr-V
- Fully hardened and tempered
- Available in different size

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3617	17 MM	10	100
U3618	18 MM	10	100
U3619	19 MM	10	100
U3620	20 MM	10	100
U3621	21 MM	10	100
U3622	22 MM	10	100
U3623	23 MM	10	100
U3624	24 MM	10	100
U3625	25 MM	10	100
U3626	26 MM	10	100
U3627	27 MM	10	100
U3628	28 MM	10	50
U3629	29 MM	10	50
U3630	30 MM	10	50
U3632	32 MM	10	50
U3633	33 MM	10	50
U3634	34 MM	10	50
U3635	35 MM	10	50
U3636	36 MM	10	58
U3638	38 MM	8	40
U3640	40 MM	8	48
U3641	41 MM	8	48
U3642	42 MM	8	40
U3643	43 MM	8	48
U3644	44 MM	8	48
U3645	45 MM	8	48
U3646	46 MM	8	48
U3648	48 MM	8	48
U3650	50 MM	8	48
U3652	52 MM	8	48
U3654	54 MM	8	48
U3655	55 MM	8	48
U3657	57 MM	8	48
U3658	58 MM	8	48
U3660	60 MM	8	48
U3665	65 MM	8	48

IMPACT DEEP SOCKETS 3/4" DR 6 PT



3/4"

Din

CrV



- Material : Cr-V
- Fully hardened and tempered
- Available in different size

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3617D	17 MM	10	100
U3618D	18 MM	10	100
U3619D	19 MM	10	100
U3620D	20 MM	10	100
U3621D	21 MM	10	100
U3622D	22 MM	10	100
U3623D	23 MM	10	100
U3624D	24 MM	10	100
U3625D	25 MM	10	100
U3626D	26 MM	10	100
U3627D	27 MM	10	100
U3628D	28 MM	10	50
U3629D	29 MM	10	50
U3630D	30 MM	10	50
U3632D	32 MM	10	50
U3633D	33 MM	10	50
U3634D	34 MM	10	50
U3635D	35 MM	10	50
U3636D	36 MM	10	58
U3638D	38 MM	8	40
U3640D	40 MM	8	48
U3641D	41 MM	8	48
U3642D	42 MM	8	40
U3643D	43 MM	8	48
U3644D	44 MM	8	48
U3645D	45 MM	8	48
U3646D	46 MM	8	48
U3648D	48 MM	8	48
U3650D	50 MM	8	48
U3652D	52 MM	8	48
U3654D	54 MM	8	48
U3655D	55 MM	8	48
U3657D	57 MM	8	48
U3658D	58 MM	8	48
U3660D	60 MM	8	48
U3665D	65 MM	8	48

IMPACT SOCKETS 1" DR 6 PT



- Material : Cr-V
- Fully hardened & Tempered
- Available in different sizes

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3919	19 MM	10	100
U3920	20 MM	10	100
U3921	21 MM	10	100
U3922	22 MM	10	100
U3923	23 MM	10	100
U3924	24 MM	10	100
U3925	25 MM	10	100
U3926	26 MM	10	100
U3927	27 MM	10	100
U3928	28 MM	10	100
U3929	29 MM	10	100
U3930	30 MM	10	50
U3932	32 MM	10	50
U3933	33 MM	10	50
U3934	34 MM	10	50
U3935	35 MM	10	50
U3936	36 MM	10	50
U3938	38 MM	10	50
U3940	40 MM	10	58
U3941	41 MM	8	40
U3942	42 MM	8	48
U3943	43 MM	8	48
U3944	44 MM	8	40
U3945	45 MM	8	48
U3946	46 MM	8	48
U3948	48 MM	8	48
U3950	50 MM	8	48
U3955	55 MM	8	48
U3960	60 MM	8	48
U3965	65 MM	8	48
U3970	70 MM	8	48

IMPACT DEEP SOCKET 1" DR 6 PT



- Material : Cr-V
- Fully hardened & Tempered
- Available in different sizes

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U3919D	19 MM	10	100
U3920D	20 MM	10	100
U3921D	21 MM	10	100
U3922D	22 MM	10	100
U3923D	23 MM	10	100
U3924D	24 MM	10	100
U3925D	25 MM	10	100
U3926D	26 MM	10	100
U3927D	27 MM	10	100
U3928D	28 MM	10	100
U3929D	29 MM	10	100
U3930D	30 MM	10	50
U3932D	32 MM	10	50
U3933D	33 MM	10	50
U3934D	34 MM	10	50
U3935D	35 MM	10	50
U3936D	36 MM	10	50
U3938D	38 MM	10	50
U3940D	40 MM	10	58
U3941D	41 MM	8	40
U3942D	42 MM	8	48
U3943D	43 MM	8	48
U3944D	44 MM	8	40
U3945D	45 MM	8	48
U3946D	46 MM	8	48
U3948D	48 MM	8	48
U3950D	50 MM	8	48
U3955D	55 MM	8	48
U3960D	60 MM	8	48
U3965D	65 MM	8	48
U3970D	70 MM	8	48

ADAPTOR



- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5931	1/4" M X 3/8" F	25	300
U5932	3/8" M X 1/4" F	32	384
U5933	1/2" M X 3/8" F	28	300/326
U5934	3/8" M X 1/2" F	18	206/216
U5935	3/4" M X 1/2" F	12	144
U5936	1/2" M X 3/4" F	4	40/48


IMPACT ADAPTOR



- Material : Cr-V
- Black finish
- Hardened & Tempered



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5740	1/4" F X 3/8" M	40	200
U5741	3/8" F X 1/2" M	30	300
U5742	1/2" F X 3/4" M	10	100
U5743	1" F X 3/4" M	2	20
U5744	3/4" F X 1" M	4	40
U5745	3/4" F X 1/2" M	4	40
U5746	3/8" F X 1/4" M	30	300
U5747	1/2" F X 3/8" M	24	192



SOCKET SET - (1/4")

- Fully hardened & tempered
- Cr-V steel
- Mirror finish

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U5970	16 PCS 1/4" DR 6PT	1	10

11PCS 1/4" SOCKETS: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12MM
 1PC 1/4" EXTENSION BAR 4"
 1PC 1/4" SPINNER HANDLE 6"
 1PC 1/4" SLIDING T BAR 115MM
 1PC 1/4" UNIVERSAL JOINT
 1PC 1/4" RATCHET HANDLE



1/4"

Din

CrV



SOCKET SET - (3/8")

- Fully hardened & tempered
- Cr-V steel
- Mirror finish

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U5980	19 PCS 3/8" DR 6PT	1	10

14PCS 3/8" SOCKETS: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 21, 22MM
 1PC 3/8" RATCHET HANDLE
 1PC 3/8" EXTENSION BAR 6"
 1PC 3/8" EXTENSION BAR 10"
 1PC 3/8" UNIVERSAL JOINT
 1PC 3/8" FLEXIBLE HANDLE



3/8"

Din

CrV



SOCKET SET - (1/2")

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U5900	25PCS 1/2" DR 6PT	1	4

SOCKET - 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32
 SLIDING T HANDLE
 EXTENSION BAR 10"
 EXTENSION BAR 5"
 UNIVERSAL JOINT
 RATCHET HANDLE
 SPARK PLUG (16MM & 121MM)



1/2"

Din

CrV



SOCKET SET - (1/2")

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U5901	25PCS 1/2" DR 12 PT	1	4

SOCKET - 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32
 SLIDING T HANDLE
 EXTENSION BAR 10"
 EXTENSION BAR 5"
 UNIVERSAL JOINT
 RATCHET HANDLE & ADAPTER
 SPARK PLUG 16MM & 21MM



1/2"

Din

CrV



SOCKET SET - (3/4")

- Fully hardened & tempered
- Cr-V steel
- Mirror finish

PART NO	DESCRIPTION	SET / PKT	SET / CTN
---------	-------------	-----------	-----------

U5960	3/4" DR - 21PCS(6PT)	1	2
-------	-------------------------	---	---

16 PCS SOCKET - 19,21,22,23,24,26,27,29,30,32,35,36,38,41,46,50MM
 3 PCS EXTENSION BAR: 100 MM, 200 MM, 400 MM
 1 PCS SLIDING BAR 450 MM
 1 PCS RATCHET



STUD EXTRACTOR KIT - 4PCS

- Cr-V Steel
- Use 1/2" square driver accessory or 21 mm external ex drive
- Mirror finish
- Chrome plated
- For studs simply place extractor over and turn either clockwise or anticlockwise

PART NO	DESCRIPTION	SET / PKT	SET / CTN
---------	-------------	-----------	-----------

U5905	6 MM, 8 MM, 10 MM, 12 MM	1	20
-------	-----------------------------	---	----



BIT SET (TORX) - 13PCS

- Cr-V Steel
- Black finish

PART NO	DESCRIPTION	SET / PKT	SET / CTN
---------	-------------	-----------	-----------

UI570	6 PCS - 30 MM LENGTH: T30, 40, 45, 50, 55,60 6 PCS - 75 MM LENGTH: T30, 40, 45, 50, 55,60 1 PCS - 1/2" DRIVE BITS HOLDER 10 MM	1	10
-------	---	---	----



IMPACT BIT SOCKET (HEX) 1/2" DR - 8 PCS

- CR-MO
- Black finish

PART NO	DESCRIPTION	SET / PKT	SET / CTN
UI520	HEX5, 6, 8, 10, 12, 14, 17, 19	1	10



IMPACT BIT SOCKET (RIBI) 1/2" DR - 9 PCS

- CR-MO
- Black finish

PART NO	DESCRIPTION	SET / PKT	SET / CTN
UI540	MP5, 6, 7, 8, 9, 10, 12, 13, 14	1	10



IMPACT BIT SOCKET (TORX) 1/2" DR - 9PCS

- CR-MO
- Black finish

PART NO	DESCRIPTION	SET / PKT	SET / CTN
UI530	TORX T20, 25, 30, 40, 45, 50, 55, 60, 70	1	10



IMPACT BITS SOCKET (SPLINE) 1/2" DR-9PCS

- CR-MO Steel
- Black finish
- Chrome plated

PART NO	DESCRIPTION	SET / PKT	SET / CTN
UI550	M4,5, 6, 8, 9, 10, 12, 14, 16	1	10



HEX BIT SOCKET 1/2" DR (55MM - LONG)

- Cr-V steel
- Length 55mm
- Available in different size

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1671	3MM	1	160
U1672	4MM	1	160
U1673	5MM	1	160
U1674	6MM	1	160
U1675	7MM	1	160
U1676	8MM	1	160
U1677	9MM	1	160
U1678	10MM	1	160
U1679	12MM	1	160
U1680	14MM	1	160
U1681	17MM	1	160



HEX BIT SOCKET 1/2" DR (100MM - LONG)

- Cr-V Steel
- Length 100mm
- Available in different size

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1682	3MM	1	100
U1683	4MM	1	100
U1684	5MM	1	100
U1685	6MM	1	100
U1686	7MM	1	100
U1687	8MM	1	100
U1688	9MM	1	100
U1689	10MM	1	100
U1690	12MM	1	100
U1691	14MM	1	100
U1692	17MM	1	100



L TYPE WRENCH - 3/4" DR (18")

- Cr-V Steel
- Mirror finish
- Chrome plated

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5966	450 MM	2	8



DOUBLE SIDE RATCHET SOCKET WRENCH

- Double-Headed Wrench with ratchet Mechanism
- Cr-V Material
- Suitable for Scaffolding

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U9681	17X21MM	2	50
U9682	17X19MM	2	50
U9683	17X24MM	2	50
U9684	19X21MM	2	50
U9685	19X24MM	2	50
U9686	19X22MM	2	50



Din CrV

ALLEN KEY SET -(HEX) BALL TYPE - 10PCS

- Material: S2
- Hardened and tempered
- Comes along with a plastic holder
- Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12MM

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U1600	SHORT	6	24
U1601	LONG	6	24
U1602	EXTRA LONG	6	20



ALLEN KEY SET-(BALL)-10PCS

- Material: S2
- Hardened and tempered
- Comes along with a plastic holder
- Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12MM

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U1603	SHORT	6	24
U1604	LONG	6	24
U1605	EXTRA LONG	6	20



TORX KEY SET-10PCS

- Material: S2
- Hardened and tempered
- Comes along with a plastic holder
- Sizes: T10, T15, T20, T25, T27, T30, T40, T45, T50, T55

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U1606	SHORT	6	24
U1607	LONG	6	24
U1608	EXTRA LONG	6	20



FLEXIBLE T WRENCH – DEEP SOCKET

- Cr-V Steel
- Mirror finish
- Chrome plated

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5540	8 MM	5	20
U5541	9 MM	5	20
U5542	10 MM	5	20
U5543	12 MM	5	20
U5544	14 MM	5	20
U5545	16 MM	5	20



FLEXIBLE T WRENCH – SHORT SOCKET

- Cr-V Steel
- Mirror finish
- Chrome plated

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5550	10 MM	5	20
U5551	11 MM	5	20
U5552	12 MM	5	20
U5553	13 MM	5	20
U5554	14 MM	5	20
U5555	15 MM	5	20
U5556	17 MM	5	20
U5557	19 MM	5	20



FLEXIBLE HANDLE

- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5967	3/4" DR 39"	2	8
U5968	1/2" DR 24"	2	8

1/2 DR 6 PT SPARK PLUG SOCKETS

- Cr-V Steel
- Mirror finish
- Chrome plated



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5924	16MM	1	-
U5925	21MM	1	-

EXTENSION BAR

- Cr-V Steel
- Mirror finish
- Chrome plated

PART NO	DESCRIPTION	DRIVE	PCS / PKT	PCS / CTN
U5971	4"	1/4"	1	250
U5981	6"	3/8"	1	50
U5982	10"	3/8"	1	50
U5920	5"	1/2"	1	50
U5921	10"	1/2"	1	50
U5961	4"	3/4"	1	-
U5963	8"	3/4"	1	25
U5962	16"	3/4"	1	-



EXTENSION BAR WOBBLE TYPE

- Cr-V Steel
- Mirror finish
- Chrome plated

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U5939	1/2" DR 5"	5	50
U5940	1/2" DR 10"	5	50



SLIDING BAR

- Cr-V Steel
- Mirror finish
- Chrome plated

PART NO	DESCRIPTION	DRIVE	PCS / PKT	PCS / CTN
U5973	115 MM	1/4"	1	-
U5923	250 MM	1/2"	1	30
U5964	450 MM	3/4"	1	8



UNIVERSAL JOINT



- Cr-V Steel
- Pivots on two axis's along with 360° of rotation
- Mirror finish
- Chrome plated
- Expand to various angle

PART NO	DRIVE	PCS / PKT	PCS / CTN
U5974	1/4"	1	250
U5983	3/8"	1	-
U5922	1/2"	1	-

SPINNER HANDLE



- Ergonomically designed
- Made high grade special alloy steel
- TPR handle allows for better torque and comfort
- Chrome plated shaft helps prevent corrosion

PART NO	DESCRIPTION	DRIVE	PCS / PKT	PCS / CTN
U5972	6 MM	1/4"	1	100

COMBINATION GEAR WRENCH



- Duly hardened & Tempered
- Cr-V Steel, Drop forged
- Satin finish



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U9506	6 MM	10	400
U9507	7 MM	10	300
U9508	8 MM	10	300/400
U9509	9 MM	10	300
U9510	10 MM	10	300/250
U9511	11 MM	10	300
U9512	12 MM	10	300
U9513	13 MM	10	150/100
U9514	14 MM	5	150/100
U9515	15 MM	5	150/100
U9516	16 MM	5	100
U9517	17 MM	5	100
U9518	18 MM	5	100
U9519	19 MM	5	100
U9520	20 MM	5	100
U9521	21 MM	5	50
U9522	22 MM	5	50
U9523	23 MM	5	50
U9524	24 MM	5	50
U9525	25 MM	5	50
U9527	27 MM	5	40/50
U9530	30 MM	3	30/24
U9532	32 MM	3	30

GEAR WRENCH REVERSIBLE



- Mirror finish
- Anti slip panel
- Cr-V material



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U9406	6 MM	10	250
U9407	7 MM	10	250
U9408	8 MM	10	300/250
U9409	9 MM	10	300/250
U9410	10 MM	10	300/250
U9411	11 MM	10	300/250
U9412	12 MM	10	300/250
U9413	13 MM	10	150/250
U9414	14 MM	5	250/250
U9415	15 MM	5	150/200
U9416	16 MM	5	100/200
U9417	17 MM	5	100
U9418	18 MM	5	100
U9419	19 MM	5	100
U9420	20 MM	5	100
U9421	21 MM	5	50
U9422	22 MM	5	50
U9424	24 MM	5	50



GEAR WRENCH DOUBLE RING OFFSET



- Mirror finish
- Anti slip panel
- Cr-V material



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U9472	8X10 MM	10	250
U9473	8X9 MM	10	250
U9474	10X11 MM	10	250
U9475	12X13 MM	10	250
U9476	14X15 MM	5	100
U9477	16X18 MM	5	100
U9478	17X19 MM	5	100
U9481	5/6"x3/8"	10	250
U9482	7/16"x1/2"	10	250
U9484	11/16"x3/4"	5	100

GEAR WRENCH DOUBLE RING E/LONG



- Mirror finish
- Anti slip panel
- Cr-V material



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U9543	8 MM	5	100
U9545	10 MM	5	100
U9547	12 MM	5	100
U9548	13 MM	5	100
U9549	14 MM	5	100
U9550	15 MM	5	100
U9551	16 MM	5	100
U9552	17MM	5	100
U9553	18MM	5	100
U9554	19MM	5	100

GEAR WRENCH FLEXIBLE



- Mirror finish
- Anti slip panel
- Cr-V material



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U9442	8 MM	10	300/250
U9443	9 MM	10	300/250
U9444	10 MM	10	300/250
U9445	11 MM	10	300/250
U9446	12 MM	10	300/250
U9447	13 MM	5	300/150
U9448	14 MM	5	300/200
U9449	15 MM	5	150/200
U9450	16 MM	5	150/100
U9451	17 MM	5	150/100
U9452	18 MM	5	150/100
U9453	19 MM	5	150/100
U9454	20 MM	5	150/100
U9455	21 MM	5	150/50
U9456	22 MM	5	150/50
U9458	24 MM	5	150/50



COMBINATION SPANNER



- Duly hardened & Tempered
- Cr-V Steel, Drop forged
- Satin finish
- Din standard 3113



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U9606	6 MM	10	500
U9607	7 MM	10	500
U9608	8 MM	10	500
U9609	9 MM	10	500/300
U9610	10 MM	10	500
U9611	11 MM	10	500/300
U9612	12 MM	10	250
U9613	13 MM	10	250
U9614	14 MM	5	200/250
U9615	15 MM	5	200/250
U9616	16 MM	5	200/250
U9617	17 MM	5	100
U9618	18 MM	5	100
U9619	19 MM	5	100
U9620	20 MM	5	100
U9621	21 MM	5	100
U9622	22 MM	5	100
U9623	23 MM	5	100
U9624	24 MM	5	100
U9625	25 MM	5	100
U9626	26 MM	5	50
U9627	27 MM	5	50
U9628	28 MM	5	50
U9630	30 MM	5	50
U9632	32 MM	5	50
U9633	33 MM	5	50
U9635	35 MM	5	20
U9636	36 MM	5	20
U9638	38 MM	5	20
U9641	41 MM	5	20
U9642	42 MM	5	20
U9644	44 MM	5	20
U9646	46 MM	5	20
U9650	50 MM	5	20
U9655	55 MM	1	5
U9660	60 MM	1	5
U9665	65 MM	1	5

DOUBLE OPEN END SPANNER WRENCH



- Duly hardened & Tempered
- Cr-V Steel, Drop forged
- Satin finish



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U9806	6×7MM	10	500
U9808	8×9MM	10	500/400
U9810	10 ×11MM	10	300/400
U9812	12 X 13MM	10	200
U9814	14 X 15MM	10	200
U9816	16 X 17MM	10	200
U9818	18 X 19MM	5	100
U9820	20 X 22MM	5	100
U9821	21 X 23MM	5	100
U9822	22 X 24MM	5	100
U9824	24 X 26MM	5	50
U9825	25 X 28MM	5	50
U9827	27 X 30MM	5	50
U9830	30 X 32MM	5	50
U9832	32 X 34MM	5	20
U9833	32 X 36MM	5	20
U9834	34 X 36MM	5	20
U9836	36 X 41MM	5	20
U9841	41 X 46MM	5	20
U9846	46 X 50MM	5	20
U9850	50 X 55MM	5	20
U9855	55 X 60MM	5	20
U9870	70 X 75MM	5	20
U9875	75 X 80MM	5	20

DOUBLE OFFSET RING SPANNER

Din **CrV**



- Duly hardened & Tempered
- Cr-V Steel, Drop forged
- Satin finish

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U9706	6 X 7MM	10	500
U9708	8 X 9MM	10	500
U9710	10 X 11MM	10	200
U9712	12 X 13MM	10	200
U9714	14 X 15MM	5	100
U9716	16 X 17MM	5	100
U9718	18 X 19MM	5	100
U9720	20 X 22MM	5	100
U9721	21 X 23MM	5	50/100
U9722	22 X 24MM	5	50
U9724	24 X 26MM	5	50
U9725	25 X 28MM	5	50
U9727	27 X 30MM	5	50
U9730	30 X 32MM	5	50
U9732	32 X 34MM	5	20
U9733	32 X 36MM	5	20
U9734	34 X 36MM	5	20
U9736	36 X 41MM	5	20
U9741	41 X 46MM	5	20
U9746	46 X 50MM	5	20
U9750	50 X 55MM	5	20
U9755	55 X 60MM	5	20



COMBINATION SPANNER SET

- Duly Hardened & Tempered
- Cr-V Steel, Drop forged
- Satin finish
- Din standard 3113

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U9600	8PCS/6-22MM	1	20
U9601	10PCS/8-24MM	1	20
U9602	12PCS/6-32MM	1	6
U9603	24PCS/8-32MM	1	4



Din CrV

RING SPANNERS / DOUBLE RING WRENCH SET

- Duly Hardened & Tempered
- Cr-V Steel, Drop forged
- Satin finish
- Din standard 3113

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U9700	8PCS/6-22MM	1	10
U9701	12PCS/6-32MM	1	4



Din CrV

DOUBLE OPEN END SPANNER/WRENCH SET

- Duly Hardened & Tempered
- Cr-V Steel, Drop forged
- Satin finish
- Din standard 3113

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U9800	8PCS/6-22MM	1	20
U9801	12PCS/6-32MM	1	6



Din CrV

RING SLOGGING WRENCH



- Duly hardened & Tempered
- Striking end for heavy duty use
- Cr-V Steel / Open end



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6924	24 MM	1	25
U6927	27 MM	1	25
U6930	30 MM	1	25
U6932	32 MM	1	25
U6936	36 MM	1	25
U6941	41 MM	1	10
U6946	46 MM	1	10
U6950	50 MM	1	10
U6955	55 MM	1	10
U6960	60 MM	1	10
U6965	65 MM	1	10
U6970	70 MM	1	5
U6975	75 MM	1	5
U6980	80 MM	1	5
U6985	85 MM	1	5
U6990	90 MM	1	4
U6995	95 MM	1	4
U69100	100 MM	1	2
U69105	105 MM	1	2
U69110	110 MM	1	2
U69115	115 MM	1	2
U69120	120 MM	1	2
U69125	125 MM	1	2
U69130	130 MM	1	2
U69135	135 MM	1	2
U69140	140 MM	1	2
U69145	145 MM	1	2
U69150	150 MM	1	1

OPEN SLOGGING WRENCH



- Duly hardened & Tempered
- Striking end for heavy duty use
- Cr-V Steel / Open end



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1324	24 MM	1	50
U1327	27 MM	1	25
U1330	30 MM	1	25
U1332	32 MM	1	25
U1336	36 MM	1	20
U1341	41 MM	1	20
U1346	46 MM	1	20
U1350	50 MM	1	10
U1355	55 MM	1	10
U1360	60 MM	1	5
U1365	65 MM	1	5
U1370	70 MM	1	5
U1375	75 MM	1	5
U1380	80 MM	1	4
U1385	85 MM	1	4
U1390	90 MM	1	3
U1395	95 MM	1	3
U13100	100 MM	1	2
U13105	105 MM	1	2
U13110	110 MM	1	2
U13115	115 MM	1	2
U13120	120 MM	1	2
U12125	125 MM	1	2

OIL FILTER WRENCH

- Drop forged.
- Two way oil filter wrench, 3 leg 63 - 102 drive removal filter tool

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6128	63 - 102 2W	1	25



Din Cr-V

BEARING PULLER THREE JAW - HEAVY DUTY

- Heavy duty
- Cr-V Steel
- Drop Forged
- Inside and outside reversible Jaws
- Bright Chrome

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6140	3"	1	20
U6141	4"	1	20
U6142	5"	1	10
U6143	6"	1	10
U6144	8"	1	4
U6145	10"	1	4
U6146	12"	1	2



Din Cr-V

BEARING PULLER TWO JAW - HEAVY DUTY

- Heavy duty
- Cr-V Steel
- Drop Forged
- Inside and outside reversible Jaws
- Bright Chrome

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6130	3"	1	20
U6131	4"	1	20
U6132	5"	1	10
U6133	6"	1	12
U6134	8"	1	5
U6135	10"	1	4
U6136	12"	1	2



Din Cr-V

BEARING PULLER – THREE JAW

- Cr-V steel
- Drop Forged
- Inside and outside reversible Jaws
- Bright Chrome

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UT1010	3"	1	50
UT1011	4"	1	40/20
UT1012	6"	1	20
UT1013	8"	1	12
UT1014	10"	1	6
UT1015	12"	1	4



Din CrV

BEARING PULLER – TWO JAW

- Cr-V steel
- Drop Forged
- Inside and outside reversible Jaws
- Bright Chrome


PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UT1020	3"	1	50
UT1021	4"	1	40
UT1022	6"	1	20
UT1023	8"	1	16
UT1024	10"	1	8
UT1025	12"	1	4



Din CrV

TWO ARM GEAR PULLER

- Beam drop-forged
- Joint plate and jaws drop- forged, heat treated
- Protective case on screw top for easily use
- Puller arm design for confined spaces



PART NO	SIZE	A MAX MM	MIN B MAX MM	L	L1	MEASUREMENT	E MM	T MAX.T	PCS / PKT	PCS / CTN
U6161	90X100MM	90	70-130	100	M14X1.5X130	34X28X17	3	4.5	1	20
U6162	130X100MM	130	80-180	100	M14X1.5X130	34X33X18	3	4.5	1	20
U6163	160X150MM	160	105-220	150	M20X2X210	25.5X21X27	4.5	6.5	1	6
U6164	200X150MM	200	120-270	150	M20X2X210	25.5X24X31.5	4.5	6.5	1	6
U6165	250X200MM	250	160-330	205	M27X2X280	35.5X34.5X20.5	6.2	8.5	1	3
U6166	350X200MM	350	160-420	205	M27X2X280	40.5X35X15	6.2	8.5	1	2
U6167	520X200MM	520	195-600	205	M27X2X280	62X36X13.5	6.2	8.5	1	2

TYRE LIVER

- Drop forged
- Cr-V Steel
- Bright Chrome

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6714	12"	1	20
U6715	16"	1	20
U6716	20"	1	20
U6717	24"	1	20



Din CrV

BEARING SEPARATOR ASSEMBLY – 2 SET

- Forged with Chrome – Vanadium Steel
- Wholly heat treated high intensity, tenacity
- 2" Bearing Separator
- 3" Bearing Separator

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U6191	45.5x30x26	1	3



CrV

HYDRAULIC SEPARATOR PULLER SET

- Forged with Chrome – Vanadium Steel
- Wholly heat treated high intensity, tenacity
- Mainly used for the dismantlement of gear and bearing
- 4" Bearing Separator

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U6192	46x21x17	1	3



CrV

PRESSURE SCREW SEPERATOR PULLER SET

- Forged with Chrome – Vanadium Steel
- Wholly heat treated high intensity, tenacity
- 4" Bearing Separator

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U6193	46x21x17	1	3



CrV

BEARING SEPARATOR

- Drop Forged with Chrome - Vanadium Steel
- Can reach places where puller jaws cannot fit
- Convenient and easy to use

PART NO	SIZE	MAX (MM)	MIN (MM)	A (MM)	B (MM)	PCS/ PKT	PCS/ CTN
U6181	2"	50	30	3/8"-16	61	1	25/10
U6182	3"	75	50	3/8"-16	92	1	10
U6183	4"	105	75	3/2"-12	111	1	8
U6184	6"	150	100	5/8"-11	156	1	4



Din CrV

BEARING SEPARATOR NEW

- Drop Forged with Chrome - Vanadium Steel
- Can reach places where puller jaws cannot fit
- Convenient and easy to use

PART NO	SIZE	MAX (MM)	MIN (MM)	PCS/ PKT	PCS/ CTN
U6172	3"	75	50	1	10



Din CrV

ARMATURE BEARING PULLER

- Ideal for pulling bearing from electrical Tools and auto electrical equipment such as generators, alternators starter bearing
- Forged & hardened
- Chrome - vanadium (Cr-V)

PART NO	SIZE	(MM)	MEASUREMENT	PCS/ PKT	PCS/ CTN
U6151	1"	19.35	34.5X25.5X38	10	60
U6152	2"	24.55	37.5X24.5X46	10	30
U6153	3"	33.80	38.5X33.5X20.5	4	16



CrV

PILOT BEARING PULLER



- Removes all sleeve - type bearing with 1/2" - 2" inside diameter
- Removes Pilot bearings pump bearings, bushings etc

PART NO	SIZE	MEASUREMENT	PCS / CTN
U6742	2"	49.5x31.5x27	20

SWAGING TOOL



- Screw type feed
- Perfect swaging alignment of tube every time
- Hardened steel

PART NO	CABLE & SLEEVE SIZE	CROVE CAVITY	PCS/PKT	PCS/CTN
U6126	1/16", 3/32", 1/8"	1.5MM, 2.5MM, 3MM	1	40
U6127	5/32", 3/16", 1/4"	4MM, 5MM, 6MM	1	15



HAND RIVETER

LONG-NOSE DESIGN FITS IN DIFFICULT TO REACH PLACES
SPRING LOADED HANDLE
INCLUDES FOUR DIFFERENT INTERCHANGABLE SIZE HEADS



LONG-NOSE DESIGN FITS IN
DIFFICULT TO REACH PLACES

CONTOURED HANDLE PROVIDES
A GREAT GRIP

HAND RIVETER HEAVY DUTY SS

- Strong and reliable construction
- Contoured handle provides a great grip
- Slim-nose design fits in difficult to reach places
- Spring-loaded handle
- Includes four different interchangeable size heads

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4595	10" NOZZLE 2.4MM/3.2MM/4M- M/4.8MM	6	36



HAND RIVETER HEAVY DUTY

- Long -nose design fits in difficult to reach places
- Spring-loaded handle
- Includes four different interchangeable size heads


PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4596	10" NOZZLE 2.4MM/3.2MM/4M- M/4.2MM	6	36



HAND RIVETER LAZY TONG FOLDING TYPE

- Robust and durable design
- Single pull action for fast and continuous riveting
- Supplied with five interchangeable nozzle


PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4597	32" NOZZLE 3.2MM/4M- M/4.8MM/6MM/6.4MM	1	12



HAND RIVETER DOUBLE HAND HEAVY DUTY

- Robust and durable design
- Single pull action for fast and continuous riveting
- Supplied with three interchangeable nozzle

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4598	17" NOZZLE 3.2MM/4M- M/4.8MM	1	20



HAND RIVETER

- Long -nose design fits in difficult to reach places
- Spring-loaded handle
- Includes four different interchangeable size heads

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4599	10.5" NOZZLE 2.4MM/3.2MM/4MM- M/4.2MM	6	36



LEATHER HOLE PUNCH

- Offers a premium quality material ensure durability and ergonomically design
- Commonly used to punching round holes in leather, Plastic, Rubber, Canvas, Carboard and similar materials:Especially useful as a leather Hole Punch
- Punch size:- 2.5, 3, 3.5, 4, 4.5, 5MM

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1703	2.5-5MM	6	36



EYELET PLIER

- Long -nose design fits in difficult to reach places
- Spring-loaded handle
- Includes four different interchangeable size heads

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1704	PUNCH DIA 5MM	6	36



HAND SHOVEL

- Pointed long
- Wood handle
- Matt black color

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U40403	LONG	1	12



PICK AXE WITH FIBER HANDLE

- Drop forged carbon steel
- Polished edge
- Light weight for easy to use

PART NO	PCS / PKT	PCS / CTN
U40402	1	6



PICK AXE

- Drop forged carbon steel
- Polished edge
- Light weight for easy to use

PART NO	PCS / PKT	PCS / CTN
UP402	1	6



PICK AXE FIBER HANDLE

- Fiber handle for Pick Axe

PART NO	PCS / PKT	PCS / CTN
UH402	1	20



JERRY CAN

- Heavy duty steel construction
- Built-in carry handle
- Locking metal cap
- Rubber gasket seal
- Coated interior

PART NO	DESCRIPTION	PCS / CTN
505U	20 LITRE	4



JERRY CAN SPOUT TUBE

PART NO	SUITABLE FOR	PCS / CTN
506U	505U	50



GLASS HOLDER/ SUCKER - HEAVY DUTY

- Secure connection for long time
- Ergonomic - designed rigid handle makes it much easier to lift the loads
- Secure hold the black clamping leaven provides quick and reliable suction

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U9502	80 KG (DOUBLE HEAD)	1	10



GLASS HOLDER / SUCKER - HEAVY DUTY

- Secure connection for long time
- Ergonomic - designed rigid handle makes it much easier to lift the loads
- Secure hold the black clamping leaven provides quick and reliable suction

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U9503	150 KG (TRIPLE HEAD)	1	10



TOOL BOX 21" – WITH SINGLE HANDLE

- 5 Tray tool box
- Ideal for storing and transporting wide range of tools
- Powder coated finish for long life
- Provides single handle for 100% access

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
408S	21"	1	4



TOOL BOX ORANGE

- 5 Tray tool box
- Ideal for storing and transporting wide range of tools
- Powder coated finish for long life
- Provided 2 handles for 100% access

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
203M	18"	1	4
204M	21"	1	4



TOOL BOX

- 5 Tray tool box
- Ideal for storing and transporting wide range of tools
- Powder coated finish for long life
- Provided 2 handles for 100% access

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
305U	18"	1	4
306U	21"	1	4



TOOL BOX BLUE/GRAY HEAVY DUTY

- 5 Tray tool box
- Ideal for storing and transporting wide range of tools
- Powder coated finish for long life
- Provided 2 handles for 100% access

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
101H	18"	1	4
102H	21"	1	4



TOOL BOX PLASTIC

- Plastic tool box with tray and organizer
- Soft grip handle for better comfort
- Easy to carry and store
- Available in different sizes

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
312P	12"	1	6
314P	14"	1	6
316P	16.5"	1	6
318P	18.5"	1	6
321P	21"	1	2
324P	23.5"	1	2



TOOL BOX PROFESSIONAL

- New Design Heavy - Duty Plastic Tool box
- Professional use with durable impact.
- Wide opening for bulk storage & easy access

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8320	18" (450 MM)	1	6
U8321	21" (520 MM)	1	2



TOOL BOX PLASTIC HEAVY DUTY

- This Dry box is ideal for both commercial & Industrial application
- Extra thick Copolymer Construction stand up to extreme weather & rough handling

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8310	412.5 MM (16.5")	1	6
U8311	475 MM (19")	1	4



TOOL TROLLY

- Ball bearing slides for smooth and heavy loading drawer operation
- Lockable wheel with rubber castors
- Lockable drawersSize 770x465x810mm without caster wheel

PART NO	DESCRIPTION(LXWXH)	PCS / CTN
103H	770X465X810MM	1



TOOL TROLLY

- Ball bearing slides for smooth and heavy loading drawer operation
- Lockable wheel with rubber castors
- Lockable drawers
- Size 690x465x790mm without caster wheel

PART NO	DESCRIPTION(LXWXH)	PCS / CTN
104H	690X465X790MM	1



TOOL BAG

- High quality, heavy duty Denier polyester material
- Large storage space for hand tools & accessories
- Shoulder & Hand strap for easy carrying on hand & shoulder
- Zipper on top easy access

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8300	15"	1	10



TOOL BAG

- High quality, heavy duty Denier polyester material
- Large storage space for hand tools & accessories
- Shoulder & Hand strap for easy carrying on hand & shoulder
- Zipper on top easy access

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8301	14"	1	10



TOOL BAG

- High quality, heavy duty Denier polyester material
- One open large mouth, two large pockets, twenty medium size of pockets and seven small size pockets for easy access type of tools & accessories
- Shoulder & hand strap for easy carrying

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8302	20"	1	4



BACKPACK

- Waterproof material
- Smaller than 17" laptop
- USB port

PART NO	PCS / PKT	PCS / CTN
LP - 1701	1	8/10



TOOL BELT DOUBLE WITH BELT

- High quality, heavy duty with denier polyester material
- Two large pocket, four medium pocket, three small pockets,
- two sleeves, two hammer hooks and two extra small pockets with four slots
- Hand strap to easy carry



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8304	DOUBLE	1	10

TOOL POUCH SINGLE



- High quality, heavy duty with denier polyester material
- One large pocket, one medium pocket, three sleeves, outer four slots to accomodate a variety of hand tools & accessories
- Small, light weight & strong

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8303	SINGLE	1	20

BELT ONLY





PART NO	SUITABLE FOR	PCS / PKT	PCS / CTN
U8305	U8304/U8303	1	25





CUTTING DISC - METAL




- Fast cutting
- Superior resin bond
- Low vibration level



PART NO	DESCRIPTION	SPECIFICATION	PCS/PKT	PCS/CTN
UK1003016	100 X 3.0 X 16 MM	A30 R-BF	50	200
UK11530222	115 X 3.0 X 22.2 MM	A30 R-BF	50	200
UK12530222	125 X 3.0 X 22.22 MM	A30 R-BF	50	200
UK18030222	180 X 3.0 X 22.2 MM	A30 R-BF	25	100
UK23030222	230 X 3.0 X 22.2 MM	A30 R-BF	25	50

CUT-OFF WHEEL


- For all ferrous materials
- Fast cutting
- Superior resin bond
- Comfortable working



PART NO	DESCRIPTION	SPECIFICATION	PCS/PKT	PCS/CTN
UK30032254	300 X 3.2 X 25.4 MM	A30 R-BF	1	25
UK35532254	355 X 3.2 X 25.5 MM	A30 R-BF	1	25
UK40032254	400 X 3.2 X 25.4MM	A30 R-BF	1	25

GRINDING DISC - METAL


- Fast grinding & Polishing
- Superior resin bond
- Comfortable working
- Low vibration levels



PART NO	DESCRIPTION	SPECIFICATION	PCS/PKT	PCS/CTN
UK1006016	100 X 6.0 X 16 MM	A24R-BF	25	100
UK11560222	115X6.0X22.23 MM	A24R-BF	25	100
UK12560222	125X6.0X22.23 MM	A24R-BF	25	100
UK18060222	180X6.0X22.23 MM	A24R-BF	25	50
UK23060222	230X6.0X22 MM	A24R-BF	15	30

THIN WHEEL - INOX

- Fast cutting can cut steel, Stainless Steel, Aluminium & Copper
- Superior resin bond
- Low vibration level




PART NO	DESCRIPTION	SPECIFICATION	PCS/PKT	PCS/CTN
UK100161F	100 X 1.0 X 16 MM	A46 R-BF	100	400
UK11510222	115 X 1.0 X 22.22 MM	A46 R-BF	100	400
UK1001616	100 X 1.6 X 22.2 MM	A46 R-BF	100	400
UK11516222	115 X 1.6 X 22.2 MM	A60 R-BF	100	400
UK18016222	180 X 1.6 X 22.2 MM	A46 R-BF	50	200
UK23016222	230 X 1.6 X 22.2 MM	A46 R-BF	25	50



CUTTING DISC - STAINLESS STEEL

- For Stainless Steel Material
- Superior resin bond
- Low vibration level




PART NO	DESCRIPTION	SPECIFICATION	M/S	CTN/QTY
UK10030SS	100X3.0X16MM	A30R - BF	50	200
UK11530SS	115X3.0X22.2MM	A30R - BF	50	200
UK12530SS	125X3.0X22.2MM	A30R - BF	50	200
UK18030SS	180X3.0X22.2MM	A30R - BF	25	200
UK23030SS	230X3.0X22.2MM	A30R - BF	50	200



GRINDING DISC - STAINLESS STEEL

- For Stainless Steel Material
- Fast grinding
- Low vibration level




PART NO	DESCRIPTION	SPECIFICATION	PCS/PKT	PCS/CTN
UK10060SS	100X6X16MM	A24R - BF	25	100
UK11560SS	115X6X22.2MM	A24R - BF	25	100
UK12565SS	125X6X22.2MM	A24R - BF	25	100
UK18065SS	180X6X22.2MM	A24R - BF	25	50
UK23065SS	230X6X22.2MM	A24R - BF	25	100




CUTTING DISC - ALUMINIUM

- Fast cutting
- Low vibration level
- Superior resin bond
- Comfortable working




PART NO	DESCRIPTION	SPECIFICATION	PCS/PKT	PCS/CTN
UK100X3	100 X 3.0 X 16 MM	A30 R-BF	50	200
UK115X3	115 X 3.0 X 22.2 MM	A30 R-BF	50	200
UK180X3	180 X 3.0 X 22.2MM	A30 R-BF	25	100




GRINDING DISC - ALUMINIUM

- Fast & clean grinding
- Optimal material removal rate
- Superior resin bond
- Comfortable working




PART NO	DESCRIPTION	SPECIFICATION	PCS/PKT	PCS/CTN
UK100X6	100 X 6.0 X 16MM	A24R-BF	25	100
UK115X6	115 X 6.0 X 22.23MM	A24R-BF	25	100
UK180X6	180 X 6.0 X 22.23MM	A24R-BF	25	50




ALUMINIUM THIN CUTTING DISC

- Fast cutting wheel reduce wastage of the work materials
- Higher cutting speed



PART NO	DESCRIPTION	SPECIFICATION	PCS/PKT	PCS/CTN
UK105X1	105 X 1.0 X 16 MM	A30 R -BF	100	400
UK115X1	115 X 1.0 X 22.2 MM	A60 R-BF	100	400
UK180X16	180 X 1.6 X 22.2 MM	A46 R -BF	50	200



FLAP DISC

- Weld blending, removing weldslag
- Deburring
- Edge blending and chamfering
- Surface Finishing
- For Use with Angle Grinder



DIAMETER



DIAMETER



PART NO	DESCRIPTION	SIZE	GRIT SIZE	PCS/PKT	PKT/CTN
U2202-4P60	TYPE 29 ANGLED	4"	60	10	20
U2202-4P80	TYPE 29 ANGLED	4"	80	10	20
U2202-4P100	TYPE 29 ANGLED	4"	100	10	20
U2202-4P120	TYPE 29 ANGLED	4"	120	10	20
U2202-4.5P60	TYPE 29 ANGLED	4.5"	60	10	20
U2202-4.5P80	TYPE 29 ANGLED	4.5"	80	10	20
U2202-4.5P100	TYPE 29 ANGLED	4.5"	100	10	20
U2202-4.5P120	TYPE 29 ANGLED	4.5"	120	10	20
U2202-7P60	TYPE 29 ANGLED	7"	60	10	10
U2202-7P80	TYPE 29 ANGLED	7"	80	10	10
U2202-7P100	TYPE 29 ANGLED	7"	100	10	10
U2202-7P120	TYPE 29 ANGLED	7"	120	10	10



WATER PROOF PAPER

- Silicon carbide grain
- High quality latex- backed paper
- Very fine finish
- Best When used with water or lubricant
- Widely used in Automotive market

PART NO	DESCRIPTION	GRIT SIZE	PCS/PKT	PKT/CTN
UA-P60	230 MM X 280 MM	60	50	20
UA-P80	230 MM X 280 MM	80	50	20
UA-P100	230 MM X 280 MM	100	50	20
UA-P120	230 MM X 280 MM	120	50	20
UA-P150	230 MM X 280 MM	150	50	20
UA-P180	230 MM X 280 MM	180	50	20
UA-P220	230 MM X 280 MM	220	50	20
UA-P240	230 MM X 280 MM	240	50	20
UA-P320	230 MM X 280 MM	320	50	20
UA-P400	230 MM X 280 MM	400	50	20
UA-P600	230 MM X 280 MM	600	50	20
UA-P800	230 MM X 280 MM	800	50	20
UA-P1000	230 MM X 280 MM	1000	50	20
UA-P1200	230 MM X 280 MM	1200	50	20
UA-P1500	230 MM X 280 MM	1500	50	20
UA-P2000	230 MM X 280 MM	2000	50	20



CONCRETE CUTTING BLADE

- Diamond wheel
- Segmented type
- Suitable for concrete cutting
- Use Wet or Dry

PART NO	DESCRIPTION	PCS/PKT	PCS/CTN
MC-105	105 MM	1	100
MC-115	115 MM	1	100
MC-125	125 MM	1	100
MC-180	180 MM	1	50
MC-230	230 MM	1	25
MC-300	300 MM	1	10
MC-350	350 MM	1	10



CONCRETE CUTTING BLADE

- Diamond wheel
- Segmented type
- Suitable for Concrete cutting
- Use Wet & Dry

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UC105C	105 MM	1	100
UC115C	115 MM	1	100
UC125C	125 MM	1	100
UC180C	180 MM	1	50
UC230C	230 MM	1	25



LASER WELDED DIAMOND SAW BLADE

- 4.5" 115mm segment height offers extended cutting life
- Laser welded segments ensure safety & durability
- Use Wet & Dry
- Suitable for Concrete Cutting

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UC115L	4.5"	1	100



TURBO DIAMOND SAW BLADE

- Turbo diamond saw blade segment height offers extended cutting life
- Turbo diamond saw blade welded segments ensure safety & Durability
- Use Wet or Dry both
- Suitable for Concrete, Brick, Marble, Granite

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UC105T	105 MM	1	100
UC115T	115 MM	1	100
UC125T	125 MM	1	100
UC180T	180 MM	1	50
UC230T	230 MM	1	25



SEGMENTED DIAMOND SAW BLADE

- Turbo diamond saw blade segment height offers extended cutting life
- Turbo diamond saw blade welded segments ensure safety & Durability
- Use Wet or Dry
- Suitable for Granite

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UG105G	105 MM	1	100
UG115G	115 MM	1	100
UG125G	125 MM	1	100
UG180G	180 MM	1	50
UG230G	230 MM	1	25



TILE CUTTING

- Diamond wheel continuous rim type
- Suitable for tile
- Use wet or Dry

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UT105T	105 MM	1	100
UT115T	115 MM	1	100
UT125T	125 MM	1	100
UT180T	180 MM	1	40 / 50
UT230T	230 MM	1	25



ELECTROPLATING DIAMOND SAW BLADE

- Designed for cutting Marble & FRP
- Turbo diamond saw blade welded segment height offers extended cutting Marble & FRP
- Wet cutting only



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UM105M	105 MM	1	100
UM115M	115 MM	1	100
UM125M	125 MM	1	100
UM180M	180 MM	1	50
UM230M	230 MM	1	25

FAST & FINE CUT DIAMOND SAW BLADE

- Designed for cutting tile, marble procelain tile & ceramic
- Diamond saw blade segment height offers extended cutting lite
- Diamond saw blade welded segments ensure safety & Durability
- Wet cutting only
- Suitable for Tile, Marble, Procelain tile & Ceramic



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UT105M	105 MM	1	100
UT115M	115 MM	1	100
UT125M	125 MM	1	100
UT180M	180 MM	1	50
UT230M	230 MM	1	25



DIAMOND CUP GRINDING

- Suitable for use on grinding on marble, tiles, concrete and rock.
- This aggressive turbo cup grinding wheel provides for very fast action
- Use Wet or Dry both

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UCW100D	100 MM	1	50
UCW115D	115 MM	1	20
UCW125D	125 MM	1	20
UCW80C	80X2.5X20 MM	1	20



SPIRAL RAW DIAMOND CUP WHEEL

- Turbo design for smooth Consistent finish
- Optimized hole pattern for fast dust removal
- Dust -Control use - ideal for use in every angle grinders
- Use Wet & Dry Both

PART NO	DESCRIPTION	PCS/PKT	PCS/CTN
UCT100D	4"	1	50



CUP WIRE BRUSH - CRIMPED



- Ideal for flat surfaces
- Light rust removal
- For different models

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U42104	M10 X 65 MM	1	100
U42105	M14 X 65 MM	1	100
U42106	M14 X 75 MM	1	100
U42107	M14 X100 MM	1	40

CUP WIRE BRUSH - TWISTED



- Heavy duty for cleaning large material surface
- For rust & paint removal
- For different models

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U42100	M10 X 65 MM	1	100
U42101	M14 X 65 MM	1	100
U42102	M14 X 75 MM	1	100
U42103	M14 X100 MM	1	40

CIRCULAR SAW BLADE WOOD – PROFESSIONAL

- Precision ground teeth for smooth and accurate cuts
- Corrosion-resistant coating helps prevent rusting
- Hardened & Tempered steel body
- High welding strength
- Better performance at an economic price
- Heavy duty tungsten carbide tips maintain cutting edge for long blade life



PART NO.	BLADE DIA. (MM)	BLADE THICKNESS (MM)	BORE DIA. (MM)	BORE ADJUSTABLE DIA. (MM)	NO OF TEETH	APPLICATION	SUITABLE FOR
U71124	110	1.6	20	16	24	WOOD	CUTTING MEDIUM-SOFT WOODEN MATERIAL, ARTIFICIAL BOARD
U71140	110	1.6	20	16	40	WOOD	CUTTING MEDIUM-SOFT WOODEN MATERIAL, ARTIFICIAL BOARD
U71416	184	2.2	30	20	16	WOOD	CUTTING ALL KINDS OF SOFT WOOD
U71420	184	2.2	30	20	20	WOOD	CUTTING ALL KINDS OF SOFT WOOD
U71424	184	2.2	30	20	24	WOOD	CUTTING ALL KINDS OF SOFT WOOD
U71440	184	2.2	30	20	40	WOOD	CUTTING ALL KINDS OF SOFT WOOD
U71460	184	2.2	30	20	60	WOOD	CUTTING MEDIUM-SOFT WOODEN MATERIAL, ARTIFICIAL BOARD
U71524	235	2.8	30	25.4/25/16	24	WOOD	CUTTING ALL KINDS OF SOFT WOOD
U71540	235	2.8	30	25.4/25/16	40	WOOD	CUTTING MEDIUM-SOFT WOODEN MATERIAL, ARTIFICIAL BOARD
U71560	235	2.8	30	25.4/25/16	60	WOOD	CUTTING MEDIUM-SOFT WOODEN MATERIAL, ARTIFICIAL BOARD
U71580	235	2.8	30	25.4/25/16	80	WOOD	CUTTING MEDIUM-SOFT WOODEN MATERIAL, ARTIFICIAL BOARD
U715100	235	2.8	30	25.4/25/16	100	WOOD	CUTTING ALL KINDS OF SOFT WOOD AND HARD WOOD, MDF AND CHIPWOOD
U71760	305	3.2	30	25.4/25/15.88	60	WOOD	CUTTING MEDIUM-SOFT WOODEN MATERIAL, ARTIFICIAL BOARD
U71772	305	3.2	30	25.4/25/15.88	72	WOOD	CUTTING MEDIUM-SOFT WOODEN MATERIAL, ARTIFICIAL BOARD
U71796	305	3.2	30	25.4/25/15.88	96	WOOD	CUTTING ALL KINDS OF SOFT WOOD AND HARD WOOD, MDF AND CHIPWOOD
U717100	305	3.2	30	25.4/25/15.88	100	WOOD	CUTTING ALL KINDS OF SOFT WOOD AND HARD WOOD, MDF AND CHIPWOOD
U71860	355	3.2	30	25.4/25/15.88	60	WOOD	CUTTING MEDIUM-SOFT WOODEN MATERIAL, ARTIFICIAL BOARD
U71872	355	3.2	30	25.4/25/15.88	72	WOOD	CUTTING MEDIUM-SOFT WOODEN MATERIAL, ARTIFICIAL BOARD
U71896	355	3.2	30	25.4/25/15.88	96	WOOD	CUTTING ALL KINDS OF SOFT WOOD AND HARD WOOD, MDF AND CHIPWOOD
U71972	405	3.2	30	25.4/25/15.88	72	WOOD	CUTTING MEDIUM-SOFT WOODEN MATERIAL, ARTIFICIAL BOARD
U71980	405	3.2	30	25.4/25/15.88	80	WOOD	CUTTING MEDIUM-SOFT WOODEN MATERIAL, ARTIFICIAL BOARD

CIRCULAR SAW BLADE WOOD

- Cross and rip cutting, wood, joinery, cabinet and carpending jobs
- Hardened and tempered steel
- Precision grand teeth for smooth and accurate cuts



DIAMETER

PART NO.	BLADE DIA. (MM)	BLADE THICKNESS (MM)	BORE DIA. (MM)	BORE ADJUSTABLE DIA. (MM)	NO OF TEETH	APPLICATION	SUITABLE FOR
U4X30T	105	1.8	20	16	30	WOOD	ALL KIND OF SOFT WOODS
U4X40T	105	1.8	20	16	40	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U4.5X24T	115	1.8	22.23	20/16	24	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U4.5X30T	115	1.8	22.23	20/16	30	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U4.5X40T	115	1.8	22.23	20/16	40	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U5X30T	125	1.8	22.23	20/16	30	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U5X40T	125	1.8	22.23	20/16	40	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U7X16T	180	2.2	30	20/16	16	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U7X20T	180	2.2	30	20/16	20	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U7X24T	180	2.2	30	25/16	24	WOOD	ALL KIND OF SOFT WOODS
U7X40T	180	2.2	30	25/16	40	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U7X60T	180	2.2	30	25/16	60	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U9X24T	230	2.8	30	25/16	24	WOOD	ALL KIND OF SOFT WOODS
U9X40T	230	2.8	30	25/16	40	WOOD	ALL KIND OF SOFT WOODS
U9X60T	230	2.8	30	25/16	60	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U9X80T	230	2.8	30	25/16	80	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U9X96T	230	2.8	30	25/16	96	WOOD	MEDIUM-SOFT WOODEN MATERIALS, MDF, CHIPWOOD & HARD WOODS

CIRCULAR SAW BLADE WOOD

- Cross and rip cutting, wood, joinery, cabinet and carpending jobs
- Hardened and tempered steel
- Precision grand teeth for smooth and accurate cuts



PART NO.	BLADE DIA. (MM)	BLADE THICKNESS (MM)	BORE DIA. (MM)	BORE ADJUSTABLE DIA. (MM)	NO OF TEETH	APPLICATION	SUITABLE FOR
U9X100T	230	2.8	30	25 /16	100	WOOD	MEDIUM-SOFT WOODEN MATERIALS, MDF, CHIPWOOD &HARD WOODS
U10X60T	254	2.8	35	30 /25.4	60	WOOD	ALL KIND OF SOFT WOODS
U10X80T	254	2.8	35	30 /25.4	80	WOOD	ALL KIND OF SOFT WOODS & ARTIFICIAL BOARDS
U12X48T	300	3.2	35	30/25.40	48	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U12X60T	300	3.2	35	30/25.40	60	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U12X80T	300	3.2	35	30/25.40	80	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U12X96T	300	3.2	35	30/25.40	96	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U12X100T	300	3.2	35	30/25.40	100	WOOD & PLASTIC	MEDIUM-SOFT WOODEN MATERIALS, MDF, CHIPWOOD &SOFT PLASTIC MATERIALS
U14X40T	350	3.2	35	30/25.40	40	WOOD	ALL KIND OF SOFT WOODS
U14X60T	350	3.2	35	30/25.40	60	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U14X72T	350	3.2	35	30/25.40	72	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U14X84T	350	3.2	35	30/25.40	84	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U14X100T	350	3.2	35	30/25.40	100	WOOD & PLASTIC	MEDIUM-SOFT WOODEN MATERIALS, MDF, CHIPWOOD &SOFT PLASTIC MATERIALS
U16X60T	405	3.2	35	30/25.40	60	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U16X72T	405	3.2	35	30/25.40	72	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD
U16X80T	405	3.2	35	30/25.40	80	WOOD	MEDIUM-SOFT WOODEN MATERIALS, ARTIFICIAL BOARD

TCT SAW BLADE WOOD 16MM BORE

- Precision ground teeth for smooth and accurate cuts
- Corrosion-resistant coating helps prevent rusting
- Better performance at an economic price
- Heavy duty tungsten carbide tips maintain cutting edge for long blade life



PART NO.	BLADE DIA. (MM)	BLADE THICKNESS (MM)	BORE DIA. (MM)	NO OF TEETH	APPLICATION	SUITABLE FOR
U7X24TD	180	1.4	16MM	24	WOOD	ALL KIND OF SOFT WOODS
U7X40TD	180	1.4	16MM	40	WOOD	ALL KIND OF SOFT WOODS

CIRCULAR SAW BLADE ALUMINIUM CUTTING - PROFESSIONAL


- Precision ground teeth for smooth and accurate cuts
- Corrosion-resistant coating helps prevent rusting
- Better performance at an economic price
- Heavy duty tungsten carbide tips maintain cutting edge for long blade life



PART NO.	BLADE DIA. (MM)	BLADE THICKNESS (MM)	BORE DIA. (MM)	BORE ADJUSTABLE DIA. (MM)	NO OF TEETH	APPLICATION	SUITABLE FOR
U71448AL	184	2.5	30	20/16	48	ALUMINUM	CUTTING ALL KINDS OF PROFILED ALUMINUM
U71460AL	184	2.5	30	20/16	60	ALUMINUM	CUTTING ALL KINDS OF PROFILED ALUMINUM
U715100AL	235	2.5	30	25.4/25/16	100	ALUMINUM	CUTTING THIN PROFILED ALUMINUM (BELOW 3MM-THICKNESS)
U717100AL	305	3.2	30	25.4/25/15.88	100	ALUMINUM	CUTTING ALL KINDS OF PROFILED ALUMINUM (BELOW 5MM-THICKNESS)
U718100AL	355	3.2	30	25.4/25/15.88	100	ALUMINUM	CUTTING ALL KINDS OF PROFILED ALUMINUM

CIRCULAR SAW BLADE ALUMINIUM CUTTING

- Precision ground teeth for smooth and accurate cuts
- Corrosion-resistant coating helps prevnet rusting
- Hardened & Tempered steel body
- High welding strength
- Better performance at an economic price




PART NO.	BLADE DIA. (MM)	BLADE THICKNESS (MM)	BORE DIA. (MM)	BORE ADJUSTABLE DIA. (MM)	NO OF TEETH	APPLICATION	SUITABLE FOR
UA7X48T	180	2.2	30	25.4 / 16	48	ALUMINIUM	ALL KINDS OF PROFILED ALUMINIUM
UA9X100T	225	2.2	30	25/16	100	ALUMINIUM	ALL KINDS OF PROFILED ALUMINIUM
UA10X100T	254	2.8	35	30/25.40	100	ALUMINIUM	THIN PROFILED ALUMINIUM BELOW 3MM.
UA12X96T	300	3.2	35	30/25.40	96	ALUMINIUM	THIN PROFILED ALUMINIUM BELOW 5MM.
UA12X100T	300	3.2	35	30/25.40	100	ALUMINIUM	THIN PROFILED ALUMINIUM BELOW 5MM.
UA14X84T	350	3.2	35	30/25.40	84	ALUMINIUM	ALL KINDS OF PROFILED ALUMINIUM




Uken[®]

DRILL BITS & ROUTER BITS



HSS DRILL BIT



- Precision ground point drill bit for ferrous and non metals
- Providing a good drilling speed and long working life
- Available in different sizes

PART NO	DESCRIPTION D X L1 X L2	PCS/PKT	PCS/CTN
416001	1.0 X 34 X 12 MM	10	3000
416002	1.5 X 43 X 20 MM	10	3000
416010	2.0 X 49 X 24 MM	10	3000
416011	2.5 X 57 X 30 MM	10	3000
416012	3.0 X 61 X 33 MM	10	3000
416013	3.2 X 65 X 36 MM	10	2500
416014	3.5 X 70 X 39 MM	10	3000
416015	4.0 X 75 X 43 MM	10	1000
416016	4.2 X 75 X 43 MM	10	1000
416017	4.5 X 80 X 47 MM	10	1000
416018	5.0 X 86 X 52 MM	10	1000
416019	5.5 X 93 X 57 MM	10	1000
416020	6.0 X 93 X 57 MM	10	1000
416021	6.5 X 101 X 63 MM	10	600
416022	7.0 X 109 X 69 MM	10	300
416023	7.5 X 109 X 69 MM	10	400
416024	8.0 X 117 X 75 MM	10	400
416025	8.5 X 117 X 75 MM	5	300
416026	9.0 X 125 X 81 MM	5	250 / 300
416027	9.5 X 125 X 81 MM	5	300
416003	10.0 X 133 X 87 MM	5	200
416004	10.5 X 133 X 87 MM	5	200
416005	11.0 X 142 X 94 MM	5	200
416006	11.5 X 142 X 94 MM	5	200
416007	12.0 X 151 X 101 MM	5	200
416008	12.5 X 151 X 101 MM	5	200
416009	13.0 X 151 X 101 MM	5	200

HSS STRAIGHT SHANK TWIST DRILL BIT - LONG SERIES



- Fully ground - White finish
- 135 Split point angle - DIN 340
- Material HSS
- For ferrous and non-ferrous materials

PART NO	D&S (MM)	L1 (MM)	L2 (MM)	PCS/ PKT	PCS/ CTN
0516-1.0	1.0	56	33	10	300
0516-1.5	1.5	70	45	10	300
0516-2.0	2.0	85	56	10	1000
0516-2.5	2.5	95	62	10	500
0516-3.0	3.0	100	63	10	1000
0516-3.2	3.2	106	69	10	500
0516-3.5	3.5	110	73	10	1000
0516-4.0	4.0	119	78	10	400
0516-4.2	4.2	119	78	10	400
0516-4.5	4.5	126	82	10	400
0516-5.0	5.0	132	87	10	400
0516-5.5	5.5	139	91	10	500
0516-6.0	6.0	139	91	10	400
0516-6.5	6.5	148	97	10	500
0516-7.0	7.0	156	102	10	500
0516-7.5	7.5	156	102	10	500
0516-8.0	8.0	165	109	10	500
0516-8.5	8.5	165	109	5	500
0516-9.0	9.0	175	115	5	400
0516-9.5	9.5	175	115	5	200
0516-10.0	10.0	184	121	5	100
0516-10.5	10.5	184	121	5	200
0516-11.0	11.0	195	128	5	200
0516-11.5	11.5	195	128	5	150
0516-12.0	12.0	205	134	5	100
0516-12.5	12.5	205	134	5	150
0516-13.0	13.0	205	134	5	100

HSS STRAIGHT SHANK TWIST DRILL - EXTRA LONG SERIES



- Fully ground - White finish
- 135 Split point angle - DIN 1869
- Material HSS
- For ferrous and non-ferrous materials

PART NO	D&S (MM)	L1 (MM)	L2 (MM)	PCS/ PKT	PCS/ CTN
0616-2.0	2.0	125	85	10	300
0616-2.5	2.5	140	95	10	500
0616-3.0	3.0	150	100	10	500
0616-3.5	3.5	165	115	10	1000
0616-4.0	4.0	175	120	10	1000
0616-4.5	4.5	185	125	10	250
0616-5.0	5.0	195	135	10	500
0616-5.5	5.5	205	140	10	500
0616-6.0	6.0	205	140	10	500
0616-6.5	6.5	215	150	10	200
0616-7.0	7.0	225	155	10	200
0616-7.5	7.5	225	155	10	200
0616-8.0	8.0	240	165	10	200
0616-8.5	8.5	240	165	5	100
0616-9.0	9.0	250	175	5	100
0616-9.5	9.5	250	175	5	100
0616-10.0	10.0	265	185	5	100
0616-10.5	10.5	265	185	5	50
0616-11.0	11.0	280	195	5	100
0616-11.5	11.5	280	195	5	50
0616-12.0	12.0	295	205	5	100
0616-12.5	12.5	295	205	5	50
0616-13.0	13.0	295	205	5	50

HSS DRILL BIT SET



- Precision ground point drill bit sets
- For ferrous and non-ferrous materials

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U4301	HSS DRILL BIT SET 1-10MM (19 PCS - 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10)	1	10
U4302	HSS DRILL BIT SET 1-13MM (25 PCS - 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13)	1	10




HSS REDUCED SHANK TWIST DRILL



- Fully ground - White finish
- 135 Split point angle - DIN 338
- Material HSS
- For ferrous and non-ferrous materials

PART NO	D (MM)	L1 (MM)	L2 (MM)	S (MM)	PCS/PKT	PCS/CTN
0716-13.5	13.5	160	108	13	1	100
0716-14.0	14.0	160	108	13	1	100
0716-14.5	14.5	169	114	13	1	100
0716-15.0	15.0	169	114	13	1	50
0716-15.5	15.5	178	120	13	1	50
0716-16.0	16.0	178	120	13	1	50
0716-16.5	16.5	184	125	13	1	50
0716-17.0	17.0	184	125	13	1	50
0716-17.5	17.5	191	130	13	1	50
0716-18.0	18.0	191	130	13	1	50
0716-18.5	18.5	198	135	13	1	50
0716-19.0	19.0	198	135	13	1	50
0716-19.5	19.5	205	140	13	1	50
0716-20.0	20.0	205	140	13	1	50
0716-20.5	20.5	205	140	13	1	25
0716-21.0	21.0	205	145	13	1	25
0716-21.5	21.5	205	145	13	1	25
0716-22.0	22.0	210	150	13	1	25
0716-22.5	22.5	210	150	13	1	25
0716-23.0	23.0	215	155	13	1	25
0716-23.5	23.5	215	155	13	1	25
0716-24.0	24.0	220	160	13	1	25
0716-24.5	24.5	220	160	13	1	25
0716-25.0	25.0	220	160	13	1	25

SS DRILL BIT



- Precision ground point ss drill bit for hardest materials
- Providing a good drilling speed and long working life
- Available in different sizes
- 5% cobalt

PART NO	DESCRIPTION D X L1 X L2	PCS/PKT	PCS/CTN
417001	1.0 X 34 X 12 MM	10	3000
417002	1.5 X 43 X 20 MM	10	3000
417010	2.0 X 49 X 24 MM	10	3000
417011	2.5 X 57 X 30 MM	10	3000
417012	3.0 X 61 X 33 MM	10	2000
417013	3.2 X 65 X 36 MM	10	3000
417014	3.5 X 70 X 39 MM	10	3000
417015	4.0 X 75 X 43 MM	10	1000
417016	4.2 X 75 X 43 MM	10	1000
417017	4.5 X 80 X 47 MM	10	1000
417018	5.0 X 86 X 52 MM	10	1000
417019	5.5 X 93 X 57 MM	10	1000
417020	6.0 X 93 X 57 MM	10	1000
417021	6.5 X 101 X 63 MM	10	500
417022	7.0 X 109 X 69 MM	10	500
417023	7.5 X 109 X 69 MM	10	600
417024	8.0 X 117 X 75 MM	10	400
417025	8.5 X 117 X 75 MM	5	250
417026	9.0 X 125 X 81 MM	5	300
417027	9.5 X 125 X 81 MM	5	300
417003	10.0 X 133 X 87 MM	5	200
417004	10.5 X 133 X 87 MM	5	200
417005	11.0 X 142 X 94 MM	5	200
417006	11.5 X 142 X 94 MM	5	200
417007	12.0 X 151 X 101 MM	5	200
417008	12.5 X 151 X 101 MM	5	200
417009	13.0 X 151 X 101 MM	5	200

TAPER SHANK DRILL BIT

- HSS taper shank twist drill
- Standard DIN 345
- For drilling carbon steel, plastic and cast iron materials




PART NO	DESCRIPTION D X L1 X L2	PCS/PKT	PCS/CTN
U44012	12 X 182 X 101 MM	1	50
U44125	12.50 X 182 X 101 MM	1	50
U44013	13 X 182 X 101 MM	1	20/50
U44135	13.5 X 189 X 108 MM	1	50
U44014	14 X 189 X 108 MM	1	50/100
U44145	14.5 X 212 X 114 MM	1	50
U44015	15 X 212 X 114 MM	1	50
U44155	15.5 X 218 X 120 MM	1	50
U44016	16 X 218 X 120 MM	1	50
U44165	16.5 X 223 X 125 MM	1	50
U44017	17 X 223 X 125 MM	1	50
U44175	17.5 X 228 X 130 MM	1	50
U44018	18 X 228 X 130 MM	1	50
U44185	18.5 X 233 X 135 MM	1	50
U44019	19 X 233 X 135 MM	1	50
U44195	19.5 X 238 X 140 MM	1	50
U44020	20 X 238 X 140 MM	1	50
U44205	20.5 X 243 X 145 MM	1	50
U44021	21 X 243 X 145 MM	1	50
U44215	21.5 X 248 X 150 MM	1	50
U44022	22 X 248 X 150 MM	1	50
U44225	22.5 X 253 X 155 MM	1	50
U44023	23 X 253 X 155 MM	1	50
U44235	23.5 X 276 X 155 MM	1	30

PART NO	DESCRIPTION D X L1 X L2	PCS/PKT	PCS/CTN
U44024	24 X 281 X 160 MM	1	25
U44245	24.5 X 281 X 160 MM	1	50
U44025	25 X 281 X 160 MM	1	30
U44255	25.5 X 286 X 165 MM	1	20
U44026	26 X 286 X 165 MM	1	25
U44265	26.5 X 286 X 165 MM	1	25
U44027	27 X 291 X 170 MM	1	25
U44275	27.5 X 291 X 170 MM	1	25
U44028	28 X 291 X 170 MM	1	25
U44285	28.5 X 296 X 175 MM	1	25
U44029	29 X 296 X 175 MM	1	25
U44295	29.5 X 296 X 175 MM	1	25
U44030	30 X 296 X 175 MM	1	25
U44031	31 X 301 X 180 MM	1	20
U44032	32 X 334 X 185 MM	1	20
U44033	33 X 334 X 185 MM	1	20
U44034	34 X 339 X 190 MM	1	20
U44035	35 X 339 X 190 MM	1	10
U44036	36 X 344 X 195 MM	1	10
U44037	37 X 344 X 195 MM	1	10
U44038	38 X 349 X 200 MM	1	10
U44039	39 X 349 X 200 MM	1	10
U44040	40 X 349 X 200 MM	1	10



AUGER DRILL BIT



- Pointed for accurate drilling
- Provides clean holes with less splintering
- Easy to make the holes
- Available in different sizes



PART NO	DESCRIPTION (D X L)	PCS/PKT	PCS/CTN
U441620	16 X 200 MM	1	100
U441646	16 X 460 MM	1	50
U441660	16 X 600 MM	1	50
U441820	18 X 200 MM	1	50
U441846	18 X 460 MM	1	25
U441860	18 X 600 MM	1	25
U442020	20 X 200 MM	1	50
U442046	20 X 460 MM	1	25
U442060	20 X 600 MM	1	25
U442220	22 X 200 MM	1	50
U442246	22 X 460 MM	1	25
U442260	22 X 600 MM	1	25
U442420	24 X 200 MM	1	50
U442446	24 X 460 MM	1	25
U442460	24 X 600 MM	1	25
U442520	25 X 200 MM	1	50
U442546	25 X 460 MM	1	25
U442560	25 X 600 MM	1	25
U442620	26 X 200 MM	1	20
U442646	26 X 460 MM	1	20
U442660	26 X 600 MM	1	20
U442820	28 X 200 MM	1	20
U442846	28 X 460 MM	1	10
U442860	28 X 600 MM	1	20
U443020	30 X 200 MM	1	20
U443046	30 X 460 MM	1	20
U443060	30 X 600 MM	1	10
U443220	32 X 200 MM	1	20
U443246	32 X 460 MM	1	20
U443260	32 X 600 MM	1	20

WOOD DRILL BIT




- Three point wood bit use for soft & medium woods.
- Polished body with centre points



PART NO	DESCRIPTION (D X L)	PCS/PKT	PCS/CTN
U145	5 X 85 MM	50	200
U146	6 X 90 MM	50	200
U147	7 X 100 MM	50	200
U148	8 X 110 MM	50	200
U149	9 X 150 MM	50	200
U1410	10 X 120 MM	50	200
U1411	11 X 140 MM	50	200
U1412	12 X 140 MM	50	200
U1413	13 X 150 MM	25	50



MASONRY DRILL BIT




- Used for drilling anchor, plastic plug, fixing and pipe work
- clearance holes.
- Suitable for masonry, brick / block work stones

PART NO	DESCRIPTION (D X L)	PCS/PKT	PCS/CTN
U13360	3 X 60MM	100	500
U13475	4 X 75MM	100	500
U13585	5 X 85MM	100	500
U136100	6 X 100MM	100	500
U137100	7 X 100MM	50	200
U138120	8 X 120MM	50	200
U139120	9 X 120MM	50	200
U1310120	10 X 120MM	50	200
U1311150	11 X 150MM	50	200
U1312150	12 X 150MM	50	200/250
U1313150	13 X 150MM	25	50
U1314150	14 X 150MM	25	50
U1315150	15 X 150MM	25	50
U1316150	16 X 150MM	50	25




FLAT CHISEL SDS PLUS / POINT CHISEL SDS PLUS



- For light chipping and chiselling of tiles, glazing compounds and other masonry works
- Specially toughened steel and controlled heat treatment ensure consistent tough bits with long life

PART NO	DESCRIPTION	PCS/PKT	PCS/CTN
U10P14280	14 X 280 (D X L)	1	50
U10F14280	14 X 20 X 280 MM (D X W X L)	1	50


FLAT CHISEL SDS MAX / POINT CHISEL SDS MAX



- For heavy duty application; chiselling and demolition and all masonry works
- Specially toughened steel and controlled heat treatment ensure consistent tough bits with long life

PART NO	DESCRIPTION	PCS/PKT	PCS/CTN
U12P18400	18 X 400 MM (D X L) POINTED	1	25
U12P18600	18 X 600 MM (D X L) POINTED	1	20
U12F18400	18 X 25 X 400 MM (D X W X L)	1	25
U12F18600	18 X 25 X 600MM (D X W X L)	1	20

SDS PLUS DRILL BIT



- Suitable for masonry and concrete
- Optimized flutes offer fast drilling speed
- Superior carbide grade tip ensures out standing
- durability which gives consistent life



PART NO	DESCRIPTION (D X L)	PCS/PKT	PCS/CTN
U106110	6 X 110MM	1	250
U106160	6 X 160 MM	1	250
U106210	6 X 210 MM	1	200
U108110	8 X 110 MM	1	200
U108160	8 X 160 MM	1	250
U108210	8 X 210 MM	1	200
U108260	8 X 260 MM	1	100
U1010160	10 X 160 MM	1	250
U1010210	10 X 210 MM	1	200
U1010260	10 X 260 MM	1	200
U1010310	10 X 310 MM	1	200
U1012160	12 X 160 MM	1	200
U1012210	12 X 210 MM	1	200
U1012260	12 X 260 MM	1	100
U1012310	12 X 310 MM	1	100
U1014210	14 X 210 MM	1	100
U1014260	14 X 260 MM	1	100
U1014310	14 X 310 MM	1	100
U1016210	16 X 210 MM	1	100
U1016260	16 X 260 MM	1	100
U1016310	16 X 310 MM	1	100
U1018210	18 X 210 MM	1	100
U1018260	18 X 260 MM	1	50
U1018310	18 X 310 MM	1	50
U1018350	18 X 350 MM	1	50
U1020210	20 X 210 MM	1	100

PART NO	DESCRIPTION (D X L)	PCS/PKT	PCS/CTN
U1020260	20 X 260 MM	1	50
U1020310	20 X 310 MM	1	50
U1020350	20 X 350 MM	1	50
U1020400	20 X 400 MM	1	50
U1020450	20 X 450 MM	1	50
U1022260	22 X 260 MM	1	50
U1022310	22 X 310 MM	1	50
U1022350	22 X 350 MM	1	20
U1022400	22 X 400 MM	1	25
U1022450	22 X 450 MM	1	20
U1024260	24 X 260 MM	1	50
U1024310	24 X 310 MM	1	50
U1024350	24 X 350 MM	1	20
U1024400	24 X 400 MM	1	20
U1024450	24 X 450 MM	1	20
U1025260	25 X 260 MM	1	20
U1025310	25 X 310 MM	1	50
U1025350	25 X 350 MM	1	20
U1025400	25 X 400 MM	1	25
U1025450	25 X 450 MM	1	20
U1026260	26 X 260 MM	1	20
U1026310	26 X 310 MM	1	20
U1026350	26 X 350 MM	1	10
U1026400	26 X 400 MM	1	20
U1026450	26 X 450 MM	1	25

SDS MAX DRILL BIT

- Suitable for masonry and concrete
- Optimized flutes offer fast drilling speed
- Superior carbide grade tip ensures out standing
- Durability which gives consistent life




PART NO	DESCRIPTION (D X L1 X L2)	PCS/PKT	PCS/CTN
U12340	12X340X200MM	1	50
U12540	12X540X400MM	1	25
U12670	12X670X550MM	1	30
U14340	14X340X200MM	1	50
U14540	14X540X400MM	1	25
U16340	16X340X200MM	1	50
U16540	16X540X400MM	1	25
U18340	18X340X200MM	1	40
U18540	18X540X400MM	1	25
U20340	20X340X200MM	1	25
U20540	20X540X400MM	1	20
U20920	20X920X800MM	1	5
U22340	22X340X200MM	1	25
U22540	22X540X400MM	1	20
U22920	22X920X800MM	1	5
U24340	24X340X200MM	1	25
U24540	24X540X400MM	1	10
U25340	25X340X200MM	1	25

PART NO	DESCRIPTION (D X L1 X L2)	PCS/PKT	PCS/CTN
U25540	25X540X400MM	1	25
U25920	25X920X800MM	1	5
U26340	26X340X400MM	1	25
U26540	26X540X400MM	1	10
U28380	28X380X250MM	1	30
U28570	28X570X450MM	1	10
U30380	30X380X250MM	1	10
U30570	30X570X450MM	1	10
U32380	32X380X250MM	1	10
U32570	32X570X450MM	1	10
U32920	32X920X800MM	1	5
U36570	36X570X450MM	1	5
U38380	38X380X250MM	1	10
U38570	38X570X450MM	1	5
U38670	38X670X550MM	1	5
U40380	40X380X250MM	1	5
U40570	40X570X450MM	1	5
U40920	40X920X800MM	1	5



ROUTER BIT V GROOVING



- For cutting V grooves in wood & MDF for decorative panel finishes
- Two cutting flutes for superior finish
- A special heat treating process to provide precision and durability

PART NO	DESCRIPTION S X D X BL	PCS/PKT	PCS/CTN
U24720	6 X 9.5 X 9.5 MM	1	30
U24796	6 X 12.7 X 12.7 MM	1	30
U24814	6 X 19.05 X 15.9 MM	1	20
U24826	8 X 9.5 X 12.7 MM	1	50

ROUTER BIT FLUSH TRIM



- A special heat-treating process to provide precision and durability
- Suitable for trimming wood and plywoods
- Ball bearing will support smooth moments and fine cutting

PART NO	DESCRIPTION S X D X BL	PCS/PKT	PCS/CTN
U24478	6 X 9.5 X 25.4 MM	1	30
U27864	6 X 10 X 20 MM	1	30
U24490	6 X 12.7 X 25.4 MM	1	20
U24502	8 X 9.5 X 12.7 MM	1	30
U24534	8 X 12.7 X 30.2 MM	1	30
U-21012	12 X 12.7 X 30.2 MM	1	30
U24620	8 X 12 X 25 MM	1	30
U24446	6 X 6.35 X 19 MM	1	30

ROUTER BIT STRAIGHT



- A special heat-treating process to provide precision and durability
- For general cutting of straight edges, hardwoods, MDF, plywood and chip board
- Can be used for straight trimming of laminates
- Available in different sizes

PART NO	DESCRIPTION S X D X BL	PCS/PKT	PCS/CTN
U24228	6 X 2 X 8 MM	1	30
U24272	6 X 3 X 12 MM	1	40
U24240	6 X 3 X 8 MM	1	35
U24316	6 X 3.97 X 12.7 MM	1	50
U24328	6 X 4 X 12 MM	1	50
U24372	6 X 5 X 20 MM	1	25
U26830	6 X 6 X 16 MM	1	35
U27254	6 X 6 X 16 MM	1	40
U27820	6 X 6 X 18.2 MM	1	40
U27266	6 X 6 X 19 MM	1	30
U24384	6 X 6 X 20 MM	1	30
U27004	6 X 6 X 25.4 MM	1	30
U27298	6 X 6 X 25.4 MM	1	25
U27310	6 X 8 X 20 MM	1	35
U27036	6 X 8 X 25 MM	1	30
U27354	6 X 10 X 25 MM	1	35
U27366	6 X 12 X 25.4 MM	1	30
U27484	6 X 20 X 20 MM	1	20
U27398	8 X 8 X 25 MM	1	30
U27048	8 X 12 X 38.1 MM	1	25
U27060	8 X 12 X 50.8 MM	1	25
U27092	8 X 12 X 63.5 MM	1	25
U27148	8 X 14 X 20 MM	1	30
U27416	8 X 14 X 30.5 MM	1	30
U27428	12 X 10 X 25 MM	1	20
U26842	12 X 10 X 30.5 MM	1	20
U27160	12 X 12 X 20 MM	1	25
U26874	12 X 12 X 25.4 MM	1	30
U27192	12 X 12 X 38.1 MM	1	25
U26886	12 X 12 X 38.1 MM	1	25
U26918	12 X 12 X 50.8 MM	1	25
U26930	12 X 12 X 63.5 MM	1	25
U26974	12 X 13 X 25 MM	1	20
U26986	12 X 14 X 20 MM	1	25
U27210	12 X 14 X 30.5 MM	1	30
U27472	12 X 25.4 X 25.4 MM	1	30

FLAT WOOD DRILL BIT



- Manufactured from high grade carbon steel, drop forged, grounded
- 1/4" quick shank
- Heavy duty design for soft european hard wood, plasticboard etc

PART NO	DESCRIPTION	PCS / BOX	BOX / CTN
U1420	6MM	20	200
U1422	8MM	20	200
U1424	10MM	20	200
U1426	12MM	20	200
U1427	13MM	20	200
U1428	14MM	20	200
U1429	15MM	10	200
U1430	16MM	10	200
U1431	17MM	20	200
U1432	18MM	10	200
U1434	20MM	10	200
U1436	22MM	20	200
U1437	23MM	20	200
U1438	24MM	20	200
U1439	25MM	20	200
U1440	26MM	20	200
U1442	28MM	20	200
U1444	30MM	20	200
U1446	32MM	20	200
U1449	35MM	20	200
U1450	36MM	10	200
U1452	38MM	20	200
U1454	40MM	20	200

GLASS DRILL BIT




- Design for drilling glass, bottles, procelain, ceramics, use with drill stand only with cooling oil.

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U1460	3MM	20	400
U1462	4MM	20	200
U1464	5MM	20	200
U1466	6MM	20	200
U1467	6.5MM	10	400
U1468	7MM	20	400
U1470	8MM	20	200
U1472	9MM	20	300
U1474	10MM	20	200
U1478	12MM	20	200
U1480	13MM	20	200

ANNULAR CUTTER HSS 25MM

- Made of special super tough high speed steel


PART NO	DESCRIPTION(DXL)	PCS / PKT	PCS / CTN
U841225	12MM X 25MM	1	400
U841425	14MM X 25MM	1	400
U841625	16MM X 25MM	1	400
U841825	18MM X 25MM	1	400
U842025	20MM X 25MM	1	400
U842225	22MM X 25MM	1	400
U842425	24MM X 25MM	1	400
U842625	26MM X 25MM	1	400
U842825	28MM X 25MM	1	400
U843025	30MM X 25MM	1	400
U843225	32MM X 25MM	1	400



ANNULAR CUTTER HSS 50MM

- Made of special super tough high speed steel


PART NO	DESCRIPTION (DXL)	PCS / PKT	PCS / CTN
U841250	12MM X 50MM	1	400
U841450	14MM X 50MM	1	400
U841650	16MM X 50MM	1	400
U841850	18MM X 50MM	1	400
U842050	20MM X 50MM	1	400
U842250	22MM X 50MM	1	400
U842450	24MM X 50MM	1	400
U842650	26MM X 50MM	1	400
U842850	28MM X 50MM	1	400
U843050	30MM X 50MM	1	400
U843250	32MM X 50MM	1	400



ANNULAR CUTTER TCT 35MM

- Universal shank for various magnetic drills
- Application to hole cutting and process of annular groove on various magnetic drill
- Cutting Depth : 35mm


PART NO	DESCRIPTION(DXL)	PCS / PKT	PCS / CTN
U851235	12MM X 35MM	1	400
U851435	14MM X 35MM	1	400
U851635	16MM X 35MM	1	400
U851835	18MM X 35MM	1	400
U852035	20MM X 35MM	1	400
U852235	22MM X 35MM	1	400
U852435	24MM X 35MM	1	400
U852635	26MM X 35MM	1	400
U852835	28MM X 35MM	1	400
U853035	30MM X 35MM	1	400
U853235	32MM X 35MM	1	400



ANNULAR CUTTER TCT 50MM

- Universal shank for various magnetic drills
- Application to hole cutting and process of annular groove on various magnetic drill
- Cutting Depth : 50MM

PART NO	DESCRIPTION(DXL)	PCS / PKT	PCS / CTN
U851250	12MM X 50MM	1	400
U851450	14MM X 50MM	1	400
U851650	16MM X 50MM	1	400
U851850	18MM X 50MM	1	400
U852050	20MM X 50MM	1	400
U852250	22MM X 50MM	1	400
U852450	24MM X 50MM	1	400
U852650	26MM X 50MM	1	400
U852850	28MM X 50MM	1	400
U853050	30MM X 50MM	1	400
U853250	32MM X 50MM	1	400



PILOT PIN FOR HSS ANNULAR CUTTER

- Made of special tungsten carbide tips
- Suitable for HSS Annular cutter



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8201	12MM X 25MM	1	400
U8202	14MM X 50MM	1	400

PILOT PIN FOR TCT ANNULAR CUTTER

- Made of special tungsten carbide tips
- Suitable for HSS Annular cutter




PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8203	35MM(UPTO 17MM)	1	400
U8204	35MM(UPTO 18 & ABOVE)	1	400
U8205	50MM(UPTO 17MM)	1	400
U8206	50MM(UPTO 18 & ABOVE)	1	400

TUNGSTEN CARBIDE BURR CYLINDER END CUT

- Made of special super tough high speed steel
- 50mm in shank length(L1)


PART NO	DESCRIPTION (DXLXS)	PCS / PKT	PCS / CTN
UB0616	06X16X6MM	1	10
UB0820	08X20X6MM	1	10
UB1020	10X20X6MM	1	10
UB1225	12X25X6MM	1	10
UB1425	14X25X6MM	1	10
UB1625	16X25X6MM	1	10



TUNGSTEN CARBIDE BURR CYLINDER BALL NOSE

- Made of special super tough high speed steel
- 50mm in shank length(L1)

PART NO	DESCRIPTION (DXLXS)	PCS / PKT	PCS / CTN
UC0616	06X16X6MM	1	10
UC0820	08X20X6MM	1	10
UC1020	10X20X6MM	1	10
UC1225	12X25X6MM	1	10
UC1425	14X25X6MM	1	10
UC1625	16X25X6MM	1	10



TUNGSTEN CARBIDE BURR POINT EE

- Made of special super tough high speed steel
- 50mm in shank length(L1)


PART NO	DESCRIPTION (DXLXS)	PCS / PKT	PCS / CTN
UG0618	06X18X6MM	1	10
UG0820	08X20X6MM	1	10
UG1020	10X20X6MM	1	10
UG1225	12X25X6MM	1	10
UG1425	14X25X6MM	1	10
UG1625	16X25X6MM	1	10



TUNGSTEN CARBIDE BURR ROUND EE

- Made of special super tough high speed steel
- 50mm in shank length(L1)

PART NO	DESCRIPTION (DXLXS)	PCS / PKT	PCS / CTN
UF0618	06X18X6MM	1	10
UF0820	08X20X6MM	1	10
UF1020	10X20X6MM	1	10
UF1225	12X25X6MM	1	10
UF1425	14X25X6MM	1	10
UF1625	16X25X6MM	1	10



TUNGSTEN CARBIDE BURR CONE TYPE

- Made of special super tough high speed steel
- 50mm in shank length(L1)

PART NO	DESCRIPTION (DXLXS)	PCS / PKT	PCS / CTN
UM0618	06X18X6MM	1	10
UM0820	08X20X6MM	1	10
UM1020	10X20X6MM	1	10
UM1225	12X25X6MM	1	10
UM1425	14X25X6MM	1	10
UM1625	16X25X6MM	1	10



TUNGSTEN CARBIDE BURR CYLINDER BALL SHAPE

- Made of special super tough high speed steel
- 50mm in shank length(L1)

PART NO	DESCRIPTION(DXLXS)	PCS / PKT	PCS / CTN
UD0605	06X05X6MM	1	10
UD0807	08X07X6MM	1	10
UD1009	10X09X6MM	1	10
UD1210	12X10X6MM	1	10
UD1412	14X12X6MM	1	10
UD1614	16X14X6MM	1	10



TUNGSTEN CARBIDE BURR CYLINDER OVAL SHAPE

- Made of special super tough high speed steel
- 50mm in shank length(L1)


PART NO	DESCRIPTION(DXLXS)	PCS / PKT	PCS / CTN
UE0610	06X10X6MM	1	10
UE0813	08X13X6MM	1	10
UE1016	10X16X6MM	1	10
UE1220	12X20X6MM	1	10
UE1422	14X22X6MM	1	10
UE1625	16X25X6MM	1	10



TUNGSTEN CARBIDE BURR FLAME SHAPE

- Made of special super tough high speed steel
- 50mm in shank length(L1)


PART NO	DESCRIPTION(DXLXS)	PCS / PKT	PCS / CTN
UH0618	6X18X6MM	1	10
UH0820	8X20X6MM	1	10
UH1025	10X25X6MM	1	10
UH1232	12X32X6MM	1	10
UH1432	14X32X6MM	1	10
UH1636	16X36X6MM	1	10



TUNGSTEN CARBIDE BURR BALL SHAPE - 100MM LONG

- Made of special super tough high speed steel
- 100mm in shank length(L1)

PART NO	DESCRIPTION (DXLXS)	PCS / PKT	PCS / CTN
UD06100	06X05X6MM	1	10
UD08100	08X07X6MM	1	10
UD10100	10X09X6MM	1	10
UD12100	12X10X6MM	1	10
UD14100	14X12X6MM	1	10
UD16100	16X14X6MM	1	10



TUNGSTEN CARBIDE BURR ROUND EE TREE REDUCED - 100MM LONG

- Made of special super tough high speed steel
- 100mm in shank length(L1)

PART NO	DESCRIPTION (DXLXS)	PCS / PKT	PCS / CTN
UF06100	06X18X6MM	1	10
UF08100	08X20X6MM	1	10
UF10100	10X20X6MM	1	10
UF12100	12X25X6MM	1	10
UF14100	14X25X6MM	1	10
UF16100	16X25X6MM	1	10



TUNGSTEN CARBIDE BURR POINT EE TREE - 100MM LONG

- Made of special super tough high speed steel
- 100mm in shank length(L1)

PART NO	DESCRIPTION (DXLXS)	PCS / PKT	PCS / CTN
UG06100	06X18X6MM	1	10
UG08100	08X20X6MM	1	10
UG10100	10X20X6MM	1	10
UG12100	12X25X6MM	1	10
UG14100	14X25X6MM	1	10
UG16100	16X25X6MM	1	10



TUNGSTEN CARBIDE BURR CYLINDER END CUT 100MM - LONG

- Made of special super tough high speed steel

PART NO	DESCRIPTION (DXLXS)	PCS / PKT	PCS / CTN
UB06100	06X16X6MM	1	10
UB08100	08X20X6MM	1	10
UB10100	10X20X6MM	1	10
UB12100	12X25X6MM	1	10
UB14100	14X25X6MM	1	10
UB16100	16X25X6MM	1	10



TUNGSTEN CARBIDE BURR CYLINDER BALL NOSE 100MM - LONG

- Made of special super tough high speed steel

PART NO	DESCRIPTION (DXLXS)	PCS / PKT	PCS / CTN
UC06100	06X16X6MM	1	10
UC08100	08X20X6MM	1	10
UC10100	10X20X6MM	1	10
UC12100	12X25X6MM	1	10
UC14100	14X25X6MM	1	10
UC16100	16X25X6MM	1	10



TUNGSTEN CARBIDE BURR OVAL SHAPE 100MM - LONG

- Made of special super tough high speed steel

PART NO	DESCRIPTION (SXD XL)	PCS / PKT	PCS / CTN
UE06100	06X10X6MM	1	10
UE08100	08X13X6MM	1	10
UE10100	10X16X6MM	1	10
UE12100	12X20X6MM	1	10
UE14100	14X22X6MM	1	10
UE16100	16X25X6MM	1	10



TUNGSTEN CARBIDE BURR CONICAL SHAPE - 100MM LONG

- Made of special super tough high speed steel


PART NO	DESCRIPTION (DXLXS)	PCS / PKT	PCS / CTN
UM06100	06X18X6MM	1	10
UM08100	08X20X6MM	1	10
UM10100	10X20X6MM	1	10
UM12100	12X25X6MM	1	10
UM14100	14X25X6MM	1	10
UM16100	16X25X6MM	1	10



TUNGSTEN CARBIDE BURR FLAME SHAPE - 100MM LONG

- Made of special super tough high speed steel

PART NO	DESCRIPTION (DXLXS)	PCS / PKT	PCS / CTN
UH06100	06X18X6MM	1	10
UH08100	08X20X6MM	1	10
UH10100	10X25X6MM	1	10
UH12100	12X32X6MM	1	10
UH14100	14X32X6MM	1	10
UH16100	16X36X6MM	1	10



PART NO	DESCRIPTION (DXL)	PCS / SET	PCS / CTN
U55002	M2X0.4	3	300
U55003	M3X0.5	3	300
U55004	M4X0.7	3	300
U55005	M5X0.8	3	300
U55006	M6X1	3	120
U55007	M7X1	3	100
U55008	M8X1.25	3	100
U55010	M10X1.5	3	100
U55012	M12X1.75	3	30
U55014	M14X2	3	30
U55016	M16X2	3	30
U55018	M18X2.5	3	18
U55020	M20X2.5	3	18
U55022	M22X2.5	3	15
U55024	M24X3	3	15
U55025	M2.5X0.45	3	15
U55027	M27X3	3	15
U55030	M30X3.5	3	10
U55035	M3.5X0.6	3	10
U55045	M4.5X0.75	3	10

TAP SET

- High Performance TAP SET HSS
- Supplied in bright finish
- TAP SET HSS available in different size



CARBIDE TIPPED HOESAW FOR STAINLESS STEEL

- High quality Carbide tipped holesaw
- Assembled with high quality center Drill and Spring
- Used for stainless steel product



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8216	16MM	1	100
U8218	18MM	1	100
U8219	19MM	1	100
U8220	20MM	1	100
U8222	22MM	1	100
U8225	25MM	1	100
U8226	26MM	1	100
U8227	27MM	1	100
U8228	28MM	1	100
U8229	29MM	1	100
U8230	30MM	1	100
U8232	32MM	1	100
U8235	35MM	1	100
U8238	38MM	1	100
U8240	40MM	1	50
U8242	42MM	1	50
U8245	45MM	1	50
U8248	48MM	1	50

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8250	50MM	1	50
U8251	51MM	1	50
U8255	55MM	1	50
U8258	58MM	1	50
U8260	60MM	1	50
U8263	63MM	1	50
U8264	64MM	1	50
U8265	65MM	1	50
U8270	70MM	1	50
U8275	75MM	1	50
U8276	76MM	1	50
U8280	80MM	1	40
U8285	85MM	1	20
U8290	90MM	1	10
U8295	95MM	1	10
U82100	100MM	1	10
U82105	105MM	1	10
U82110	110MM	1	10
U82120	120MM	1	10
U82127	127MM	1	10

PILOT DRILL BIT WITH SPRING

- Suitable to use in Carbide tipped holesaw - Stainless steel



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U8214	-	1	250

HOLE SAW

- All purpose saws with HSS bi-metal



PART NO	DIA [MM]	DIA [INCH]	PCS/ CTN
U8014	14	9/16"	200
U8016	16	5/8"	200
U8017	17	11/16"	200
U8019	19	3/4"	100
U8020	20	25/32"	100
U8021	21	13/16"	100
U8022	22	7/8"	100
U8024	24	15/16"	200
U8025	25	1"	100
U8027	27	1-1/16"	200
U8029	29	1-1/8"	100
U8030	30	1-3/16"	100
U8032	32	1-1/4"	100
U8033	33	1-5/16"	200
U8035	35	1-3/8"	100
U8037	37	1-7/16"	100
U8038	38	1-1/2"	100
U8040	40	1-9/16"	100
U8041	41	1-5/8"	100
U8043	43	1-11/16"	100
U8044	44	1-3/4"	50
U8046	46	1-13/16"	50
U8048	48	1-7/8"	50
U8051	51	2"	50
U8052	52	2-1/16"	50
U8054	54	2-1/8"	50

PART NO	DIA [MM]	DIA [INCH]	PCS/ CTN
U8057	57	2-1/4"	50
U8059	59	2-5/16"	50
U8060	60	2-3/8"	50
U8064	64	2-1/2"	50
U8065	65	2-9/16"	50
U8067	67	2-5/8"	50
U8068	68	2-11/16"	50
U8070	70	2-3/4"	50
U8073	73	2-7/8"	50
U8076	76	3"	50
U8079	79	3-1/8"	50
U8083	83	3-1/4"	50
U8086	86	3-3/8"	50
U8089	89	3-1/2"	50
U8092	92	3-5/8"	50
U8095	95	3-3/4"	50
U8098	98	3-7/8"	50
U8102	102	4"	25
U8105	105	4-1/8"	25
U8108	108	4-1/4"	25
U8111	111	4-3/8"	10
U8114	114	4-1/2"	10
U8121	121	4-3/4"	10
U8127	127	5"	10
U8152	152	6"	10
U8177	177	6-31/32"	10
U8210	210	8-9/32"	10

BI-METAL HOLE SAW ARBOR

- Suitable for HSS Bi-Metal Hole Saw

PART NO	DESCRIPTION	PCS/ CTN
U80A1	A1- 3/8"HEX FOR 14-30MM	100
U80A2	A2 -1/4" ROUND FOR 14-30MM	100
U80A4	A4-3/8"HEX FOR 32-210MM	100
U80A10	A10-7/16"HEX FOR 32-210MM	100
U80AM	3/8" HEX 13-210MM (WITH QUICK RELEASE BUTTON)	50



HOLE SAW SET

- All purpose saws with HSS bi-metal

PART NO	DESCRIPTION	PCS/ CTN
U8000	16-51MM HOLE SAW: 16, 20, 25, 32, 38, 51MM HOLE SAW ARBOR: 3/8 HEX, 7/16" HEX	10
U8001	19-51MM HOLE SAW: 19, 22, 29, 38, 44, 57MM HOLE SAW ARBOR: 3/8 HEX, 7/16" HEX	10



Uken®

**SAFETY
PRODUCTS**



COVERALL 100% COTTON - BEIGE

- 100% Super fine cotton fabric
- Style: 2 chest pocket, Long sleeves, 2 side cross pocket, 2 back hip pocket, one pen pocket on sleeve
- Elasticized waist belt of back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
513003	SMALL	1	25
513002	MEDIUM	1	25
513001	LARGE	1	25
513004	XL	1	25
513005	XXL	1	25
513006	XXXL	1	25



COVERALL 100% COTTON - RED

- 100% Super fine cotton fabric
- Style: 2 chest pocket, Long sleeves, 2 side cross pocket, 2 back hip pocket, one pen pocket on sleeve
- Elasticized waist belt of back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
513021	SMALL	1	25
513020	MEDIUM	1	25
513019	LARGE	1	25
513022	XL	1	25
513023	XXL	1	25
513024	XXXL	1	25



COVERALL 100% COTTON - DARK BLUE

- 100% Super fine cotton fabric
- Style: 2 chest pocket, Long sleeves, 2 side cross pocket, 2 back hip pocket, one pen pocket on sleeve
- Elasticized waist belt of back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
513009	SMALL	1	25
513008	MEDIUM	1	25
513007	LARGE	1	25
513010	XL	1	25
513011	XXL	1	25
513012	XXXL	1	25



COVERALL 100% COTTON - LIGHT BLUE

- 100% Super fine cotton fabric
- Style: 2 chest pocket, Long sleeves, 2 side cross pocket, 2 back hip pocket, one pen pocket on sleeve
- Elasticized waist belt of back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
513015	SMALL	1	25
513014	MEDIUM	1	25
351301	LARGE	1	25
513016	XL	1	25
513017	XXL	1	25
513018	XXXL	1	25



COVERALL POLYSTER 65% / COTTON 35% – BEIGE

- 65% Polyester and 35% cotton materials
- Style: 2 chest pocket, Long sleeves, 2 side cross pocket, 2 back hip pocket, one pen pocket on sleeve
- Elasticized waist belt of back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
513027	SMALL	1	25
513026	MEDIUM	1	25
513025	LARGE	1	25
513028	XL	1	25
513029	XXL	1	25
513030	XXXL	1	25



COVERALL POLYSTER 65% / COTTON 35% – DARK BLUE

- 65% Polyester and 35% cotton materials
- Style: 2 chest pocket, Long sleeves, 2 side cross pocket, 2 back hip pocket, one pen pocket on sleeve
- Elasticized waist belt of back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
513033	SMALL	1	25
513032	MEDIUM	1	25
513031	LARGE	1	25
513034	XL	1	25
513035	XXL	1	25
513036	XXXL	1	25



COVERALL POLYSTER 65% / COTTON 35% – LIGHT BLUE

- 65% Polyester and 35% cotton materials
- Style: 2 chest pocket, Long sleeves, 2 side cross pocket, 2 back hip pocket, one pen pocket on sleeve
- Elasticized waist belt of back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
513045	SMALL	1	25
513044	MEDIUM	1	25
513043	LARGE	1	25
513046	XL	1	25
513047	XXL	1	25
513048	XXXL	1	25



COVERALL POLYSTER 65% / COTTON 35% – GREEN

- 65% Polyester and 35% cotton materials
- Style: 2 chest pocket, Long sleeves, 2 side cross pocket, 2 back hip pocket, one pen pocket on sleeve
- Elasticized waist belt of back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
513039	SMALL	1	25
513038	MEDIUM	1	25
513037	LARGE	1	25
513040	XL	1	25
513041	XXL	1	25
513042	XXXL	1	25



COVERALL POLYSTER 65% / COTTON 35% – RED

- 65% Polyester and 35% cotton materials
- Style: 2 chest pocket, Long sleeves, 2 side cross pocket, 2 back hip pocket, one pen pocket on sleeve
- Elasticized waist belt of back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
513051	SMALL	1	25
513050	MEDIUM	1	25
513049	LARGE	1	25
513052	XL	1	25
513053	XXL	1	25
513054	XXXL	1	25



COVERALL POLYSTER 65% / COTTON 35% – YELLOW

- 65% Polyester and 35% cotton materials
- Style: 2 chest pocket, Long sleeves, 2 side cross pocket, 2 back hip pocket, one pen pocket on sleeve
- Elasticized waist belt of back side



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
513057	SMALL	1	25
513056	MEDIUM	1	25
513055	LARGE	1	25
513058	XL	1	25
513059	XXL	1	25
513060	XXXL	1	25

PANT SHIRT 100% COTTON - BEIGE

- 100% Superfine cotton .
- Style: Shirt – 2 chest Pocket
- Long sleeves with cuff
- Pant – 2 side cross pocket, 2 back hip pocket
- Elasticized waist at back side



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6320	SMALL	1	25
U6321	MEDIUM	1	25
U6322	LARGE	1	25
U6323	XL	1	25
U6324	XXL	1	25
U6325	XXXL	1	25

PANT SHIRT 100% COTTON - DARK BLUE

- 100% Superfine cotton
- Style: Shirt – 2 chest Pocket
- Long sleeves with cuff
- Pant – 2 side cross pocket, 2 back hip pocket
- Elasticized waist at back side



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UPS100CDBS	SMALL	1	25
UPS100CDBM	MEDIUM	1	25
UPS100CDBL	LARGE	1	25
UPS100CDBXL	XL	1	25
UPS100CDBXXL	XXL	1	25
UPS100CDBXXXL	XXXL	1	25

PANT SHIRT 100% COTTON - LIGHT BLUE

- 100% Superfine cotton .
- Style: Shirt - 2 chest Pocket
- Long sleeves with cuff
- Pant - 2 side cross pocket, 2 back hip pocket
- Elasticized waist at back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UPS100CS	SMALL	1	25
UPS100CM	MEDIUM	1	25
UPS100CL	LARGE	1	25
UPS100CXL	XL	1	25
UPS100CXXL	XXL	1	25
UPS100CXXXL	XXXL	1	25



PANT SHIRT 100% COTTON - RED

- 100% Superfine cotton
- Style: Shirt - 2 chest
- Long sleeves with cuff
- Pant - 2 side cross pocket, 2 back hip pocket
- Elasticized waist at back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UPS100CRS	SMALL	1	25
UPS100CRM	MEDIUM	1	25
UPS100CRL	LARGE	1	25
UPS100CRXL	XL	1	25
UPS100CRXXL	XXL	1	25
UPS100CRXXXL	XXXL	1	25



PANT SHIRT POLYSTER 65% / COTTON 35% - DARK BLUE

- 65% Polyester & 35% cotton
- Style: Shirt - 2 chest Pocket
- Long sleeves with cuff
- Pant - 2 side cross pocket, 2 back hip pocket
- Elasticized waist at back side



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6332	SMALL	1	25
U6333	MEDIUM	1	25
U6334	LARGE	1	25
U6335	XL	1	25
U6336	XXL	1	25
U6337	XXXL	1	25

PANT SHIRT POLYSTER 65% / COTTON 35% - LIGHT BLUE

- 65% Polyester & 35% cotton
- Style: Shirt - 2 chest Pocket
- Long sleeves with cuff
- Pant - 2 side cross pocket, 2 back hip pocket
- Elasticized waist at back side



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UPS65/35LBS	SMALL	1	25
UPS65/35LBM	MEDIUM	1	25
UPS65/35LBL	LARGE	1	25
UPS65/35LBXL	XL	1	25
UPS65/35LBXXL	XXL	1	25
UPS65/35LBXXXL	XXXL	1	25

PANT SHIRT POLYSTER 65% / COTTON 35% – GREEN

- 65% Polyester & 35% cotton
- Style: Shirt – 2 chest Pocket
- Long sleeves with cuff
- Pant – 2 side cross pocket, 2 back hip pocket
- Elasticized waist at back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UPS65/35GS	SMALL	1	25
UPS65/35GM	MEDIUM	1	25
UPS65/35GL	LARGE	1	25
UPS65/35GXL	XL	1	25
UPS65/35GXXL	XXL	1	25
UPS65/35GXXXL	XXXL	1	25



PANT SHIRT POLYSTER 65% / COTTON 35% – BEIGE

- 65% Polyester & 35% cotton
- Style: Shirt – 2 chest Pocket
- Long sleeves with cuff
- Pant – 2 side cross pocket, 2 back hip pocket
- Elasticized waist at back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6326	SMALL	1	25
U6327	MEDIUM	1	25
U6328	LARGE	1	25
U6329	XL	1	25
U6330	XXL	1	25
U6331	XXXL	1	25



PANT SHIRT POLYSTER 65% / COTTON 35% – RED

- 65% Polyester & 35% cotton
- Style: Shirt – 2 chest Pocket
- Long sleeves with cuff
- Pant – 2 side cross pocket, 2 back hip pocket
- Elasticized waist at back side

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UPS65/35RS	SMALL	1	25
UPS65/35RM	MEDIUM	1	25
UPS65/35RL	LARGE	1	25
UPS65/35RXL	XL	1	25
UPS65/35RXXL	XXL	1	25
UPS65/35RXXXL	XXXL	1	25



DISPOSABLE COVERALL

- Body protection disposal
- Coverall with hood white, boot cover and elastic cuff

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
212002	MEDIUM	1	50
212001	LARGE	1	50
212003	XL	1	50
212004	XXL	1	50



SAFETY JACKET - GREEN FABRIC

- Fabric type
- High visibility
- 2" tape (double side)
- Available in different sizes

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UJ2601	SMALL	1	100
UJ2601M	MEDIUM	1	100
UJ2601L	LARGE	1	100
UJ2601XL	XL	1	100
UJ2601XXL	XXL	1	100
UJ2601XXXL	XXXL	1	100



SAFETY JACKET - GREEN MESH / NET

- Mesh /Net type
- High visibility
- 1" reflect tape
- Available in different sizes

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UJ2602	SMALL	1	200
UJ2602M	MEDIUM	1	200
UJ2602L	LARGE	1	200
UJ2602XL	XL	1	200
UJ2602XXL	XXL	1	200
UJ2602XXXL	XXXL	1	200



SAFETY JACKET GREEN MESH - 2" - REFLECTOR

- Mesh/net type with reflector
- High visibility
- 2" reflect tape. (double side)
- Available different sizes

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UJ2603	SMALL	1	200
UJ2603M	MEDIUM	1	200
UJ2603L	LARGE	1	200
UJ2603XL	XL	1	200
UJ2603XXL	XXL	1	200
UJ2603XXXL	XXXL	1	200



SAFETY JACKET - ORANGE FABRIC

- Fabric type
- High visibility
- 2" tape (double side)
- Available in different sizes

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UJ2701	SMALL	1	100
UJ2701M	MEDIUM	1	100
UJ2701L	LARGE	1	100
UJ2701XL	XL	1	100
UJ2701XXL	XXL	1	100
UJ2701XXXL	XXXL	1	100



SAFETY JACKET ORANGE MESH - 2" - REFLECTOR

- Fabric type
- High visibility
- 2" tape (double side)
- Available in different sizes

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UJ2703	SMALL	1	200
UJ2703M	MEDIUM	1	200
UJ2703L	LARGE	1	200
UJ2703XL	XL	1	200
UJ2703XXL	XXL	1	200
UJ2703XXXL	XXXL	1	200



SAFETY JACKET ORANGE MESH

- Mesh /Net type
- High visibility
- 1" reflect tape
- Available in different sizes


PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UJ2702	SMALL	1	200
UJ2702M	MEDIUM	1	200
UJ2702L	LARGE	1	200
UJ2702XL	XL	1	200
UJ2702XXL	XXL	1	200
UJ2702XXXL	XXXL	1	200



SAFETY FENCING

- UV stabilized
- High strength
- High visibility
- Soft and portability
- Anti-corrosion

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6311	25 YARD VIRGIN	1	1



RAIN COAT

- Light weight
- Coat has vented capback, 2 front pockets with flap
- High shine finish yellow color



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4700	SMALL	1	25
U4701	MEDIUM	1	25
U4702	LARGE	1	25
U4703	XL	1	25
U4704	XXL	1	25
U4705	XXXL	1	25

RAIN SUIT

- Light weight
- Coat has vented capback, 2 front pockets with flap
- High shine finish yellow color



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4710	SMALL	1	20
U4711	MEDIUM	1	20
U4712	LARGE	1	20
U4713	XL	1	20
U4714	XXL	1	20
U4715	XXXL	1	20

SAFETY HELMET

- High-density polyethylene
- Head cover is made with a durable injection molded 6 point plastic pinlock suspension, suspension assembled with shell packed, size adjustable type

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U6300	YELLOW	1	40
U6301	LIGHT BLUE	1	40
U6302	DARK BLUE	1	40
U6303	WHITE	1	40
U6304	RED	1	40
U6310	GREEN	1	40



ROAD LIGHT WITH SINGLE BATTERY

- 2pcs Super bright LED / Material PS Amber Lens
- Power: 4x25 6 Volt Battery/Blink Frequency 70 ~+5 time/min
- Inside switch with photosensor make the light dusk and dawn off

PART NO	PCS / PKT	PCS / CTN
U6312	1	10



ROAD LIGHT - DOUBLE WITH & WITHOUT BRACKET

- 2 pcs super bright LED.
- Material: PS Lens and PP Base
- Power: 1 or 2 pcs 4R25 6V Battery
- Blink Frequency: 70±5 times/min
- Inside switch with photosensor make the light dusk ON and dawn OFF

PART NO	PCS / PKT	PCS / CTN
U6305 (WITH BRACKET)	1	12
U6306 (WITHOUT BRACKET)	1	12



ROAD LIGHT - ROUND SOLAR CONE TYPE

- 6 pcs super bright LED
- Solar panel power: 0.4W (8 hours recharged)
- can work 120-150 hours)
- 2.4V 100mAh, AA Ni-NH rechargeable battery
- Blink Frequency: 70±5 times/min
- Inside switch with photocell make the light dusk and dawn off
- Special base can fix to any traffic cone easily

PART NO	PCS / PKT	PCS / CTN
U6308	1	10



ROAD LIGHT - SOLAR WITH BRACKET

- 4 pcs super bright LED
- Material: PS Lens and PP Base
- Power: 0.4W (8 hours recharged can work 120-150 hours)
- 1.2V 100mAh, AA Ni-NH rechargeable battery
- Blink Frequency: 70±5 times/min
- Inside switch with photosensor make the Light duck ON and dawn OFF
- Photosensor make the light dusk ON and dawn OFF
- Lock metal bracket is available

PART NO	PCS / PKT	PCS / CTN
U6309	1	12



ROAD LIGHT - SINGLE

- 6 pcs super bright LED
- Material: PC Lens and PP Base
- Power: 1 pcs 4R25 6V Battery
- Blink Frequency: 70±5 times/min
- ON/OFF by rotation of the len
- Photosensor make the light dusk ON and dawn OFF

PART NO	PCS / PKT	PCS / CTN
U6307	1	8



SOLAR POWER FLASH WARNING LIGHT



- Total height: 160mm
- Solar panel: 2.8V/130amp
- Power: 0.4W rechargeable 1.2V 1500 mAh Ni-MH
- Out side water-proof switch \ Yellow LED and reflective sticker

PART NO	PCS / PKT	PCS / CTN
U6313	1	20

BATTERY - 6V



- 4R25 6V Battery
- Used for warning light

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
B6VT	6V	1	24

GLOVES LATEX - BLUE GRIP

- 10G High grade polyester shell, latex coated, crinkle finish
- Excellent flexible and comfortable good grip and anti-slip
- Suitable for industrial purpose
- Cut level 1 Protection

PART NO	DESCRIPTION	DOZ / PKT	DOZ / CTN
U5000-8	SMALL	1	10
U5000-9	MEDIUM	1	10
U5000	LARGE	1	10



GLOVES LATEX - BLUE GRIP HALF COATED

- Cut level 1 Protection
- 10G T/C shell latex 3/4 coated crinkle finish
- Flexible and comfortable
- Good grip
- Suitable for all industries

PART NO	DESCRIPTION	DOZ / PKT	DOZ / CTN
U5007-8	SMALL	1	10
U5007-9	MEDIUM	1	10
U5007	LARGE	1	10



GLOVES - WHITE GRIP

- Cut level 1 Protection
- 13G, Polyester shell, PU coated
- Flexible and comfortable
- Excellent breathability
- Anti-slip and abrasion resistance
- Wide range application

PART NO	DOZ / PKT	DOZ / CTN
U5004	1 DOZ	20



GLOVES - BLACK GRIP

- Cut level 1 Protection
- 13G, Polyester shell, PU coated Flexible and good feeling
- Excellent elastic, micropure structure antistatic
- Suitable for electronic, precision instrument assembly

PART NO	DESCRIPTION	DOZ / PKT	DOZ / CTN
U5003-8	SMALL	1	20
U5003-9	MEDIUM	1	20
U5003	LARGE	1	20



GLOVES - NITRILE GREY GRIP

- Cut level 1 Protection
- 15G, Nylon shell nitrile coated
- High flexible and super comfortable
- Excelent breathability
- Suitable for chemical and paint work maintenance

PART NO	DESCRIPTION	DOZ / PKT	DOZ / CTN
U5001-8	SMALL	1	10
U5001-9	MEDIUM	1	10
U5001	LARGE	1	20



GLOVES - DOTTED DOUBLE SIDE -BLACK

- High quality PVC ditted double side
- Flexible and comfortable
- Excellent breathability
- Anti slip and abrasion resistance
- Suitable for all purpose

PART NO	DOZ / PKT	DOZ / CTN
U5005	1	20 DOZ



GLOVES - DOTTED SINGLE SIDE -BLACK

- High quality PVC ditted single side
- Flexible and comfortable
- Excellent breathability
- Anti slip and abrasion resistance
- Suitable for all purpose

PART NO	DOZ / PKT	DOZ / CTN
U5006	1	20



GLOVES - WHITE WITH PVC DOTTED

- 13g polyester shell, pvc coated flexible and good feeling
- Excellent elastic, micropure structure Antistatic
- Suitable for all purpose

PART NO	DOZ / PKT	DOZ / CTN
U5002	1	20



GLOVES - LATCOT



- Black latex palm coated
- Protection Level Cut-5
- HPPE High Quality seamless knitted liner
- high performance against Cut, Tear, Abrasion & Puncture
- Soft and Wrinkling coating on the palm can drain the moisture on the surface of the gloves
- Providing Excellent dry & wet Grip
- Providing Excellent Anti - Slip performance

PART NO	PAIR / PKT	PAIR / CTN
U5011	1	120

GLOVES - NITCOT



- Black Nitrile palm coated
- Cut level 5 Protection
- HPPE High Tenacity seamless knitted liner
- Smooth surface and abrasion resistance
- Nitrile coating provides excellent wet & dry

PART NO	PAIR / PKT	PAIR / CTN
U5012	1 PAIR	120

GLOVES - PCOT

- Grey PU Palm Coated
- Protection level Cut 5
- HPPE High Tenacity seamless knitted liner
- Excellent grip in wet, Dry & Oily Environment
- Cut Resistance, Light, Sensitive, Soft & Comfortable, Good Permeability



PART NO	PAIR / PKT	PAIR / CTN
U5013	1 PAIR	120

GLOVES - RUBCOT

- Latex Rubber Coated
- Protection level Cut 5
- HPPE High Tenacity seamless Knitted Liner
- It provides long lasting protection against cut, Abrasion & Tear
- Unique physical technology, No organic solvents.
- No residue, Green environment protection



PART NO	PAIR / PKT	PAIR / CTN
U5014	1 PAIR	120



NITRILE DISPOSABLE - GLOVES

- 13g polyester shell, pvc coated flexible and good feeling
- Excellent elastic, micropure structure Antistatic
- Suitable for Electronic, precision instrument assembly

PART NO	DESCRIPTION	PCS / PKT	PKT / CTN
U5021-9	MEDIUM	100	10
U5021-10	LARGE	100	10



DUST MASK

- Light Weight
- Metal Nose Clip to fit individual facial contours
- Does not impair breathing, voice and vision
- No interference with glasses

PART NO	PCS / PKT	PKT / CTN
U3900	45	20



MASK RESPIRATOR - N95

- Light Weight
- Metal Nose Clips
- Easy breathing/speaking and clear vision
- Approved by NIOSH

PART NO	PCS / PKT	PKT / CTN
U3901	20	8



Uken®

WELDING PRODUCTS



WELDING OVEN

- High Strength
- Rust Resistance
- Durability

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4907	120V AC/ - 60V :VOLTAGE V AC 240 DC :TEMPERATURE RANGE 150° C THERMOSTAT: PRESENT :HEATING ELEMENT 270W WIRE WRAP / 120W KG 5 :CAPACITY	1	6



WELDING OVEN

- High Strength
- Rust Resistance
- Durability

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4910	INPUT VOLTAGE: 220 – 240 V AC 200 WATTS TEMPERATURE RANGE – 120° MAX CAPACITY – 9 KG	1	6
U4911	INPUT VOLTAGE: 110V – 120V 200 WATTS TEMPERATURE RANGE: 120° MAX CAPACITY: 9 KG	1	6



WELDING OVEN

- High Strength
- Rust Resistance
- Durability

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4908	:INPUT VOLTAGE 240V - 220V WATTS 780 :TEMPERATURE RANGE 150°C - 50°C MM 450 :LENGTH KG 10 :CAPACITY	1	4



WELDING HOLDER – HEAVY DUTY

- High-tensile, heat insulated handle
- Mechanical and thermal heavy-duty
- Insulating material
- Big electrode and welding connection area

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4900	600A	1	30



WELDING HOLDER

- High-tensile, heat insulated handle
- Mechanical and thermal heavy-duty
- Insulating material
- Big electrode and welding connection area

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4901	600A	1	30



EARTH CLAMP

- Crocodile earth clamp welder for MIG, TIG & Plasma welding
- 500 Amp welding cable

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4902	500A	1	50



EARTH CLAMP – SCREW TYPE

- British screw earth clamp heavy duty 600Amp
- Brass material heavy duty

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4906	600A SCREW TYPE	1	20



WELDING CABLE CONNECTOR

- Safe and quick connection
- High flash-over resistance - maximum machine protection
- Easy mounting, optimal connection and very good power transmission

PART NO	DESCRIPTION	SET / PKT	SET / CTN
U4903	35-50 MM	1	84
U4904	50-70 MM	1	84
U4905	70-90MM	1	84



WELDING LIGHTER

- Tripple flint lighter for welders and platters

PART NO	PCS / PKT	PCS / CTN
U4915	1	200



FLINT STONE

- Material: Steel
- Tripple flint Stone

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4916	3 STONES	5	250



WELDING HELMET - AUTO DARKENING



- Suitable for ARC/MIG/TIG welding
- High strength mask material
- High clear view filter

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U4909	SOLAR POWERED	1	6

WELDING CHIPPING HAMMER



- Induction hardened head, drop forged
- Steel handle with spring grip

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UH24500	500 G	1	50

HOSE CLIP

- Ideally Suited for most day to day requirements for joining hose in all the general purpose areas



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U51-000	12 MM	10	1000
U51-M00	16 MM	10	1000
U51-00	20 MM	10	800
U51-0	22 MM	10	800
U51-0X	25 MM	10	800
U51-1A	30 MM	10	800
U51-1	35 MM	10	800
U51-1X	40 MM	10	800
U51-1M	45 MM	10	600
U51-2A	50 MM	10	600
U51-2	55 MM	10	600
U51-2X	60 MM	10	400
U51-3	70 MM	10	400
U51-3X	80 MM	10	200
U51-4	90 MM	10	200
U51-4X	100 MM	10	200
U51-5	120 MM	10	100
U51-6	140 MM	10	100
U51-6X	150 MM	10	100
U51-7	165 MM	10	100
U51-7.5	190 MM	10	100
U51-8.5	216 MM	10	50
U51-9.5	242 MM	10	50
U51-10.5	267 MM	10	25
U51-11.5	292 MM	10	25
U51-12.5	318 MM	10	25

HOSE CLIP STAINLESS STEEL

- Hose clips in 304 stainless steel are widely used across all industries where hose clips are used to secure hoses, as well as for other application



PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
U52-000	12 MM	10	1000
U52-M00	16 MM	10	1000
U52-00	20 MM	10	800
U52-0	22 MM	10	800
U52-0X	25 MM	10	800
U52-1A	30 MM	10	800
U52-1	35 MM	10	800
U52-1X	40 MM	10	800
U52-1M	45 MM	10	600
U52-2A	50 MM	10	600
U52-2	55 MM	10	600
U52-2X	60 MM	10	400
U52-3	70 MM	10	400
U52-3X	80 MM	10	200
U52-4	90 MM	10	200
U52-4X	100 MM	10	200
U52-5	120 MM	10	100
U52-6	140 MM	10	100
U52-6X	150 MM	10	100
U52-7	165 MM	10	100
U52-7.5	190 MM	10	100
U52-8.5	216 MM	10	50
U52-9.5	242 MM	10	50
U52-10.5	267 MM	10	25
U52-11.5	292 MM	10	25
U52-12.5	318 MM	10	25


Uken®

LIFTING
EQUIPMENTS



CHAIN PULLY BLOCK

- Japan Model
- Load limiter is available at extra cost
- Low effort to lift maximum load
- Automatic double pawl braking system
- Premium grade alloy load chain and zinc plated hand chain as standard
- Drop-forged and expertly heat treated hooks for great strength and long wearing
- Capacity ranges from 0.5t to 20t, heavy duty 30t, 50t is available



MODEL		U5800	U5805	U5801	U5811	U5802	U5812	U5803	U5813	U5821	U5804	U5822
CAPACITY	TONS	1	1.5	2	2	3	3	5	5	5	10	10
STANDARD LIFT	M	3	3	3	6	3	6	3	6	10	6	10
RUNNING TEST LOAD	KN	15	22.5	30	30	45	45	75	75	75	150	150
EFFORT REQUIRED TO LIFT RATED LOAD	N	280	300	300	300	350	350	400	400	400	410	410
STRANDS OF LOAD CHAIN		1	1	1	1	2	2	2	2	2	4	4
DIAMETER OF LOAD CHAIN	MM	6	7.1	8	8	7.1	7.1	9	9	9	9	9
DIMENSIONS (MM)	A	150	150	155	155	150	150	182	182	182	183	183
	B	155	176	195	195	208	208	260	260	260	365	365
	C	325	390	410	410	475	475	610	610	610	750	750
	D	38	47	46	46	51	51	66	66	66	81	81
	K	27	35	36	36	39	39	52	52	52	58	58
NET WEIGHT	KG	10.5	13.5	15.5	22.5	20.5	29	11	47	66	84	116
PACKING MEASUREMENT	CM	24 X 17 X 17	28 X 21 X 16.5	28 X 21 X 16.5	31 X 21 X 16.5	33 X 22 X 16	37 X 22 X 16	23 X 18 X 19.5	46 X 27 X 19.5	47 X 31 X 22	47 X 42 X 22	47 X 42 X 22
EXTRA WEIGHT PER METRE OF EXTRA LIFT	KG	1.6	2	2.3	2.3	3.2	3.2	1.7	4.5	4.5	8.1	8.1

CHAIN PULLY BLOCK - TOYO


- Low effort to lift maximum load
- Automatic double pawl breaking sysytem
- Premium grade alloy load chain and zinc plated hand chain as standard
- Drop-forged and expertly heat trated hooks for great strength and low wearing



MODEL		U5800T	U5805T	U5801T	U5811T	U5802T	U5812T	U5803T	U5813T	U5821T	U5806T	U5804T	U5822T
CAPACITY	TONS	1	1.5	2	2	3	3	5	5	5	10	10	10
TEST LOAD	KN	1.25	1.87	2.5	2.5	3.75	3.75	6.25	6.25	6.25	12.5	12.5	12.5
STANDARD LIFT	M	3	3	3	6	3	6	3	6	10	3	6	10
FALLS OF LOAD CHAIN		1	1	1	1	2	2	2	2	2	4	4	4
LOAD CHAIN		6X18	7.1X21	8X24	8X24	7.1X21	7.1X21	10X30	10X30	10X30	10X30	10X30	10X30
FORCE OF FULL LOAD	MM	284	308	343	343	343	343	372	372	372	382	382	382
NET WEIGHT	KG	11.3	16	17.7	20.2	22.5	25	37.25	40.25	43.25	75.5	78.5	81.5
GROSS WEIGHT	KG	11.6	16.3	18.1	20.6	27.4	29.9	38.3	41.3	44.3	78.5	81.5	84.4

LEVER BLOCK/LEVER HOIST

- German model, heavy duty type
- Compact design and robust, deep drawn, stamped steel construction
- High quality material ensure light weight without infringing reliability
- Low weight, small mounting sizes and small lever forces at full load
- Short hand lever with rubber grip
- Premium grade alloy load chain
- Drop-forged and expertly heat treated hooks for great strength and long wearing
- Capacity ranges from 0.75t to 9t
- Different lifting length is available at requirement



MODEL			U5830	U5831	U5832	U5833	U5834
CAPACITY		TONS	0.75	1.5	3.0	6.0	1
STANDARD LIFT		M	1.5	1.5	1.5	1.5	1.5
RUNNING TEST LOAD		KN	12	24	45	94.5	15
EFFORT REQUIRED TO LIFT RATED LOAD		N	140	220	320	340	140
STRANDS OF LOAD CHAIN			1	1	1	2	1
DIAMETER OF LOAD CHAIN		MM	6	8	10	10	6
DIMENSIONS (MM)	A		145	175	203	203	145
	B		86	100	118	118	86
	C		122	130	150	205	134
	D		37	45	50	64	38
	H		320	380	480	620	340
	L		280	410	410	410	285
	K		30	36	40	50	27
NET WEIGHT		KG	7	11	21	31	9.5
PACKING MEASUREMENT		CM	36 X 12.5 X 16	50 X 13.5 X 19	54 X 17 X 21.5	54 X 18 X 21.5	37.5 X 16 X 8
EXTRA WEIGHT PER METRE OF EXTRA LIFT		KG	0.8	1.4	2.2	4.4	0.8

LEVER BLOCK & LEVER HOIST

- Japanes model Heavu duty
- High quality material ensure light weigh without infringing reliability
- Short hand lever with rubber grip
- Premium grade alloy load chain
- Different lifting length is available at requirement




MODEL			U5830T	U5831T	U5832T	U5833T	U5835T
CAPACITY		TONS	0.8	1.6	3.2	6.3	9
STANDARD LIFTING HEIGHT		M	1.5	1.5	1.5	1.5	1.5
EXPERIMENT LOAD		KN	1.2	2.4	4.8	9.45	13.5
FULL BRACELET WHEN LOADED(N)		N	285	384	360	380	395
NUMBER OF LIFTING CHAIN			1	1	1	1	1
LIFTING CHAIN SPECIFICATIONS			6	7.1	10	10	10
DIMENSIONS (MM)	A		124	134	172	250	310
	B		160	174	204	204	204
	C		25	30	30	30	64
	D		42	50	50	50	79
	E		101	104	117	117	117
	L		265	265	412	412	412
	H(MIN)		330	350	440	560	690
NET WEIGHTS(KG)		KG	6.7	11	18.3	26.6	42
LIFTING HEIGHT INCREASE 1M INCREASED WEIGHT		KG	0.9	1.1	2.3	4.6	6.9

PALLET TRUCK

- Easy to operate
- Silent in operation,no oil leakage
- Minimum maintenance
- Can enter pallet from all 4 sides

PART NO	DESCRIPTION	PCS / PKT
U2500	2.5TON (540X1150)	1
U3000	3TON (540X1150)	1



DIMENSIONS	GENERAL			METRIC
	MODEL			U2500 / U3000
	LOAD CAPACITY	LB. KG		2500 / 3000
	MAX. FORK HEIGHT	IN. MM		200
	MIN. FORK HEIGHT	IN. MM		85
	OUTSIDE FORK SPREAD	IN. MM		550
	FORK LENGTH	IN. MM		1150
	SIZE OF FORK	IN. MM		160X160
	STEERING WHEEL	IN. MM		Ø 180 X 50
	LOAD ROLLER	IN. MM		Ø 80 X 70
FORKS	TURNING RADIUS	IN. MM		1250



CASTER WHEEL - RUBBER FIXED

- Noise Reduction
- Ergonomics
- Surface Protection
- Better Towing Capabilities
- Long life
- Corrosion Resistant

							PCS / PKT	PCS / CTN
U5303F	112	80X32	100X84	80X60	16X9	70	1	30
U5304F	128	100X32	100X84	80X60	16X9	90	1	24
U5305F	152	125X37	100X84	80X60	16X9	120	1	15
U5306F	193	160X40	146X107	105X80	13X11	200	1	8
U5308F	232	200X50	146X107	105X80	13X11	230	1	6



CASTER WHEEL - RUBBER SWIVEL

- Noise Reduction
- Ergonomics
- Surface Protection
- Better Towing Capabilities
- Long life
- Corrosion Resistant

								PCS / PKT	PCS / CTN
U5303S	112	80X32	35	100X80	80X60	13X9	70	1	30
U5304S	128	100X32	39	100X80	80X60	13X9	90	1	24
U5305S	152	125X37	35	100X80	80X60	13X9	120	1	15
U5306S	193	160X40	57	140X110	105X80	13X11	200	1	8
U5308S	232	200X50	62	140X110	105X80	13X11	230	1	8



CASTER WHEEL - RUBBER SWIVEL WITH BRAKE

- Noise Reduction
- Ergonomics
- Surface Protection
- Better Towing Capabilities
- Long life
- Corrosion Resistant

								PCS / PKT	PCS / CTN
U5303B	112	80X32	35	100X80	80X60	13X9	70	1	30
U5304B	128	100X32	38	100X80	80X60	13X9	90	1	24
U5305B	152	125X37	34	100X80	80X60	13X9	120	1	15
U5306B	193	160X40	57	140X110	105X80	13X11	200	1	8
U5308B	232	200X50	62	140X110	105X80	13X11	230	1	6



CASTER WHEEL - NYLON SWIVEL FIXED

- Noise Reduction
- Ergonomics
- Surface Protection
- Better Towing Capabilities
- Long life
- Corrosion Resistant

								PCS / PKT	PCS / CTN
U5403F	110	80X30	100X84	80X60	16X9	150	1	30	
U5404F	128	100X32	100X84	80X60	16X9	200	1	24	
U5405F	152	125X38	100X84	80X60	16X9	230	1	15	
U5406F	189	152X40	146X107	105X80	13X11	350	1	8	
U5408F	232	200X48	146X107	105X80	13X11	400	1	8	



CASTER WHEEL - NYLON SWIVEL

- Noise Reduction
- Ergonomics
- Surface Protection
- Better Towing Capabilities
- Long life
- Corrosion Resistant

								PCS / PKT	PCS / CTN
U5403S	110	80X30	35	100X80	80X60	13X9	150	1	30
U5404S	128	100X32	39	100X80	80X60	13X9	200	1	24
U5405S	152	125X38	35	100X80	80X60	13X9	230	1	15
U5406S	189	152X40	57	140X110	105X80	13X11	350	1	9
U5408S	232	200X48	62	140X110	105X80	13X11	400	1	6



CASTER WHEEL - NYLON SWIVEL WITH BRAKE

- Noise Reduction
- Ergonomics
- Surface Protection
- Better Towing Capabilities
- Long life
- Corrosion Resistant

								PCS / PKT	PCS / CTN
U5403B	110	80X30	35	100X80	80X60	13X9	150	1	30
U5404B	128	100X32	38	100X80	80X60	13X9	200	1	24
U5405B	152	125X38	34	100X80	80X60	13X9	230	1	15
U5406B	189	152X40	57	140X110	105X80	13X11	350	1	8
U5408B	232	200X48	62	140X110	105X80	13X11	400	1	6



CASTER WHEEL - RUBBER FIXED

- Noise Reduction
- Ergonomics
- Surface Protection
- Better Towing Capabilities
- Long life
- Corrosion Resistant

								PCS / PKT	PCS / CTN
U5340F	54	40 X 17	45 X 40	35 X 28.5	5	20	4	288	
U5350F	65	50 X 22	58 X 48	46 X 35	6	25	4	120	
U5365F	84	65 X 23	65 X 54	51 X 38	7	30	4	80	



CASTER WHEEL - RUBBER SWIVEL

- Noise Reduction
- Ergonomics
- Surface Protection
- Better Towing Capabilities
- Long life
- Corrosion Resistant

								PCS / PKT	PCS / CTN
U5340S	54	40 X 17	17	45 X 40	35 X 28.5	5	20	4	288
U5350S	65	50 X 22	22	58 X 48	46 X 35	6	25	4	120
U5365S	84	65 X 23	25	65 X 54	51 X 38	7	30	4	80



CASTER WHEEL - RUBBER SWIVEL WITH BRAKE

- Noise Reduction
- Ergonomics
- Surface Protection
- Better Towing Capabilities
- Long life
- Corrosion Resistant

								PCS / PKT	PCS / CTN
U5340B	54	40 X 17	17	40 X 45	35 X 28.5	5	20	4	288
U5350B	65	50 X 22	22	58 X 48	46 X 35	6	25	4	120
U5365B	84	65 X 23	25	65 X 54	51 X 38	7	30	4	120



CASTER WHEEL - NYLON SWIVEL FIXED

- Noise Reduction
- Ergonomics
- Surface Protection
- Better Towing Capabilities
- Long life
- Corrosion Resistant

U5440F	54	40X17	45X40	35X28.5	5	20	4	288	
U5450F	65	50X22	58X40	46X35	6	25	4	120	
U5465F	84	65X23	65X54	51X38	7	30	4	120	



CASTER WHEEL - NYLON SWIVEL

- Noise Reduction
- Ergonomics
- Surface Protection
- Better Towing Capabilities
- Long life
- Corrosion Resistant

U5440S	54	40X17	17	45X40	35X28.5	5	20	4	288
U5450S	65	50X22	22	58X40	46X35	6	25	4	120
U5465S	84	65X23	25	65X54	51X38	7	30	4	80



CASTER WHEEL - NYLON SWIVEL WITH BRAKE

- Noise Reduction
- Ergonomics
- Surface Protection
- Better Towing Capabilities
- Long life
- Corrosion Resistant

U5440B	54	40X17	17	45X40	35X28.5	5	20	4	288
U5450B	65	50X22	22	58X40	46X35	6	25	4	120
U5465B	84	65X23	25	65X54	51X38	7	30	4	80



RUBBER CASTER WHEEL - EUROPEAN TYPE

- Smooth and silent running
- Elastic rubber
- Used for concrete floor and in plant tar roads etc

						PCS / PKT	PCS / CTN
U5303RR	80X27	39	14		70	1	130
U5304RR	100X32	39	14		90	1	50
U5305RR	125X37	49	14		120	1	35
U5306RR	160X40	58	20		200	1	15
U5308RR	200X50	58	20		230	1	10



SCAFFOLDING WHEEL WITH TUBE

- Scaffolding wheels 6" & 8" with solid round tube
- The wheel swivel 360 degree and equipped with wheel
- locking brakes


								PCS / PKT	PCS / CTN
U5316T		192	44	50X109	1154-152	230	1	6	
U5320T		236	50	50X109	1154-200	280	1	4	



SCAFFOLDING WHEEL STEM

- Scaffolding wheels 6" & 8" with solid round stem
- The wheel swivel 360 degree and equipped with wheel
- locking brakes

								PCS / PKT	PCS CTN
U5316R		192	44	25/35X100	1153-152	230		1	6
U5320R		236	50	35X100	1153-200	280		1	4



EXHAUST FAN ROUND

- High air delivery
- Made of special grade plastics
- Unparalleled cost v/s value in its class
- Ideal for kitchen and bathrooms

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
APC15G1	6" ROUND 220/240V, 50/60HZ 15W, T45	1	24
APC20G1	8" ROUND 220-240V, 50/60HZ 20W, T45	1	14



EXHAUST FAN ROUND - HEAVY DUTY

- High air delivery
- Made of special grade plastics
- Unparalleled cost v/s value in its class
- Ideal for kitchen and bathrooms

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
APC15G2	6" ROUND HEAVY DUTY 220-240V, 50/60HZ 15W, T45	1	24
APC20G2	8" ROUND HEAVY DUTY 220-240V, 50/60HZ 20W, T45	1	14



EXHAUST FAN SQUARE - AUTO SHUTTER ABS

- High air delivery
- Made of special grade plastics
- Unparalleled cost v/s value in its class
- Ideal for kitchen and bathrooms

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
APC15E1	6" SQUARE 220-240V, 50/60HZ 23W, T45	1	8
APC20E1	8" SQUARE 220-240V, 50/60HZ 28W, T45	1	6



RECHARGEABLE LED FLASH LIGHT

- Rechargeable LED Flash light
- Air craft aluminium body
- 1300 mAh Ni -cd

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UG001	FLASH LIGHT	1	30



NYLON TOGGLE ANCHOR

- In solid base materials, the anchor can be used by removing the outer wings
- The Nylon Toggle Anchor is designed to develop a triangulated
- Clamp behind the wall of the hollow base material
- High quality Nylon ensures resistance to ageing, chemicals, rust and weathering

APPLICATION

- For fixing light weight objects to the above mentioned materials with the help of wood, chipboard or self tapping screws. For eg:
- Window treatments
- Towel Bars
- Kitchen Accessories
- Smoke Detectors
- Telephone equipment
- Shelving
- Lighting fixtures
- Signs
- Mirrors
- Soap Dispensers

TECHNICAL DESCRIPTION

Suitable for:

- Dry wall, Gypsum Board , Plaster Board, Hollow core Doors



PART NO	SIZE	HOLE SIZE	PCS / PKT	PCS / CTN
UF2021	14X18MM (1/8"-1/4")	5/16(8MM)	100	60
UF2022	14X25MM (3/8"-1/2")	5/16(8MM)	100	30
UF2023	14X35MM (5/8"-3/4")	5/16(8MM)	100	30

NYLON WALL PLUG

- Simple and Quick Installation
- High quality Nylon ensures resistance to ageing, chemicals, rust and weathering
- Wings (also known as anti-rotation lugs) prevent rotation inside once installed
- Ensures elastic fixing compatible with porcelain without leaving an attractive clean finish damaging it.

APPLICATION

- For fixing light weight objects to the above mentioned materials with the help of wood, chipboard or self tapping screws. For eg.
- Frames
- Switches
- Curtain Rails
- Light Weight Shelves
- Hanging Lamps

TECHNICAL DESCRIPTION

Suitable for:

- Concrete , Hollow Concrete Blocks , Solid Bricks, Natural Stone




PART NO	SIZE	LENGTH (MM)	RECOMMENDED LOAD (KN)	PCS / PKT	PCS / CTN
UF1010	M5	25	0.2	100	200
UF1011	M6	30	0.3	100	200
UF1012	M7	35	0.4	100	100
UF1013	M8	40	0.5	100	100
UF1014	M10	50	1.04	50	100
UF1015	M12	60	1.6	25	100
UF1016	M14	75	1.96	20	100
UF1017	M16	80	2.38	12	100

THROUGH BOLT (WEDGE ANCHOR)

Zinc - Plated Steel Anchors

- Provides most consistent holding values
- Ensures correct fastener for effective result
- Quick and easy installation

Installation Procedure.



- 1 DRILLING:** Check the concrete base is compact and porosity is insignificant. Suitable for wet, dry or flooded drill holes. Use drill in hammer mode. Drill to the specified diameter and depth values.
- 2 BLOW AND CLEAN :** Clear the drill holes completely of dust and fragments. Use air pump and brush.
- 3 INSTALL :** Insert the anchor in the hole with concrete surface. Use hammer in case of needed; The installation could be done through the fixture baseplate.
- 4 APPLY TORQUE :** Apply nominal installation torque using a torque wrench. Once installed it can be verified the total length of the anchor through the letter on bolt tip.



PART NO	SIZE	PCS/PKT
UF206080	6X80MM	100
UF206100	6X100MM	100
UF208080	8X80MM	100
UF208100	8X100MM	100
UF208120	8X120MM	100
UF208150	8X150MM	50
UF210060	10X60MM	100
UF210080	10X80MM	100
UF210100	10X100MM	50
UF210120	10X120MM	50
UF210150	10X150MM	50
UF210180	10X180MM	25
UF210200	10X200MM	25
UF210250	10X250MM	25
UF212080	12X80MM	50

PART NO	SIZE	PCS/PKT
UF212100	12X100MM	50
UF212120	12X120MM	50
UF212150	12X150MM	40
UF212180	12X180MM	25
UF212200	12X200MM	25
UF216100	16X100MM	25
UF216120	16X120MM	25
UF216150	16X150MM	25
UF216180	16X180MM	20
UF216200	16X200MM	20
UF216300	16X300MM	10
UF220120	20X120MM	10
UF220150	20X150MM	10
UF220200	20X200MM	10


Uken®

HARDWARE SOLUTIONS



LEVER HANDLE WITH PLATE - CLASSIC


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Cycle tested to 100,000 cycles
- Corrosion testing 96 hours
- Spindle -8mm



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-100	ZINC ALLOY	SILVER	ZINC ALLOY	ZINC ALLOY 276*48*2.0MM	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH PLATE - CLASSIC


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Cycle tested to 100,000 cycles
- Corrosion testing 96 hours
- Spindle -8mm



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-101	ZINC ALLOY	SILVER	ZINC ALLOY	ZINC ALLOY 240*50*2.0MM	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH PLATE - CLASSIC


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Cycle tested to 100,000 cycles
- Corrosion testing 96 hours
- Spindle -8mm



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-102	ZINC ALLOY	ANTIQUE	ZINC ALLOY	ZINC ALLOY 240*50*2.0MM	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH PLATE - CLASSIC


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Cycle tested to 100,000 cycles
- Corrosion testing 96 hours
- Spindle -8mm



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-103	ZINC ALLOY	MATTE	ZINC ALLOY	ZINC ALLOY 250*50*2.0MM	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH PLATE - CLASSIC


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Cycle tested to 100,000 cycles
- Corrosion testing 96 hours
- Spindle -8mm



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-104	ZINC ALLOY	MATTE	ZINC ALLOY	ZINC ALLOY 250*50*2.0MM	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH PLATE - CLASSIC


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Cycle tested to 100,000 cycles
- Corrosion testing 96 hours
- Spindle -8mm



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-105	ZINC ALLOY	ANTIQUE	ZINC ALLOY	ZINC ALLOY 250*50*2.0MM	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH PLATE - CLASSIC


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Cycle tested to 100,000 cycles
- Corrosion testing 96 hours
- Spindle -8mm



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-106	ZINC ALLOY	ANTIQUE	ZINC ALLOY	ZINC ALLOY 250*50*2.0MM	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH PLATE - CLASSIC


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Cycle tested to 100,000 cycles
- Corrosion testing 96 hours
- Spindle -8mm



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-107	ZINC ALLOY	MATTE	ZINC ALLOY	ZINC ALLOY 250*50*2.0MM	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH PLATE - CLASSIC


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Cycle tested to 100,000 cycles
- Corrosion testing 96 hours
- Spindle -8mm



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-108	ZINC ALLOY	SILVER	ZINC ALLOY	ZINC ALLOY 280*50*2.0MM	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH PLATE - CLASSIC


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Cycle tested to 100,000 cycles
- Corrosion testing 96 hours
- Spindle -8mm



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-109	ZINC ALLOY	ANTIQUE	ZINC ALLOY	ZINC ALLOY 276X59X2.0MM	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH PLATE – CLASSIC

- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Cycle tested to 100,000 cycles
- Corrosion testing 96 hours
- Spindle –8mm




PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-110	ZINC ALLOY	ANTIQUE	ZINC ALLOY	ZINC ALLOY 266*50*2.0MM	WITHOUT	WITHOUT	40-45MM	1	12



LEVER HANDLE WITH ROSETTE -PREMIUM


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Supplied with bolt through fixing
- Concealed fixing
- Tested to 100,000 cycles
- Corrosion testing 96 hours



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-140	ZINC ALLOY	MATTE	ZINC ALLOY	ZINC ALLOY	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH ROSETTE -PREMIUM


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Supplied with bolt through fixing
- Concealed fixing
- Tested to 100,000 cycles
- Corrosion testing 96 hours



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-141	ZINC ALLOY	ANTIQUE	ZINC ALLOY	ZINC ALLOY	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH ROSETTE -PREMIUM


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Supplied with bolt through fixing
- Concealed fixing
- Tested to 100,000 cycles
- Corrosion testing 96 hours



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-142	ZINC ALLOY	MATTE	ZINC ALLOY	ZINC ALLOY	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH ROSETTE -PREMIUM


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Supplied with bolt through fixing
- Concealed fixing
- Tested to 100,000 cycles
- Corrosion testing 96 hours



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-143	ZINC ALLOY	ANTIQUE	ZINC ALLOY	ZINC ALLOY	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH ROSETTE - PREMIUM


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Supplied with bolt through fixing
- Concealed fixing
- Tested to 100,000 cycles
- Corrosion testing 96 hours



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-144	ZINC ALLOY	SILVER FINE	ZINC ALLOY	ZINC ALLOY	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH ROSETTE - PREMIUM


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Supplied with bolt through fixing
- Concealed fixing
- Tested to 100,000 cycles
- Corrosion testing 96 hours



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-145	ZINC ALLOY	MATTE	ZINC ALLOY	ZINC ALLOY	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH ROSETTE -PREMIUM


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Supplied with bolt through fixing
- Concealed fixing
- Tested to 100,000 cycles
- Corrosion testing 96 hours



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-146	ZINC ALLOY	ANTIQUE	ZINC ALLOY	ZINC ALLOY	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH ROSETTE -PREMIUM


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Supplied with bolt through fixing
- Concealed fixing
- Tested to 100,000 cycles
- Corrosion testing 96 hours



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-147	ZINC ALLOY	SILVER FINE	ZINC ALLOY	ZINC ALLOY	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH ROSETTE -PREMIUM


- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Supplied with bolt through fixing
- Concealed fixing
- Tested to 100,000 cycles
- Corrosion testing 96 hours



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-148	ZINC ALLOY	MATTE	ZINC ALLOY	ZINC ALLOY	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE WITH ROSETTE -PREMIUM

- High quality zinc alloy material
- For wooden door between 40-45mm thickness
- Supplied with bolt through fixing
- Concealed fixing
- Tested to 100,000 cycles
- Corrosion testing 96 hours



PART NO	MATERIAL	FINISH	HANDLE	PLATE	LOCK CASE	CYLINDER	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-149	ZINC ALLOY	ANTIQUE	ZINC ALLOY	ZINC ALLOY	WITHOUT	WITHOUT	40-45MM	1	12

LEVER HANDLE SS304 – HOLLOW TYPE


- Stainless steel ss 304 hollow type
- Standard hollow lever with rose
- Each lever is supplied with corrosion resistant
- 8mm spindle for long lasting operation
- Tested 100,000 cycles/ corrosion testing - 96 hrs



PART NO	MATERIAL	FINISH	HANDLE	SPINDLE	ESCUTCHEON	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-119	SS304	SATIN FINISH	SS304 THICK 1.2MM	8X8MM STEEL	INNER BASE T1.5MM OUTER ROSETTE T 1.0MM SS304	38-48MM	1	20

LEVER HANDLE SS304 – HOLLOW TYPE


- Stainless steel ss 304 hollow type
- Standard hollow lever with rose
- Each lever is supplied with corrosion resistant
- 8mm spindle for long lasting operation
- Tested 100,000 cycles/ corrosion testing - 96 hrs



PART NO	MATERIAL	FINISH	HANDLE	SPINDLE	ESCUTCHEON	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-120	SS304	SATIN FINISH	SS304 THICK 1.2MM	8X8MM STEEL	INNER BASE T1.5MM OUTER ROSETTE T 1.0MM SS 304	38-48MM	1	20

LEVER HANDLE SS304 - HOLLOW TYPE


- Stainless steel SS304 hollow type
- Standard hollow lever with rose
- Each lever is supplied with corrosion resistant
- 8mm spindle for long lasting operation
- Tested 100,000 cycles/ corrosion testing - 96 hrs



PART NO	MATERIAL	FINISH	HANDLE	SPINDLE	ESCUTCHEON	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-121	SS304	SATIN FINISH	SS304 THICK 1.2MM	8X8MM STEEL	INNER BASE T.1.5MM OUTER ROSETTE T 1.0MM SS304	38-48MM	1	12

LEVER HANDLE SS304 - SOLID TYPE


- Stainless steel SS304 hollow type
- Standard hollow lever with rose
- Each lever is supplied with corrosion resistant
- 8mm spindle for long lasting operation
- Tested 100,000 cycles/ corrosion testing - 96 hrs



PART NO	MATERIAL	FINISH	HANDLE	SPINDLE	ESCUTCHEON	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-122	SS304	SATIN FINISH	SS304 SOLID	8X8MM SS STEEL	STAMPING ESCUTCHEON OUT SIDE ESCUTCHEON SS304 INSIDE BASE COLOR ZINK PLATED	38-48MM	1	12

LEVER HANDLE SS304 – HOLLOW TYPE


- Stainless steel SS304 hollow type
- Standard hollow lever with rose
- Each lever is supplied with corrosion resistant
- 8mm spindle for long lasting operation
- Tested 100,000 cycles/ corrosion testing - 96 hrs



PART NO	MATERIAL	FINISH	HANDLE	SPINDLE	ESCUTCHEON	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-123	SS304	SATIN FINISH	SS304 SOID	8X8MM STEEL	STAMPING ESCUTCHEON OUT SIDE ESCUTCHEON SS304 INSIDE BASE COLOR ZINK PLATED	38-48MM	1	12

LEVER HANDLE SS304 – SOLID TYPE


- Stainless steel SS304 hollow type
- Standard hollow lever with rose
- Each lever is supplied with corrosion resistant
- 8mm spindle for long lasting operation
- Tested 100,000 cycles/ corrosion testing - 96 hrs



PART NO	MATERIAL	FINISH	HANDLE	SPINDLE	ESCUTCHEON	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-124	SS304	SATIN FINISH	SS304 SOLID	8X8MM STAINLESS STEEL	STAMPING ESCUTCHEON OUT SIDE ESCUTCHEON SS304 INSIDE BASE COLOR ZINK PLATED	38-48MM	1	12

LEVER HANDLE SS304 – HOLLOW TYPE

- Stainless steel ss 304 hollow type
- Standard hollow lever with rose
- Each lever is supplied with corrosion resistant
- 8mm spindle for long lasting operation
- Tested 100,000 cycles/ corrosion testing - 96 hrs



PART NO	MATERIAL	FINISH	HANDLE	SPINDLE	ESCUTCHEON	DOOR THICKNESS	PCS / PKT	PCS / CTN
UI-125	SS304	SATIN FINISH	SS304 SOID	8X8MM STAINLESS STEEL	STAMPING ESCUTCHEON OUT SIDE ESCUTCHEON SS304 INSIDE BASE COLOR ZINK PLATED	38-48MM	1	12

DOOR CYLINDER

- Strengthening bar provides additional Strength against physical attacks
- Grip deflectors make it difficult to grip the cylinder and protects against physical attack with tools
- Available in Euro Single & Double Cylinders
- 3 key Supplied

PART NO	DESCRIPTION	PCS / PKT	PKT / CTN
UI-021	61 MM	10	60
UI-023	70 MM	10	60



DOOR CYLINDER WITH KNOB

- Strengthening bar provides additional Strength against physical attacks
- Grip deflectors make it difficult to grip the cylinder and protects against physical attack with tools
- Available in Euro Single & Double Cylinders
- 3 key Supplied

PART NO	DESCRIPTION	PCS / PKT	PKT / CTN
UI-022	61 MM	10	60
UI-024	70 MM	10	60



DOOR LOCK BODY

- For double deadbolt mortise lock
- Applicable for kinds of swing gate, ex. wooden or steel doors etc.
- Prepared for standards Euro profile cylinder
- Latch bolt has reversible ability

PART NO	DESCRIPTION	PCS / PKT	PKT / CTN
UI-001	45 X 85 SS	1	25
UI-002	40 X 85 SS	1	25
UI-003	35 X 85 SS	1	36
UI-004	25 X 85 SS	1	36
UI-011	20 X 85 SS	1	30
UI-012	25 X 85 SS	1	30
UI-013	30 X 85 SS	1	30
UI-014	35 X 85 SS	1	30
UI-018	45 X 85 SS	1	30



BALL BEARING HINGES

- Suitable for doors upto 80 kg
- Tested to 200,000 Cycles
- 102 MM x 76 MM - pair
- Material SS304
- Stainless Steel brush finish
- Screws included

PART NO	DESCRIPTION	PCS / PKT	PAIR / CTN
UI-045	4" SS304 SSB	1 PAIR	50



CONCEALED HINGE / STRAIGHT - HYDRAULIC

- Automatic closing (buffering oil equipment)
- Opening angle 100 degree
- Diameter of hing cup-35mm
- Door (c) dimension : 3-7
- Door thickness :15-21mm
- Optional instalation of hing cup distance (45/48/52mm)
- Cup thickness 9.5mm/11.5mm

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UI-041	STRAIGHT	10	100



CONCEALED HINGE / HALF BEND - HYDRAULIC

- Automatic closing (buffering oil equipment)
- Opening angle 100 degree
- Diameter of hing cup-35mm
- Door (c) dimension : 3-7
- Door thickness :15-21mm
- Optional instalation of hing cup distance (45/48/52mm)
- Cup thickness 9.5mm/11.5mm

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UI-042	HALF BEND	10	100



CONCEALED HINGE / FULL BEND - HYDRAULIC

- Automatic closing (buffering oil equipment)
- Opening angle 100 degree
- Diameter of hing cup-35mm
- Door (c) dimension : 3-7
- Door thickness :15-21mm
- Optional instalation of hing cup distance (45/48/52mm)
- Cup thickness 9.5mm/11.5mm

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UI-043	FULL BEND	10	100



DOOR STOPPER - HALF ROUND

- Material: Stainless steel SS304
- Door stopper SS304 prevents damage to the wall and door
- Great combination of innovation with optimal functionality

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UI-050	44X24MM	10	100



DOOR STOPPER - STUD ROUND TYPE

- Material: Stainless steel SS304
- Door stopper SS304 prevents damage to the wall and door
- Great combination of innovation with optimal functionality

PART NO	DESCRIPTION	PCS / PKT	PCS / CTN
UI-051	30X40MM	10	50



DOOR CLOSER – GOLD

- Hold open facility
- Door width-900 to 1300mm
- Door opening angle-180 max
- Two hydrolic pressure valves control
- Two sections of door closing seperately,the speed of locking-control by the whole section of the hydrolic pressure



PART NO	DESCRIPTION	PCS / PKT	PKT / CTN
UI-031G	45 – 60 KG	1	10
UI-032G	60 – 75 KG	1	10
UI-033G	70 –90 KG	1	10

DOOR CLOSER – SILVER

- Hold open facility
- Door width-900 to 1300mm
- Door opening angle-180 max
- Two hydrolic pressure valves control
- Two sections of door closing seperately,the speed of locking control by the whole section of the hydrolic pressure



PART NO	DESCRIPTION	PCS / PKT	PKT / CTN
UI-031S	45 – 60 KG	1	10
UI-032S	60 – 75 KG	1	10
UI-033S	70 –90 KG	1	10

DOOR CLOSER – WHITE

- Hold open facility
- Door width-900 to 1300mm
- Door opening angle-180 max
- Two hydrolic pressure valves control
- Two sections of door closing seperately,the speed of locking control by the whole section of the hydrolic pressure



PART NO	DESCRIPTION	PCS / PKT	PKT / CTN
UI-031W	45 – 60 KG	1	10
UI-032W	60 – 75 KG	1	10
UI-033W	70 –90 KG	1	10

PADLOCK

- Body material-solid brass / steel shackle
- No of keys: 3

PART NO	BODY WIDTH	LOCK LEVER	PCS / PKT	PKT / CTN
UI-201	20 MM	SINGLE LOCK	6	180
UI-202	25 MM	SINGLE LOCK	6	180



PADLOCK

- Body material-solid brass / Cut resistant hardened steel shackle
- Pin Tumbler Cyclinder for increased resistance to picking
- No of keys: 3

PART NO	BODY WIDTH	LOCK LEVER	PCS / PKT	PKT / CTN
UI-203	30 MM	DOUBLE LOCK	6	180
UI-204	40 MM	DOUBLE LOCK	6	120
UI-205	50 MM	DOUBLE LOCK	6	72
UI-206	60 MM	DOUBLE LOCK	6	36
UI-207	70 MM	DOUBLE LOCK	6	24



PADLOCK LONG SHACKLE

- Double locking shackle
- Pin Tumbler Cyclinder for increased resistance to picking
- Body material-solid brass / Cut resistant hardened steel
- No of keys: 3

PART NO	BODY WIDTH	LOCK LEVER	PCS / PKT	PKT / CTN
UI-222	30 MM L	DOUBLE LOCK	6	180
UI-223	40 MM L	DOUBLE LOCK	6	120
UI-224	50 MM L	DOUBLE LOCK	6	36



COMBINATION PADLOCK

- Single locking shackle
- Body material solid brass with steel shackle

PART NO	BODY WIDTH	LOCK LEVER	PCS / PKT	PKT / CTN
UI-321	20MM	SINGLE LOCK	6	72



NOTES

[illegible]

Uken[®]

Uken Tools UK LTD
19 Rothesay Rd, Rothesay Road
United Kingdom, SE25 6NY
info@ukentools.com
www.ukentools.com